

**QA-12012/1/2021-RARD-FSSAI**  
**भारतीय खाद्य सुरक्षा और मानक प्राधिकरण**  
**Food Safety and Standards Authority of India**  
(खाद्य सुरक्षा और मानक अधिनियम २००६ के तहत स्थापित वैधानिक प्राधिकरण)  
(A Statutory Authority established under Food Safety & Standards Act, 2006)  
(गुणवत्ता आश्वासन प्रभाग)  
(Quality Assurance Division)  
एफ.डी.ए. भवन, कोटला रोड, नई दिल्ली- ११०००२  
**FDA Bhawan, Kotla Road, New Delhi-110002**

**दिनांक/Date- 05 June,2026**

**विषय: एफएसएसएआई द्वारा मान्यता प्राप्त खाद्य परीक्षण प्रयोगशालाओं की वैधता ।**  
**Subject: Validity of FSSAI recognised Food Testing Laboratories.**

खाद्य सुरक्षा और मानक अधिनियम, २००६ और उसके तहत बनाए गए नियम और विनियम के तहत लिए गए खाद्य नमूनों का विश्लेषण करने के उद्देश्य से एफएसएसएआई द्वारा मान्यता प्राप्त प्रयोगशालाओं की सूची के साथ-साथ उनके एनएबीएल मान्यता की वैधता ०५ जून २०२६ और संपर्क विवरण इसके साथ संलग्न है।

२. उपरोक्त प्रयोगशालाओं की मान्यता और वैधता एफएसएसएआई द्वारा समय-समय पर जारी दिशा-निर्देशों या आदेशों द्वारा नियंत्रित होगी।

A list of FSSAI-recognised laboratories, along with the validity of their NABL accreditation as of 05 June, 2026, and contact details, is enclosed herewith for the purpose of analysing food samples taken under the Food Safety and Standards Act, 2006, and the rules and Regulations made thereunder.

2. The recognition and validity of the aforementioned laboratories shall be governed by the guidelines or orders issued by FSSAI from time to time.

Digitally signed by  
JYOTSANA SINGH  
Date: 05-06-2026  
17:16:42  
ज्योत्सना सिंह/Jyotsana singh  
खाद्य विश्लेषक - (गु.आ)/Food Analyst - QA  
एफएसएसएआई, नई दिल्ली/FSSAI. New Delhi

**प्रति (ईमेल के माध्यम से):**

१. सभी खाद्य सुरक्षा आयुक्त
२. सभी एफएसएसएआई अधिसूचित प्रयोगशालाएं

**सूचना के लिए प्रतिलिपि (ईमेल के माध्यम से):**

१. अध्यक्ष के निजी सचिव, एफएसएसएआई, नई दिल्ली
२. मुख्य कार्यकारी अधिकारी के निजी सचिव, एफएसएसएआई, नई दिल्ली
३. कार्यकारी निदेशक (सी.एस), एफएसएसएआई, नई दिल्ली.
४. निदेशक (आयात), एफएसएसएआई, नई दिल्ली
५. मुख्य प्रौद्योगिकी अधिकारी एफएसएसएआई, नई दिल्ली-एफएसएसएआई वेबसाइट पर अपलोड करने के लिए

**To (Through email):**

1. All Food Safety Commissioners
2. All FSSAI Notified Laboratories

**Copy for information to (Through email):**

1. PS to Chairperson, FSSAI, New Delhi
2. PS to CEO, FSSAI, New Delhi
3. ED (CS), FSSAI, New Delhi
4. Director (TICD), FSSAI, New Delhi
5. CITO FSSAI, New Delhi, for upload on the FSSAI website.

## Annexure 1

FSSAI Notified NABL Accredited Food Testing Laboratories having valid NABL accreditation as on 5th June, 2026 for the purpose of carrying out Analysis of Samples taken under Section 47 of the Food Safety and Standards Act, 2006.

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
<b>A. NORTHERN REGION</b>										
<b>Delhi</b>										
1	AGSS Analytical & Research Lab (P) Ltd, Delhi C-37/2, Lawrence Road, Industrial Area, Delhi 110035	51/N/FSSAI/2018	<a href="#">TC-14844</a>	Y	Dr. Shivlal Singh Tel: 011-45022985, Mob: 9311654060 Email: agsslabs@gmail.com	Mrs. Nidhi Gupta	18th Aug, 2027	18th Aug, 2027	Not Applicable	Not Applicable
2	Arbro Pharmaceuticals Private Limited, Delhi, 4/9, Kirti Nagar Industrial Area, New Delhi-110015	1/N/FSSAI/2014	<a href="#">TC-7375</a>	Y	Ms. Silpi Kalita Quality Manager Phone: +91 11 4575 4575 Mobile:9650095867 Email: saurabharora@arbropharma.com	Ms. Megha Puri	22nd Nov, 2027	22nd Nov, 2027	Not Applicable	Not Applicable
3	Avon Food Lab Private Limited, Delhi C-35/23, Lawrence Road Industrial Area, Delhi 110035	23/N/FSSAI/2014	<a href="#">TC-11151</a>	Y	Mr. Sunil Kochar (CEO), Tel:011-45202222, Mob No.9810004270, E-mail-sunil.kochar@avonfoodlab.com; marketing@avonfoodlab.com; qm@avonfoodlab.com	Ms. Paridhi sharma , Mr. Lalit Kumar Thakur Ms Poonam Rawat Dr. Shashikanth Dara	14th Nov, 2026	14th Nov, 2026	Not Applicable	Not Applicable
4	Delhi Analytical Research Laboratory, Delhi Plot No. 2, Timber Block, Jhilmil, Industrial Area, New Delhi – 110095	48/N/FSSAI/2017	<a href="#">TC-5163</a>	Y	Dr. Priyanka Mishra Tel: 011-43545890, Mobile: 9717324010 Email: darltesting@gmail.com, info@darltesting.org	Ms. Simran Bhardwaj	25th Sept, 2026	25th Sept, 2026	Not Applicable	Not Applicable
5	FICCI Research and Analysis Centre, New Delhi, Plot No - 2A, Sector-8, Dwarka, New Delhi - 110077.	25/N/FSSAI/2014	<a href="#">TC-5275</a>	Y	Mr.Karan Kohli Contact No.: 7042492155 Email Id: Karan@fraclabs.org, Info@fraclabs.org	Mr. Anil Kumar, Ms. Ritu Singh,	08th March, 2028	08th March, 2028	Not Applicable	Not Applicable
6	Food Laboratory, Department of Food Safety, Delhi, A-20, Lawrence Road, Industrial Area, Ring Road, New Delhi	59/N/FSSAI/2019	<a href="#">TC-12796</a>	Y	Ms. Shamim Das -Food Analyst 09818427947 (Mob) E-mail id: foodlabpfa@gmail.com	As Notified by State Government	25th Dec, 2027	Not Applicable	Not Applicable	Not Applicable
7	Shree Krishna Analytical Services (Shree Krishna Analytical Services Pvt. Ltd.), New Delhi , SKAS Pharma Pvt. Ltd., A-5/4, Mayapuri Industrial Area, Phase –II, New Delhi	47/N/FSSAI/2017	<a href="#">TC-8932</a>	Y	Mr. Rajesh Yadav (Proprietor) Mobile: 9811604864 Email: yadavayush@yahoo.com , shreekrishnalab@gmail.com, qa@skaslab.com	Mrs Mansi Rastogi	15th July, 2026	15th July, 2026	Not Applicable	Not Applicable
8	Sophisticated Industrial Materials Analytical Labs Private Limited, Delhi, A-3/7, MAYAPURI INDUSTRIAL AREA, PHASE-II, MAYAPURI Delhi, Pin - 110064	3/N/FSSAI/2014	<a href="#">TC-11220</a>	Y	Mr. Siddharth Gupta (Director), 9871877213, 011- 43854300 E mail ID: corporate.qa@simalab.com qa@simalab.co.in	Mr. Raman Dwivedi; Ms. Rupa Rani Ms. Pratibha Rawat Ms. Pooja Mishra	14th Dec, 2026	14th Dec, 2026	Not Applicable	Not Applicable
9	Shriram Institute for Industrial Research, New Delhi 19, University Road, New Delhi-110007	15/N/FSSAI/2014	<a href="#">TC-5444</a>	Y	Contact Person: Dr. Laxmi Rawat. Mob: 9818193810/08447705730, 011-27667267. Email:laxmirawat@shriraminstitute.org	Dr. Sumant Kumar Nayak Ms. Radhika Sharma Ms. Neha Gupta Mr. Dushyant Singh	14th Oct, 2027	14th Oct, 2027	14th Feb, 2026	Not Applicable
10	Central Revenues Control Laboratory, New Delhi, I.A.R.I., P.O., Hill Side Road, Pusa, New Delhi - 110012	84/N/FSSAI/2021	<a href="#">TC-8554</a>	Y	Email : dir.crcl-cbec@nic.in; dr.mahesh1974@gov.in, Mob : 8879893490	Mr. Rajesh Kumar Mr. Yogesh Kumar	27th Sept, 2026	27th Sept, 2026	Not Applicable	Not Applicable
11	Standard Analytical Laboratory (ND) Private Limited, 69, Functional Industrial Estate, Patparganj, Delhi – 110092	19/N/FSSAI/2014	<a href="#">TC-14047</a>	N	Mr. Devanshu Shrivastav, Director, Mob: 09811110632, 08447498882, Email: info@testinglaboratoryindia.com, accounts@testinglaboratoryindia.com	Mr. Abhishek Mishra	07th July, 2026	07th July, 2026	Not Applicable	Not Applicable
12	Sigma Test and Research Centre, Delhi BA –15, Mangolpuri Industrial Area, Phase – II, Delhi-110034 (99, Badli Industrial Area Phase-2, New Delhi- 110042)	10/N/FSSAI/2014	<a href="#">TC-15193</a>	N	Mr. Rahul Gupta (Vice President) Email: rahul@sigmatest.org, info@sigmatest.org Tel: 011-49491414, Mobile: 09811565000	---	26th March, 2030	26th March, 2030	Not Applicable	Not Applicable
13	Delhi Test House, Delhi A-62/3. G.T.Karnal Road, Industrial Area, Opp. Hans Cinema, Azadpur, New Delhi-110033	7/N/FSSAI/2014	<a href="#">TC-14461</a>	Y	Mr. M. C.Goel(Director) Tel :011- 47075555, 9310360377 Email:info@delhitesthouse.com, sonia@delhitesthouse.com	Shri. Harvinder Singh Matharu Mr Ashish Kumar Shukla	2nd March, 2028	2nd March, 2028	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
14	ITL Labs Private Limited, Delhi B-283-284, Mangolpuri, Industrial Area,Phase- I, Delhi-110083	11/N/FSSAI/2014	<a href="#">TC-5133</a>	N	Mr. Sanjay Mehra(Quality Manager) Tel:011-27915654,65368717, Fax No:011-27923339 Mobile: +91 9811055913 Email: itl94@hotmail.com, itllabs@gmail.com, qa.itllabs@gmail.com	---	23rd Jan, 2030	23rd Jan, 2030	Not Applicable	Not Applicable
15	Centre for Environment and Food Technology Pvt. Ltd., New Delhi 17, DLF Industrial Area, 1st & 2nd Floor, Moti Nagar, New Delhi-110015	56/N/FSSAI/2019	<a href="#">TC-6145</a>	N	Dr. B.P. Nilaratna Contact No.011-45012722, 09811707270 E-mail: info@ceftlab.com;	---	03rd Jul, 2029	03rd Jul, 2029	Not Applicable	Not Applicable
<b>Haryana</b>										
16	Centre for Food Research and Analysis (CFRA), NIFTEM, Sonipat Plot No. 97, Sector-56, HSIIDC, Industrial Estate, Kundli, Sonipat, Haryana-131028	63/N/FSSAI/2021	<a href="#">TC-4009</a>	Y	Dr.Komal Chauhan E-mail: info.cfra@niftem.ac.in, ftl.niftem@gmail.com Tel: 0130-2281078, 2281142/53/55 Mob:9466000672 KISHAN PAL SINGH info.cfra@niftem.ac.in 9312790109	Mr. Satish Chandra Kushwaha, Dr. Anupama Deora Mr. Zober Alam Khan	02nd July,2027	02nd July,2027	Not Applicable	Not Applicable
17	Eureka Analytical Services Pvt. Ltd., 31st Milestone, Main GT Road, Kundli, Sonipat, Haryana	65/N/FSSAI/2021	<a href="#">TC-9108</a>	Y	HEMALATHA Tel No. : 8748037689 Email : bhemalatha@eurekaserv.com	Ms. Renu Singh	16th Nov, 2026	16th Nov, 2026	Not Applicable	Not Applicable
18	Fare Labs Private Limited, Gurgaon L17/3, DLF-Phase-II M.G. Road, Gurgaon- 122002, Haryana	16/N/FSSAI/2014	<a href="#">TC-5503</a>	Y	Mr. D. Mathur (Director) Tel: 0124-4034205, Fax: 0124-4036038 Mobile: 09312664533 Email: farelabs@farelabs.com	Ms. Rita Singh	12th Jan, 2028	12th Jan, 2028	12th Jan, 2028	Mechanical: 12th Jan, 2028
19	HTH Laboratories Pvt. Ltd., 50-C, Sector-25, Part-II, Huda, Panipat, Haryana	31/N/FSSAI/2016	<a href="#">TC-7811</a>	Y	Rishabh Dua (Director) Mobile:9991675756/ 8607770160 Email: haryanatesthousecs@gmail.com testing@hthlabs.com	Mr. Basudev Singh	16th Oct, 2026	16th Oct, 2026	Not Applicable	Not Applicable
20	Alpha Test House, Bahadurgarh 198-199, MIE., Phase-1, Industrial Area, Bahadurgarh, Haryana	53/N/FSSAI/2018	<a href="#">TC-6446</a>	N	Mr. Abhishek Shukla (Quality Manager) Contact No: 8130453334 Email: info@alphatesthouse.com, support@alphatesthouse.com	---	9th Oct, 2029	9th Oct, 2029	Not Applicable	Not Applicable
21	National Commodities Management Services Limited - CommGrade - Testing Services Regional Laboratory, (North) Plot -883 (3rd Floor), Phase V, Udyog Vihar, Gurugram, Haryana	52/N/FSSAI/2018	<a href="#">TC-6507</a>	Y	Contact Person : akshaya.g@ncml.com 9821100264 Mr. Akshaya Gupta, raj.kap@ncml.com 9415574852 Mr. Raj Kapoor iram.k@ncml.com 9910109331 Ms. Iram Khannum Ph: 0124-4691451, 0124-4691472 Email Id: akshaya.g@ncml.com 9821100264	Mr. Raj Kapoor Ms. Deeksha Yadav	23rd Feb, 2028	23rd Feb, 2028	Not Applicable	Not Applicable
22	SGS India Private Limited, Manesar, Gurgaon Plot No. 21, Sector-2, IMT Manesar, Gurgaon District, Haryana-122050	6/N/FSSAI/2014	<a href="#">TC-7132</a>	Y	Jyoti Goyal , 9643898006, jyoti.goyal@sgs.com; Ms. Anshula Bhat, 7208923847, anshula.bhat@sgs.com	Ms. Jyoti Goyal Mr. Vinay Vikram Singh Ms. Sonia Kumari Ms. Shreshtha Sharma Mr. Sardar Abdul Hameed Khan Mr. Rahul Kumar Tomar	30th March, 2028	30th March, 2028	Not Applicable	Not Applicable
23	District Food Laboratory, Karnal, Govt. Polyclinic, Sector-16, Karnal-132001	73/N/FSSAI/2021	<a href="#">TC-9399</a>	Y	Contact Person : POONAM DEVI Tel No. : 9416196939  Email : fdadfl900@gmail.com	As Notified by State Government	04th April, 2027	04th April, 2027	Not Applicable	Not Applicable
24	State Food, Water & Excise Laboratory, Chandigarh, Haryana, Sector-11D, Chandigarh, Haryana	77/N/FSSAI/2021	<a href="#">TC-9474</a>	Y	Tel No. : 9467404827 Fax No. : Email : statefoodlab@gmail.com Contact Person : MANISHA BOORA	As Notified by State Government	25th April,2027	25th April,2027	Not Applicable	Not Applicable
25	Vardan Enviro Lab, Gurgaon, Plot No. 82A, Sector 5, IMT Manesar, Gurgaon - 122051, Haryana	85/N/FSSAI/2022	<a href="#">TC-6299</a>	Y	Dr Shiv Prakash Singh Sr. Technical Manager 9650686979 drshiv@vardan.co.in  Gaurav Pratap Singh Quality Manager +91 9015719913 gaurav@vardan.co.in	Mr. Dharmendra Kumar Dixit, Ms. Deeksha Chauhan, Mr. Suvojit Das	27th Aug, 2026	27th Aug, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
26	Saturn Quality Certifications Private Limited, V-17, MODERN INDUSTRIAL ESTATE, RED CROSS ROAD, Bahadurgarh, Haryana	27/N/FSSAI/2014	<a href="#">TC-7113</a>	N	Dr.Smriti Babbar (Director & Quality Manager) Tel: 01276267125 Mobile: 9212190099, 09310154321 Email: lab@saturngroupindia.com, info.saturnqc@gmail.com	---	31st March, 2029	31st March, 2029	31st March, 2029	Not Applicable
27	Choksi Laboratories Limited, Panchkula Plot No. 362, Industrial Area, Phase II, Panchkula-734112, Haryana	24/N/FSSAI/2014	<a href="#">TC-17561</a>	Y	Mr. Satish Joshi (Director) Tel: 0172-5048600, 5048601 Mobile: 09872792499 Email: Panchkula@choksilab.com, joshi_102@yahoo.com, pk.choksi@gmail.com	Mr. Satish Chandra Joshi	11th Nov, 2028	11th Nov, 2028	Not Applicable	Not Applicable
28	Dove Research & Analytics, Panchkula Plot No. 298, Industrial Area, Phase-II, Panchkula-134109, Haryana	30/N/FSSAI/2016	<a href="#">TC-4063</a>	N	Mr. Anil Arya (M.D) Tel: 0172-5010127; Mobile: 09876971976 Email: drachd@gmail.com	---	30th Jan, 2029	30th Jan, 2029	Not Applicable	Not Applicable
29	Interstellar Testing Centre Pvt. Ltd., Panchkula, 86, Industrial Area, Phase-1, Panchkula - 134109	14/N/FSSAI/2014	<a href="#">TC-14896</a>	Y	Mr. Kamal Grover (Director) Tel:0172-2561543,2565825 Mobile: 08284004411, 08800990919 Email: kamal.grover@itclabs.com	Mr. Mithun Khandelwal	04th Sep, 2026	04th Sep, 2026	Not Applicable	Not Applicable
30	Eurofins Analytical Services India Pvt. Ltd., Gurugram First Floor, Plot No 157, Udyog Vihar, Phase -I, Gurugram, Haryana	38/N/FSSAI/2016	<a href="#">TC-6400</a>	Y	Dr. Pankaj Jaiminy Managing Director Email: Pankaj.Jaiminy@xoin.eurofinsasia.com Mob: 08700600103  Ms. Arti Trivedi Manager-Lab Operations Email: Arti.Trivedi@xoin.eurofinsasia.com Mob: 08951957643	Ms. Anjali Tiwari, Mr. Kamlesh Maurya; Mr. Ashutosh Kumar Jha Ms. Tanvi Vishnoi	14th March, 2027	14th March, 2027	Not Applicable	Not Applicable
<b>Himachal Pradesh</b>										
31	Composite Testing Laboratories, Kandaghat Distt., Solan, Kandaghat, Distt. Solan, H.P.-173215	81/N/FSSAI/2021	<a href="#">TC-9547</a>	Y	RIPU DAMAN KUMAR 9418878254 ctlkandaghat@gmail.com	As Notified by State Government	24th May, 2027	Not Applicable	Not Applicable	Not Applicable
32	Auriga Research Limited, Baddi D.C. Complex, Opposite Gianz Hotel, Village Bagbania, Tehsil-Nalagarh, District - Solan - 174101, Himachal Pradesh	33/N/FSSAI/2016	<a href="#">TC-5350</a>	N	Mr. Surinder Tel: 01795 32445, Mobile: +91 9318759781 Email : baddi@aurigaresearch.com Nitin sharma, 9857000910 nitin.sharma@aurigaresearch.com	---	25th Nov, 2029	25th Nov, 2029	Not Applicable	Not Applicable
<b>Jammu &amp; Kashmir</b>										
33	Public Health Laboratory, Jammu, Patoli Mangotrian, Jammu-180007	74/N/FSSAI/2021	<a href="#">TC-17453</a>	Y	Contact Person : SUMIT SINGH Tel No. : 9796201517 Fax No. : Email : publicanalystjammu@gmail.com	As Notified by State Government	20th Jan, 2028	Not Applicable	Not Applicable	Not Applicable
34	Public Health Laboratory, Srinagar, Dalgate, Srinagar-190001	75/N/FSSAI/2021	<a href="#">TC-9541</a>	Y	Contact Person : Raies Ahmad Bhat Tel No. : 7006613540 Fax No. : Email : publicanalystkashmir63@gmail.com	As Notified by State Government	20th May, 2027	Not Applicable	Not Applicable	Not Applicable
<b>Punjab</b>										
35	Punjab Biotechnology Incubator, Mohali Knowledge City, Sector-81, SAS Nagar, Mohali, Punjab, India	8/N/FSSAI/2014	<a href="#">TC-12762</a>	Y	Dr. Ajit Dua (CEO) Tel :0172-5020891/95 Fax: 0172-5020895 Mobile : 09915514974 Email: pbti2005@yahoo.com	Mr. Amit Agarwal	24th July 2027	24th July 2027	Not Applicable	Not Applicable
36	Food Laboratory (FDA), Punjab FDA Building, Near Civil Hospital, Kharar-140201, SAS Nagar, Punjab	66/N/FSSAI/2021	<a href="#">TC-9014</a>	Y	E-mail: navdeepnitj75@gmail.com Contact Person: Navdeep Kaur Mobile: 9888637895	As Notified by State Government	27th Sep, 2026	Not Applicable	Not Applicable	Not Applicable
37	Bali Test House Private Limited, Ludhiana Streetno.12, JeevanNagar, focal Point, Phase- V, Ludhiana, Punjab- 141010	9/N/FSSAI/2014	<a href="#">TC-12769</a>	N	Mr. Abhishek Bali (Director) Tel:0161-2670036/37/38, Fax: 0161-2671037, Mobile: 08427181000 Email: info@bth.co.in , balitesthouse@gmail.com	---	15th Feb, 2029	15th Feb, 2029	Not Applicable	Not Applicable
<b>Rajasthan</b>										

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
38	IRCLASS Systems and Solutions Private Limited, Jaipur CEG Tower, B-11(G), Malviya Industrial Area, Jaipur-302017	22/N/FSSAI/2014	<a href="#">TC-5843</a>	Y	Dr Vikas Gupta Email ID: Vikas.Gupta@irclass.org Contact Number/Mob: 9634063932 Ms. Pushpa Sharma Email ID: lab@irclass.org Contact Number/Mob: 9899452551	Ms. Reena Gupta Mr. Vijay Kumar Chejara	2nd Mar, 2027	2nd Mar, 2027	Not Applicable	2nd Mar, 2027 (Mechanical)
39	JAGDAMBA LABORATORIES (OPC) PRIVATE LIMITED, Jaipur 119, Solitaire Industrial Park, Phase 1st, dahmi Kallan, Bagru, Jaipur-303007	35/N/FSSAI/2016	<a href="#">TC-11837</a>	Y	Ms. Gunjan Sharma (Director) Tel: 0141-2390604 Mobile: +91 9829124199 Email: jagdambalab4@gmail.com	Mr. Kuldeep Singh	12th Jan, 2028	12th Jan, 2028	Not Applicable	Not Applicable
40	Cultivator Phyto Lab Private Limited, Jodhpur 1st Floor, Plot No. 24-31, 25-30, Khasra No. 135/1, Sonamukhi Nagar, Sangaria Fanta, Jodhpur, Rajasthan	87/N/FSSAI/2023	<a href="#">TC-11655</a>	Y	Mr. Sandeep Sharma (Lab Manager) Contact: 8696878606; Email: info@phytolab.in	Mr. Sajid Hussain.	17th May, 2027	17th May, 2027	Not Applicable	Not Applicable
41	National Test House (Ministry of Consumer Affairs, Food & Public Distribution, Department of Consumer Affairs) E-763, Road No. 9F-1, VKI area, Jaipur- 302013, Rajasthan	36/N/FSSAI/2016	<a href="#">TC-5391</a>	Y	Mr. Rakesh Saini (Scientist Incharge) Tel: 0141-2332057, 2332058, 09414046288 Email: nthjaipur-ca@nic.in, nthjaipur@gmail.com Debashis Bhattacharya 9883014235 nthjaipur-ca@nic.in	***	21st Aug, 2027	21st Aug, 2027	Not Applicable	21st Aug, 2027 (Mechanical, Electrical)
42	State Central Public Health Laboratory, Jaipur Mini Swasthya Bhawan, Sethi Colony, Mandir Marg, Jaipur, Rajasthan-302004	62/N/FSSAI/2020	<a href="#">TC-8946</a>	Y	Sh Karan Singh Tanwar, Chief Public Analyst, E-mail id: chief.public.analyst@gmail.com Mob: 09414275826	Sh Karan Singh Tanwar	03rd Aug, 2026	Not Applicable	Not Applicable	Not Applicable
43	Public Health Laboratory, Udaipur M. B Govt. Hospital Campus, Near Trauma Centre, Udaipur, Rajasthan-313001	68/N/FSSAI/2021	<a href="#">TC-9303</a>	Y	Contact Person : Sh RAVI SETHI Tel No. : 8890017929  Email : food.analyst.udaipur@gmail.com	Sh RAVI SETHI	3rd March, 2027	Not Applicable	Not Applicable	Not Applicable
44	Public Health Laboratory, Bharatpur Company Bagh, Behind R.B.M. Hospital, Near Swasthya Bhawan, Bharatpur, Rajasthan-321001	70/N/FSSAI/2021	<a href="#">TC-9312</a>	Y	Contact Person :Smt. NEETU GUPTA Tel No. : 9414920530 Fax No. : Email : phlbharatpur@gmail.com	Smt. NEETU GUPTA	07th March, 2027	Not Applicable	Not Applicable	Not Applicable
45	Public Health Laboratory, Jodhpur, C-27, Station Road, Jodhpur, Rajasthan, India	72/N/FSSAI/2021	<a href="#">TC-9402</a>	Y	Contact Person :Sh ASHISH RATHORE Tel No. : 9460494050 public.analyst.jodhpur@gmail.com	Sh ASHISH RATHORE	4th April, 2027	Not Applicable	Not Applicable	Not Applicable
46	Public Health Laboratory, Banswara, Mahatma Gandhi Hospital Campus, Banswara, Rajasthan-327001	76/N/FSSAI/2021	<a href="#">TC-9465</a>	Y	Contact Person : Sh ASHISH RATHORE 9460494050  Email : phlabbanswara@gmail.com	Sh ASHISH RATHORE	25th April, 2027	Not Applicable	Not Applicable	Not Applicable
47	Public Health Laboratory, Bikaner, Rajasthan, Sardar Patel Medical College Campus, Bikaner, Rajasthan-334001	80/N/FSSAI/2021	<a href="#">TC-9598</a>	Y	Sh Indrajeet Aretiya 9929637386 foodlabbbikaner2019@gmail.com	Sh Indrajeet Aretiya	13th June, 2027	Not Applicable	Not Applicable	Not Applicable
48	Amol Pharmaceuticals Private Limited, Jaipur Analytical Division, E -362-364, Sitapura Industrial Area, Sitapura, Jaipur-302022, Rajasthan	2/N/FSSAI/2014	<a href="#">TC-8197</a>	N	Mr. Girish Kumar Maheshwari (VP-Technical) Tel: 0141-2771132, 2771007/8, 2771150 Fax: 0141-2770744 Fax: 0141-2770744 e-mail id: Girishmaheshwari1960@gmail.com, girishmaheshwari1960@gmail.com	---	13th Dec, 2028	13th Dec, 2028	Not Applicable	Not Applicable
49	Public Health Laboratory, AjmerE-01, Behind Kamla Nehru T.B. Hospital, Jaipur Road, Ajmer, Rajasthan-305001	69/N/FSSAI/2021	<a href="#">TC-9269</a>	Y	Contact Person : Smt. PRIYANKA SONI Tel No. : 9785522693 Email : publicanalyst.ajmer@gmail.com	Smt. PRIYANKA SONI	17th Feb 2027	Not Applicable	Not Applicable	Not Applicable
50	Omega Test House Private Ltd.(Omega Test House), Jaipur J-889, Phase III, Sitapura Ind. Area, Jaipur - 302022, Rajasthan	46/N/FSSAI/2016	<a href="#">TC-15122</a>	Y	Mr. Trilok Singh (Quality/Technical Manager) Mob: +91 9414074020, +91 9829051363 Email: omegatesthouse@gmail.com	---	31st Dec, 2027	31st Dec, 2027	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
51	Public Health Laboratory, Kota MBS Hospital campus near I.M.A hall, Nayapura, Kota-324001, Rajasthan	71/N/FSSAI/2021	<u>TC-9330</u>	Y	Contact Person : Sh Manish Gupta 9461100690, 7976564399 Email : fsslkota2015@gmail.com	As Notified by State Government	15th March, 2027	Not Applicable	Not Applicable	Not Applicable
<b>Uttarakhand</b>										
52	State Food and Drug Testing Laboratory, Rudrapur Old J.L.N Govt. Hospital Campus, Near Indra Chowk, Kichha Road, Udam Singh Nagar, Rudrapur, Uttarakhand	67/N/FSSAI/2021	<u>TC-9125</u>	Y	NISHANT TYAGI 9719229849 Email : sdftlusn@gmail.com	As Notified by State Government	01st Dec, 2026	Not Applicable	Not Applicable	Not Applicable
53	Devansh Testing and Research Laboratory Private Limited, Haridwar 94, Shiv Ganga Industrial Estate, Lakeshari, Bhagwanpur-247661, Roorkee, Distt. Haridwar (U.K.)	26/N/FSSAI/2014	<u>TC-6467</u>	Y	Dr. Harendra Singh Chauhan (Technical Director) Tel: 01332-235415, Mobile: 09997644448, 09760234447 Email: dtrlpvtltd@gmail.com	Mr. Bijendra Pal	23rd Nov, 2027	23rd Nov, 2027	Not Applicable	Not Applicable
<b>Uttar Pradesh</b>										
54	AES Laboratories Private Limited, Noida B-118, Phase-II, Noida-201305, Uttar Pradesh	18/N/FSSAI/2014	<u>TC-6308</u>	Y	Mr. Vishal Arora (Director) Tel : 0120-4646713, Mobile: +91 9811331569 Email: vishal.arora@aeslabs.com , tqm@aeslabs.com, Support@aeslabs.com	Mr. Prabhat Soni Ms. Manu Tomar Mr Ashutosh Kumar	23rd Oct, 2027	23rd Oct, 2027	Not Applicable	23rd Oct, 2027(Mechanical, NDT)
55	National Food Laboratory, Ghaziabad (In PPP with Arbro Pharmaceuticals Pvt Ltd), Ahimsa Khand-II, Indirapuram, Ghaziabad, Uttar Pradesh	61/N/FSSAI/2020	<u>TC-5351</u>	Y	Sh. SS Raghav (Director), E-mail id: frsindia1971@gmail.com; ss.raghav@fssai.gov.in	Mr. Surender Singh Raghav Ms. Laxmibai S Dhakate Ms. Deepika Kachhwaha Ms. Ruby Mishra	23rd Feb, 2028	23rd Feb, 2028	Not Applicable	Not Applicable
56	Regional Public Analyst Laboratory, Fatehabad, Agra, Uttar Pradesh Bamrauli Katara. Near heritage institute of Hotel Management, Fatehabad, Agra, Uttar Pradesh-282006	79/N/FSSAI/2021	<u>TC-9478</u>	Y	Contact Person : BIJENDRA KUMAR Tel No. : 8979070719 Email : fsdalabagra@gmail.com Akhilesh kumar gupta fsdalabagra@gmail.com 7983032676	As Notified by State Government	27th July, 2027	Not Applicable	Not Applicable	Not Applicable
57	Government Public Analyst Laboratory, Lucknow Sector-C, Chetan Vihar, Aliganj, Lucknow, Uttar Pradesh	50/N/FSSAI/2017	<u>TC-13779</u>	Y	Sh. S.K. Pant (Assistant Commissioner Food & Drugs) Tel: 9889877598 Email: fdapant@gmail.com, skpant58@gmail.com, suraksha singh fdalab.lko@gmail.com 9415022269	As Notified by State Government	28th June, 2026	Not Applicable	Not Applicable	Not Applicable
58	Vimta Labs Ltd, Noida Reg. No. Sector-8, C 58, Block C, Noida, Gautam Budha Nagar, Uttar Pradesh	64/N/FSSAI/2021	<u>TC- 8970</u>	Y	Ms.Shaily Bhargava; shaily.bhargava@vimta.com Mobile - 9121009308 ; Apurv Sharma - Quality Manager Email: apurv.sharma@vimta.com Mobile:9100122625	Mr.Deepak Pant	26th Aug, 2026	26th Aug, 2026	Not Applicable	Not Applicable
59	Atharva Laboratories Pvt. Ltd., Noida B-100, Phase-II, Noida-201 305, Uttar Pradesh (New address-D115A, Hosiery Complex, Block D, Noida Phase-2, Uttar Pradesh)	41/N/FSSAI/2016	<u>TC-6319</u>	N	Director Name - Mr Sandeep Kumar Jindal Contact number : 7065088001 Tel: 0120-4559212, 4324818 Fax: 0120-4324818 Mob: 9315142851, 7827983858 Email ID : sandeep.jindal@atharvalab.com, Contact@atharvalab.com, info@atharvalab.com	---	12th Jan, 2029	12th Jan, 2029	Not Applicable	Not Applicable
60	Regional Public Analyst Laboratory, Jhansi M.L.B. Medical College Campus, Jhansi, Uttar Pradesh	54/N/FSSAI/2018	<u>TC-6890</u>	N	Dr Anoop chandra Tel: 0510-2440280, Fax: 0510-2440280 Mobile: 09889877598 Email: noopchandra09@gmail.com; fdajhansi88@gmail.com fdapant@gmail.com, fsdalabjhansi@gmail.com;	As Notified by State Government	09th Nov, 2028	Not Applicable	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
61	Regional Public Analyst Laboratory, Varanasi, Uttar Pradesh CHC Campus, Shivpur, Varanasi, Uttar Pradesh-221003	82/N/FSSAI/2021	<a href="#">TC-9429</a>	Y	UMESH CHANDRA GANGWAR 9451403565 labvaranasi5@gmail.com Anil Kumar verma 9453526045 labvaransi5@gmail.com	As Notified by State Government	15th April, 2027	Not Applicable	Not Applicable	Not Applicable
62	Regional Government Public Analyst Laboratory, Gorakhpur, BRD Medical Campus, Gorakhpur, Uttar Pradesh	60/N/FSSAI/2020	<a href="#">TC-7904</a>	Y	Sh. K.P. Singh Tel: +91-9415467712 E-mail id: fsdalab.gkp@gmail.com, divisionalfsdagkp@gmail.com RS Chauhan rschauhanfdaup@gmail.com 8840465770	As Notified by State Government	15th Feb, 2027	Not Applicable	Not Applicable	Not Applicable
63	Regional Public Analyst Laboratory, Meerut Lala Lajpat Rai Medical College Campus, Garh Road, Meerut, Uttar Pradesh	86/N/FSSAI/2023	<a href="#">TC-16466</a>	Y	Dr. Atul Prakash Sharma & Ankur Bajpai, 09415811881, atulpsharma@gmail.com	As Notified by State Government	20th July,2027	Not Applicable	Not Applicable	Not Applicable
64	QC Lab, Shriram Food & Pharma Research Centre, AO-150, Second Floor, Amrit Steel Compound, UPSIDC Industrial Area, Gt Road, Ghaziabad, Uttar Pradesh	89/N/FSSAI/2025	<a href="#">TC-12803</a>	Y	Mr. M.V. Tyagi Email: sfprc2022@gmail.com mobile: 9306916052	Mr. M.V. Tyagi	27th Dec, 2027	27th Dec, 2027	Not Applicable	Not Applicable
65	National Test House (Northern Region), Ghaziabad Kamla Nehru Nagar, Ghaziabad - 201 002	42/N/FSSAI/2016	<a href="#">TC-6870</a>	Y	Mr Rajesh Kumar Mob: 07003775955 E-mail: nthnr-ca@nic.in; Mr Abhishek, 9831386544	Mr. Sudhakar Jaiswal	03rd Feb, 2027	03rd Feb, 2027	Not Applicable	03rd Feb, 2027 (Mechanical)
<b>B. WESTERN REGION</b>										
<b>Dadra and Nagar Haveli, and Daman and Diu</b>										
66	Konarch Research Foundation, Daman (A Division of Saga Research Laboratories Pvt. Ltd.) Plot No. 338/1, Behind Cricket Ground, Kachigam, Daman-396210	17/W/FSSAI/2014	<a href="#">TC-13675</a>	N	Mr. Girish Patel (Technical Manager) Tel: 0260-2244766, Mobile: 09377004366 Email: patel.girish@konarkgroup.com	---	14th Jun, 2026	14th Jun, 2026	Not Applicable	Not Applicable
<b>Gujarat</b>										
67	Accurate Universal Laboratories Private Limited, Ahmedabad D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahemdabad, Gujarat	26/W/FSSAI/2016	<a href="#">TC-5021</a>	Y	Mr. Priyesh Amin (Proprietor) Tel: 079-65454571, Mobile: 09824014571 Email: info@accuratelaboratory.in	.....	26th March, 2027	26th March, 2027	Not Applicable	Not Applicable
68	Hi-Tech Healthcare Laboratory Research centre, Ahmedabad 201, Sahaj Arcade, Opp. Lincoln Healthcare, Near Sola Gam, Science City Road, Ahemdabad - 380 060, Gujarat	33/W/FSSAI/2016	<a href="#">TC-7613</a>	Y	Dr. Rajanikant Patel (CEO) Tel: 079-40027452 Mob: 9099971271 Email: hitechlabindia@gmail.com	Ms. Nikita Rameshbhai Patel	25th Sept, 2026	25th Sept, 2026	Not Applicable	Mechanical - 25th Sept, 2026
69	Lilaba Analytical Laboratories LLP, Surat Block No. 327, Plot No. 88/89/90/91/92, Siddhivinayak Industrial Estate, Village Kholvad, Surat, Gujarat	52/W/FSSAI/2018	<a href="#">TC-7179</a>	Y	Mr. Bhavesh Zinabhai Sojitra Tel: 0261-3222830/9099065245 Mobile: 9737704415 / 9824322298 Email: admin@lilabalabs.com	---	19th Oct, 2027	19th Oct, 2027	Not Applicable	19th Oct, 2027(Mechanical)
70	Regional Food Laboratory, Rajkot Government of Gujarat, Near : Forensic Science Laboratory, University Road, Rajkot - 360 005, Gujarat	42/W/FSSAI/2018	<a href="#">TC-5421</a>	Y	Mr. P.H. Bhagora (Junior Scientific Officer and Food Analyst) Mobile: 09427845823 do-64488-raj@gujarat.gov.in	As Notified by State Government	23rd Jun ,2026	Not Applicable	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
71	SGS India Private Limited, Ahmedabad 201, Sumel—II, Near Gurudwara, S.G Highway, Thaltej, Ahmedabad-380054	22/W/FSSAI/2014	<a href="#">TC-5378</a>	Y	1. Ms. Purvi Shah, Laboratory Manager Tel: 079-61603100, Fax: 079-61603111 Mobile: 09898909220 Email: Purvi.Shah@sgs.com, purvi.shah@sgs.com 2. Mr. Hardik Thacker Landline: +91-7961603113 E-mail id: hardik.Thacker@sgs.com Minesh Makwana Minesh.Makwana@sgs.com 8980040624	Mr. Ravindrakumar Rajendraprasad Gupta	31st March, 2028	31st March, 2028	Not Applicable	Not Applicable
72	Gujarat Testlab Pvt. Ltd., Ahmedabad F-16,17, Madhavpura Market, Shahibaug, Ahemdabad-380004	29/W/FSSAI/2016	<a href="#">TC-5961</a>	Y	Mr. Hasmukh Amin (C.E.O) Tel: 079 - 25626040, 25624821 Mobile: 09825407980 Email: gujlab@gmail.com	Mr. Hemal Ratishbhai Darji	11th March, 2028	11th March, 2028	Not Applicable	Not Applicable
73	Vimta Labs Limited, Ahmedabad B-303 & B-304, Shilp Aaron Tower-B, Sindhu Bhavan Road, Budakdev, Ahmedabad-380059, Gujarat	47/W/FSSAI/2018	<a href="#">TC-13334</a>	Y	Apurv Sharma - Quality Manager Email: apurv.sharma@vimta.com Mobile:9100122625	Mr.Sachin Patil	21st March , 2028	21st March , 2028	Not Applicable	Not Applicable
74	Public Health Laboratory, Surat 2nd Floor, Vesu urban health center, Opp. Vesu fire station, VIP Road, Vesu, Surat - 395007 Gujarat	57/W/FSSAI/2021	<a href="#">TC-9536</a>	Y	Contact Person : SHAHIDHUSEN A HARADWALA Tel No. : 6359773861 Fax No. : Email : phl@suratmunicipal.org	As Notified by State Government	18th May 2027	Not Applicable	Not Applicable	Not Applicable
75	Public Health Laboratory, Vadodara Municipal Corporation, 1st and 2nd Floor Old Vuda Building, Fatehgunj, Vadodara-390002, Gujarat.	58/W/FSSAI/2021	<a href="#">TC-9559</a>	Y	Contact Person : MAHESHKUMAR L PATEL 9824117544 Email : phlvmc@gmail.com	As Notified by State Government	30th May, 2027	Not Applicable	Not Applicable	Not Applicable
76	Regional Food Laboratory, Bhuj New Lotus Ring road, Bhuj, Gujarat	43/W/FSSAI/2018	<a href="#">TC-6286</a>	Y	Mr Dilip Kumar jethwa Jr. Scientific Officer & Food Analyst , 9428005947 Phone: 0281-2581029 Email: jethwadilip24@gmail.com, Email: rfl_bhuj@yahoo.in, Pravin7374@hotmail.com	As Notified by State Government	22nd Sept, 2026	Not Applicable	Not Applicable	Not Applicable
77	Public Health Laboratory, Ahmedabad 1st Floor, Navrangpura Urban Health Centre, Opp. Devpath Building, B/h Lal Bungalow, C.G. Road, Ahmedabad – 380 009, Gujarat	45/W/FSSAI/2018	<a href="#">TC-7467</a>	Y	Email: phlab.nabl@gmail.com Dr Hiren Mandalia 09377201201 phlab.fssai@gmail.com	As Notified by State Government	09th Nov 2026	Not Applicable	Not Applicable	Not Applicable
78	NDDB CALF Ltd., National Dairy Development Board, NDDB Campus, Anand, Gujarat-388001	59/W/FSSAI/2021	<a href="#">TC-11516</a>	Y	Ms. Swagitika Mishra, 02692-226307, 226312, smishra@nddb.coop prohith@nddb.coop	Ms. Nilay Yadav Mr. Amit N. Kakdiya, Ms Avanee Macwan	13th Oct, 2027	13th Oct, 2027	Not Applicable	Not Applicable
79	Eureka Analytical Services Private Limited, Unjha, Manekvadi, Visnagar Road, Unjha, Mahesana, Gujarat	70/W/FSSAI/2024	<a href="#">TC-8971</a>	Y	. satpathygouri@eurekaserv.com / bhmalatha@eurekaserv.com, Mobile No. +91 7259451031/8748037689	A V Babu, Mr. Juned Shaikh	26th Aug, 2026	26th Aug, 2026	Not Applicable	Not Applicable
80	Centre of Excellence for Research and Analysis of Narcotic Drugs and Psychotropic Substances, Gandhinagar National Forensic Sciences University (NFSU), Sector 9, Gandhinagar, Gujarat	73/W/FSSAI/2024	<a href="#">TC-12241</a>	Y	Dr. Astha Pandey; astha.pandey@nfsu.ac.in; Mob: 09601996653	.....	20th Aug, 2027	Not Applicable	Not Applicable	Not Applicable
81	Pollucon Laboratories Private Limited, Surat 5/6 Pollucon House, Opp. Balaji Ind. Soc., Old Shantinath Mill Lane, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat	27/W/FSSAI/2016	<a href="#">TC-14227</a>	N	Mr. Devang M. Gandhi (Director-Laboratory) Tel: 0261-245575, 2635750, 2635751 Fax: 0261-26011061, 2601224 Mobile: +91 9328967090, 9328967080 Email: pollucon@gmail.com	Mr. Anil Hanamant Ambawade	06th Aug, 2026	06th Aug, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
82	Food & Drugs Laboratory, Vadodara Near Polytechnic, Nizampura, Vadodara-390002	44/W/FSSAI/2018	<a href="#">TC-8183</a>	Y	Joint Commissioner (Testing) Email: fdlvadodara@yahoo.co.in, foodvadodara@yahoo.com, OM Prakash Barot 9426773135	As Notified by State Government	08th Dec, 2026	08th Dec, 2026	Not Applicable	Not Applicable
83	STC ANALYTICAL AND ENVIRONMENTAL SERVICES LLP, VADODARA	7/W/FSSAI/2014	<a href="#">TC-17012</a>	Y	Mr. V. R. Narendra (CEO & Partner) Tel: 6359657778 Mobile: 09825855942 Email: vrnarendra@rediffmail.com	Mr. V.R. Narendra Mr. K.A. Patel Mr. K N Gautam Mr. G R Gohil	26th Feb, 2028	26th Feb, 2028	Not Applicable	Not Applicable
84	Central Excise & Custom Laboratory, Room No.- 311 3rd floor, GST Bhavan, Subhanpura Vadodara-390023	62/W/FSSAI/2021	<a href="#">TC-8442</a>	Y	Tel No. : 9810466977 Fax No. : 0265-2386822 Email : dr.mahesh1974@gov.in Contact Person : MAHESH KUMAR Gyanender Saxena gscrcl.98@gov.in 8826035268	---	11th June, 2026	11th June, 2026	Not Applicable	Not Applicable
85	Hemshell Services – Testing Division, Vadodara, Gujarat 903/1, Makarpura G.I.D.C, Makarpura, Vadodara, Gujarat	36/W/FSSAI/2017	<a href="#">TC-7922</a>	N	Mr. Bency Joseph (Technical Manager) Tel: 0265-2631053/2646999; Fax: 022-26863865 Email: brd@hemetek.com	---	10th Nov, 2028	10th Nov, 2028	Not Applicable	Mechanical-10th Nov, 2028
<b>Madhya Pradesh</b>										
86	State Food Testing Laboratory, Bhopal, Food and Drug Administration, Idgah Hills, Bhopal – 462001	60/W/FSSAI/2021	<a href="#">TC-16886</a>	N	Mr. Kailash Chandra 0755-2666058 sandeepvictor@yahoo.com 9425352804	As Notified by State Government	7th Oct, 2029	Not Applicable	Not Applicable	Not Applicable
87	Choksi Laboratories Limited, Indore Survey No. 9/1, Balaji Tulsiyana Industrial Estate, Kumedi, Off Mr 10 Toll Plaza, Indore, Madhya Pradesh-452010	1/W/FSSAI/2014	<a href="#">TC-6384</a>	Y	Manish Singhal QA Manager Email: qa.indore@choksilab.com ; abhinav.singh@choksilab.com Mobile: 87708-96041	Mr. Manish Kumar Singhal; Dr. Abhinav Singh	05th July, 2026	05th July, 2026	05th July, 2026	Mechanical-05th July, 2026
88	Excellent Bio Research Solutions Pvt. Ltd. 1042, Napier Town, 4th Bridge, Jabalpur - 482001 Madhya Pradesh	35/W/FSSAI/2017	<a href="#">TC-12429</a>	Y	Mr. Manish Kumar Agrawal Tel: 0761 4020074 Mobile: 09424310737 Email:excellentbioresearch@gmail.com	Dr. Manish Kumar Agarwal	17th Oct, 2027	17th Oct, 2027	Not Applicable	Not Applicable
89	CES Analytical and Research Services India Private Limited, Bhopal 42, 48, Doorsanchar Nagar, E8 Extension, Arera Colony, Bhopal, Madhya Pradesh	68/W/FSSAI/2023	<a href="#">TC-6872</a>	Y	Mr. Umesh Chandra Mishra; Ph. 9425009319; 0755-4299319/4044117; Email: cesanalytical@gmail.com, creativelab.bpl@gmail.com	Mr Pradeep Kumar Tiwari Ms. Neelam Upadhyay	03rd Feb, 2027	03rd Feb, 2027	Not Applicable	Not Applicable
90	Cali – Labs Private Limited, Bhopal Khasra No - 11/1/1/1/2/2, Ward No. 79, Lambakheda Bairasia Road Bhopal, Madhya Pradesh-462016	12/W/FSSAI/2014	<a href="#">TC-7210</a>	Y	Mr Abhishek Malviya (Managing Director) Mobile: 7024251111. Tel: 0755-4013281, 9981139988. Email –calilabs@gmail.com.	Dr. Ashok Kumar Nikam, Mr. Deepak Ashok Temak	29th June, 2027	29th June, 2027	Not Applicable	Not Applicable
91	QTTL Lab Private Limited, Indore 301-302 Labbaiq Regency, 4/2 Old Palasia, Indore-452 009, Madhya Pradesh	28/W/FSSAI/2016	<a href="#">TC-7890</a>	N	Mr. Jayesh Agarwal (Director) Tel: 0731-4021739 Email: info@qualitytestinglab.asia	Dr. Abhilash Mullasseril ; Ms Deepika Garg	30th Oct, 2029	30th Oct, 2029	Not Applicable	Not Applicable
92	Pious Laboratories Private Limited, Indore 113/1 Bijalpur Road, Indore, Madhya Pradesh	69/W/FSSAI/2023	<a href="#">TC-11654</a>	Y	Mrs. Amrata Gupta; Ph: 09770480382, 09770302430; Email: info@piouslabs.com	Ms. Deepika Garg Mr Manoj Kumar	02nd July, 2027	02nd July, 2027	Not Applicable	Not Applicable
93	RAM2 Laboratories Pvt. Ltd. 38, Electronic Complex, Pardesipura, Indore, Madhya Pradesh	79/W/FSSAI/2026	<a href="#">TC-16539</a>	Y	Mr Ajay Mahajan: Ph 7869110561 : Email: info.ram2labs@gmail.com		05nd August, 2027	Not Applicable	Not Applicable	Not Applicable
94	Krishna Digital Material Testing Laboratory, Bhopal 2, Bhawani Nagar, J.K. Road, Bhopal, M.P	37/W/FSSAI/2017	<a href="#">TC-7016</a>	N	Mr. Priyesh Gangele Tel: 0755-4001289 Fax: 0755-4246045 Mobile: 09425813624, 9425141028 Email: krishnalab12@gmail.com klbpl2015@gmail.com	.....	08th March, 2030	Not Applicable	Not Applicable	Mechanical 08th March, 2026
<b>Maharashtra</b>										
95	Testtex India Laboratories Private Limited, Mumbai 301-304 Premson’s Industrial Estate, 3rd Floor, Caves Road, Jogeshwari (East), Mumbai - 400060	19/W/FSSAI/2014	<a href="#">TC-5835</a>	Y	Ms. Meeta Bharat Shingala (Managing Director) Tel: 022-28259190 Fax: 022-28265116 Mobile: 09821318289 Email: labsindia@testtex.com, meeta@testtex.com	Ms. Ujjwala Krishna Kumar, Mrs. Smita Ramchandra Bagwe, Ms. Rehana Mohd Irfan Ansari	03rd Oct, 2027	03rd Oct, 2027	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
96	Bureau Veritas India Pvt. Ltd., Navi Mumbai Plot No. B3/B4, TTC IND Area, Digha MIDC, Digha, Navi Mumbai, Thane, Maharashtra	71/W/FSSAI/2024	<a href="#">TC-7765</a>	Y	Mrs. Sheetal Remulkar, shital.remulkar@bureauveritas.com, 7276115807	Smt Meenal Chetan Satghare; Mr. Sudip Roy; Ms. Nilam Naikwadi	29th Aug, 2027	29th Aug, 2027	Not Applicable	Not Applicable
97	Ashwamedh Engineers & Consultants, Nasik Survey No. 102, Plot No.26,Wadala Pathardi Road, Indira Nagar, Nashik-422009, Maharashtra	5/W/FSSAI/2014	<a href="#">TC-5509</a>	Y	Dr. Aparna Pharande (MD) Tel : 0253-2392225, 2391835(direct), Mobile: 09325385516/ 9822261081 Email: sales@ashwamedh.net, aparna@ashwamedh.net, ashwamedhquality@gmail.com	Dr. Aparna Sunil Pharande Mr. Ninad Arvind Soundankar	22nd Nov, 2027	22nd Nov, 2027	22nd Nov, 2027	Mechanical -22nd Nov, 2027
98	Bee Pharmo Labs Pvt. Ltd., Thane C-2, Hatkesh Udyog Nagar, Mira Bhayander Road, Mira Road (E), Dist. Thane	40/W/FSSAI/2017	<a href="#">TC-5497</a>	Y	Mr. Bhavesh Limbachiya (Technical Director) Mobile: 9820113704 Email: bhavesh@beepharmo.com, food@beepharmo.com	Ms. Amruta Ramchandra Sutar; Ms. Shivangi Shirish Sarang	06th May, 2027	06th May, 2027	Not Applicable	Not Applicable
99	Doctors' Analytical Laboratories Private Limited, Mumbai Plot No. R 809, TTCMIDC Rabale, Off. Thane Belapur Road, Rabale, Navi Mumbai - 400701	4/W/FSSAI/2014	<a href="#">TC-13569</a>	Y	Mr.Ashay Sanjay Mehta (Director) Tel. No. 022-71895000 Mobile: 9892333660 Email: ashay.mehta@dalpl.co.in ; quality@dalpl.co.in;	Mr. Bal Shantaram Prabhu	12th Jan, 2028	12th Jan, 2028	Not Applicable	Not Applicable
100	Envirocare Labs Private Limited, Mumbai Enviro House, Plot No. A7-A8 Enviro House, MIDC Main Road, Wagle Industrial Estate, Thane 400604, Maharashtra	8/W/FSSAI/2014	<a href="#">TC-8284</a>	Y	Dr. Nilesh Amritkar (Managing Director),Dr. Priti Amritkar (Director Labs) Tel: 022-25838286, 87, 88 Fax: 022-25838289 Mobile: 09167232003, 09167232001 Email: info@envirocare.co.in, nilesh.a@envirocare.co.in, priti.a@envirocare.co.in	Ms. Reshmi Suresh Nair, Mr. Siddhrath Bhagawanrao Tulse Ms. Soumya Sudhakaran Nair Ms. Ria Anand Kardile	22nd Dec, 2027	22nd Dec, 2027	Not Applicable	Mechanical -22nd Mar, 2026
101	MicroChem Silliker Private Limited, Mumbai D-87, TTC Industrial, MIDC, Turbhe, Thane, Navi Mumbai 400703	14/W/FSSAI/2014	<a href="#">TC-5960</a>	Y	Mr. Jeetendra Patil Tel: 022-39469700/ 27787800, Fax: 022-39469701 Email:qa.in@mxns.com, jeetendra.patil@mxns.com	Dr. Jeetendra Vikram Patil Ms. Amruta Mohan Pawar	16th March, 2028	16th March, 2028	Not Applicable	Not Applicable
102	Precise Analytics Lab,(A Division of Meyer Organics Pvt. Ltd.) Mumbai B-22, Road .No.16, Wagle Industrial Estate MIDC, Thane (W), Mumbai, Maharashtra-400604	25/W/FSSAI/2014	<a href="#">TC-7783</a>	Y	Jyotsna Pawar Phone no. - 022 25827041 Mobile no.- 09769804657 General Manager Quality E Mail ID - jpawar@meyer.co.in, Info@preciseanalytics.co.in	Ms. Jyotsna Pawar Ms Shweta Gupte	19th Nov, 2027	19th Nov, 2027	Not Applicable	Not Applicable
103	State Public Health Laboratory, Pune Cantonment Water Works Compound Stavely Road, Near St. Mary's School, Pulgate Camp, Pune -411001, Maharashtra	51/W/FSSAI/2018	<a href="#">TC-11706</a>	Y	Shri Vinod Kale, Deputy Director of Health Services. E-mail id: statehealthlab@gmail.com : vkfaleamravati@gmail.com; cflpune123@yahoo.in; Telephone nos 914687787, 9145687787, 7972807749	As Notified by State Government	25th May, 2027	25th May, 2027	Not Applicable	Not Applicable
104	TUV India Private Limited, Pune Survey No: 42, 3/1 &3/2, Sus, taluka: Mulshi, Pune-411021	3/W/FSSAI/2014	<a href="#">TC-5298</a>	Y	Ms. Sonia Nandre Tel: 020-67900075 Mobile: 9890607707 Email: sonian@tuv-nord.com, pallavi@tuv-nord.com	Ms. Monika Falke, Mr. Shanteshwar Biradar, Mr Atulkumar Rajage, Ms. Mayuri Sonawane	17th March, 2027	17th March, 2027	Not Applicable	Not Applicable
105	National Food Laboratory, Navi Mumbai (In PPP with Vimta Labs Pvt Ltd.) Sector 3, JNPT Township Sheva, Taluka Uran, Navi Mumbai-400707, Maharashtra	63/W/FSSAI/2022	<a href="#">TC-10203</a>	Y	Dr. Sheetal Gupta ( Joint Director) Email: sheetal.gupta@fssai.gov.in	1. Dr. A. Nagarajan, 2. Sasikanth sarangam, 3. Ms. Srishti Yadav, 4. Ms. Anamika Singh	07th Jan, 2028	07th Jan, 2028	Not Applicable	Not Applicable
106	Food and Drugs Administrations Laboratory (M.S.), Nagpur Plot No. E1 to E3, First Floor, Shri. Bhugaonkar Building, Nagpur, Maharashtra - 440027	64/W/FSSAI/2022	<a href="#">TC-10237</a>	N	Shri. Abhay Vinayak Kautkar 7709444265 ftlnagpur2016@gmail.com	As Notified by State Government Shri. Arvind Tarachand Zalke Shri. Narendra Bansiram Sonone	16 Jan, 2030	Not Applicable	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
107	Ross Lifescience Limited, Plot No 96, Sector-10, PCNTDA, Bhosari, Pune, Maharashtra-411026	65/W/FSSAI/2022	<a href="#">TC-6633</a>	Y	Vaishali Gawade, 7020272982 vaishali@rosslife.net	1. Sachin Dilip Katurde; 2. Mr. Suhas Rajaram Nevase	05th Dec, 2029	05th Dec, 2029	Not Applicable	Not Applicable
108	Audentes Labs & Analytics Pvt. Ltd., I-0029/J-0030/31/32, Akshar Business Park, Navi Mumbai Khairane Road, Vashi, Navi Mumbai, Thane, Maharashtra-400703	66/W/FSSAI/2022	<a href="#">TC-11087</a>	Y	9987591561, 09767623738; support@audenteslabs.com,	Ms. Yawanika Agrahari	20th Oct, 2026	20th Oct, 2026	Not Applicable	Not Applicable
109	Export Inspection Agency, Mumbai Pilot Test House, E-3, MIDC Area, Marol, Andheri(E), Mumbai-400093.	23/W/FSSAI/2014	<a href="#">TC-5359</a>	Y	Dr. Satish Shukla, Assistant Director Tel:022-28363401 Fax:022-28369868 Email: eia-mumbai-lab2@eicindia.gov.in; pth-lab@eicindia.gov.in 9008907881	Mr. Prasanna Balasubramaniam Mr. Kaliraj M	22nd April, 2028	22nd April, 2028	Not Applicable	Not Applicable
110	FHHL Private Limited, Pune Survey No. 126/10, Plot No.1, Hadapsar Industrial Estate, Pune-411013	10/W/FSSAI/2014	<a href="#">TC-5931</a>	Y	Mr. Rohan Deshpande (Lab Head) Mobile: +91 8380074694, 9881237321 Email: info@fhhl.in, rohand@fhhl.in	Ms. Sushma Mahesh Thorat Ms. Suvarna Sunil Mahadik Ms.Seema Satish Bakde	27th Aug, 2027	27th Aug, 2027	Not Applicable	Mechanical- 27th Aug, 2027
111	Eureka Analytical Services Private Limited, Thane, Plot No. C-401, TTC Industrial Area, Pawane MIDC, Thane, Maharashtra	72/W/FSSAI/2024	<a href="#">TC-12549</a>	Y	Ms. Sheetal Patil , Ms.Satpathy gouri, satpathygouri@eurekaserv.com / patilsheetal@eurekaserv.com; 91 7259451031/7483263381	Mr. Jagdish GK Ms. Sheetal Patil	08th Nov, 2027	08th Nov, 2027	Not Applicable	Not Applicable
112	Food Testing Laboratory, Food & Drugs Administration Laboratory, Mumbai Plot No 341, Opposite R.B.I, Bandra (East), Mumbai- 400005	46/W/FSSAI/2018	<a href="#">TC-14016</a>	N	Ms. Swati Dalal, Director Tel: 022 26591992, 9920293411 (MADHURA CHAWAN) Email: addcl_mum@yahoo.co.in	As Notified by State Government	25th June, 2026	Not Applicable	Not Applicable	Not Applicable
113	Anacon Laboratory Private Limited, Nagpur FP-34.35 Butibori Food Park, Five Star Industrial Estate, Nagpur- 441122, Maharashtra	11/W/FSSAI/2014	<a href="#">TC-12998</a>	Y	Dr. S. D. Garway (Quality Assurance Manager and Director) Tel: 0712-2242077 Mobile: 09823167077 Email: labngp@anacon.in, ngp@anacon.in Sugandha Dattatraya Garway 9373287475 sd.garway@anacon.in	Mr. Shailesh Baban Gaikwad	08th Jan, 2028	08th Jan, 2028	Not Applicable	Mechanical - 08th Jan, 2028
114	Qualichem Laboratories, Nagpur Swami Samartha Commercial Complex, 4, North Bazar Road, Gokulpeth Market, Dharampeth Extn., Nagpur-440 010	24/W/FSSAI/2014	<a href="#">TC-7067</a>	N	Mr. Mukund Nagarnaik (Proprietor) Tel: 0712-2532482, Fax: 0712-2564452 Mobile: 9373107819 Email: ql@qualichemlabs.com, mukund@qualichemlabs.com	Mr. Arun B. Sarjoshi	30th June, 2026	30th June, 2026	Not Applicable	Not Applicable
115	Microtech Laboratory, Pune Plot No. GP-134, Shahunagar, G-Block, MIDC, Chinchwad, Pune - 411019, Maharashtra	2/W/FSSAI/2014	<a href="#">TC-14429</a>	Y	Mrs. Chaitali S. Shinde (Director) Tel: 020-41208220 Mobile: 09823349573, 8975890695 Email: microtechlabpune@gmail.com	Ms. Rushali Rajendra Girame	05th Sept, 2026	05th Sept, 2026	Not Applicable	Not Applicable
116	Equinox Labs Pvt. Ltd. Navi Mumbai Equinox Centre, R 65, TTC, Rabale, Navi Mumbai - 400 701	32/W/FSSAI/2016	<a href="#">TC-6820</a>	Y	Sh. Ashwin Bhadri (CEO); Tel: 022-68609300; Mob: 09920226789; E-mail id: ashwin@equinoxlab.com	Mr. Pankaj Ganseh Kotgirkar	9th Sept, 2027	9th Sept, 2027	Not Applicable	Not Applicable
117	Biozed Engineering Private Limited, Thane Plot No. B-53, Road No. 30, Wagle Industrial Estate, Thane, Maharashtra	74/W/FSSAI/2025	<a href="#">TC-14267</a>	Y	Ms. Madhulika Rai, Director, Email: madhulika@biozed.com; quality@biozed.com, Mob: 09821626005, 09594118034	Ms. Kirti palekar, Ms. Shweta mahana	11th Aug, 2026	11th Aug, 2026	Not Applicable	Not Applicable
118	Reliable Analytical Laboratories Private Limited, Thane Relable house, 125 Indian Corporation Complex , Dapoda Road, Mankoli Naka, Bhiwandi, Thane-421302	21/W/FSSAI/2014	<a href="#">TC-5854</a>	Y	Ms. Rashmi Khanna (Director ) Tel: 9769321831, rashmi@reliablelabs.org, Ms.Sakshi Joshi - Quality Assurance Manager - 7738300049, quality@reliablelabs.org or sakshi.joshi@reliablelabs.org	Ms. Rashmi Khanna Ms. Sakshi Joshi	05th Sep,2027	05th Sep,2027	Not Applicable	05th Sep, 2027(Mechanical, Electrical ,Electronics)

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
119	Jubilant Pharma and Chemical Lab (OPC) Pvt. Ltd., Navi Mumbai, Surya Gayatri, Plot No. D-14/15, Sector No. 6, New Panvel (E), Navi Mumbai-410206, Maharashtra	54/W/FSSAI/2019	<a href="#">TC-14342</a>	Y	Dr. Madhuri A. Deshmukh (Director), Contact No. : 09819659434 E-mail: director.jpcl@gmail.com, madhuri.deshmukh66@gmail.com Dr Arun Deshmukh labhhead@jubilantpharma.co.in 9819656195 ; qa@jubilantpharma.co.in; info@jubilantpharma.co.in;	Ms. Charusheela Shinde	22nd Aug, 2026	22nd Aug, 2026	Not Applicable	Not Applicable
120	Adarsh Scientific Research Center and Testing Laboratory Pvt. Ltd., Raigad Shri D.D. Vispute College Of Pharmacy And Research Center, Panvel, Raigad, Maharashtra	75/W/FSSAI/2025	<a href="#">TC-10632</a>	Y	Mr. Prashant Mukane, Lab Head, Mob: 9833193902, Email: asrct@gmail.com	Mr. Kharsambale Pramod Chandrakant	19th Aug, 2026	19th Aug, 2026	Not Applicable	Not Applicable
121	Food and Drugs Administrations Laboratory, Aurangabad Gut No. 19, Kanchanwadi, Aurangabad, Maharashtra	67/W/FSSAI/2023	<a href="#">TC-15784</a>	N	Mr. BADADHE B S, 9049360645, ftlaurangabadms@gmail.com	As Notified by State Government	27th March, 2029	Not Applicable	Not Applicable	Not Applicable
122	Alfred H Knight India Private Limited Plot A/758, Sector 2, TTC Industrial Area, Navi Mumbai, Thane, Maharashtra	13/W/FSSAI/2014	<a href="#">TC-17185</a>	Y	JIGNESH PARIKH (Head of Laboratory) Tel: 02224706273/74/75/76 Fax: 022- 24706310 E mail: subhadeep.mukherjee@ahkgroup.com (Mobile: +91 9475722273) sidharth.amin@ahkgroup.com kavita.kadam@ahkgroup.com laboratory.mumbai@ahkgroup.com	Mrs Sangita Talavadekar, Mukesh Kumar Raikwar	31st July, 2027	31st July, 2027	Not Applicable	Not Applicable
123	EUROFINS ANALYTICAL SERVICES INDIA PVT. LTD, 2ND FLOOR, ELLORA OLEARISE, PLOT NO. A-786,KHAIRANE MIDC, KOPARKHAIRANE, NAVI MUMBAI, MAHARASHTRA, INDIA	76/W/FSSAI/2025	<a href="#">TC-15546</a>	Y	Kalpna Doke, Quality Manager Email: Kalpna.Doke@xoin.eurofinsasia.com Mobile: 9224261980	Ms Kalpana Satyawan Doke Mr Deepak Kumar Me Swapnil Shivaji Dhopate	23rd feb, 2027	23rd feb, 2027	Not Applicable	Not Applicable
124	QSS Inspection and Testing Private Limited, Plot No. 70 -71, 2nd Floor, Sector 19A, Vashi, Navi Mumbai, Thane, Maharashtra	77/W/FSSAI/2025	<a href="#">TC-11484</a>	Y	Uday S. Padhye email: md@qitservices.in mobile: 9998989700	Ms Komal Mahesh Shinde Ms. Vidya Shekhar Kasar	26th feb, 2027	26th feb, 2027	Not Applicable	Not Applicable
125	Qualitek Labs Limited 1st Floor, Z Block, Market III, Sector 19B, Phase II, Vashi, Navi Mumbai, Thane, Maharashtra	80/W/FSSAI/2026	<a href="#">TC-16608</a>	Y	Ms Chetana G. Pawar; Ph:9096017984, 7304954759; Email: chetana.pawar@qualiteklab.com	Ms Chetana G. Pawar Ms Anita Pardeshi Ms Bhanupriya Lalge	11th Nov, 2026	11th Nov, 2026	Not Applicable	Not Applicable
126	ABC Techno Labs India Private Limited D-164, Anand House, TTC Industrial Area, Nerul MIDC, Nerul, Navi Mumbai, Thane, Maharashtra	81/W/FSSAI/2026	<a href="#">TC-16687</a>	Y	Mr Ravi; Ph: 9940157777 ; Email: ravi@abstechnolab.com	A.S.Shalini Mrs. Jayashree Rajendra Parkar	12th Jan, 2028	12th Jan, 2028	Not Applicable	Not Applicable
127	Maarc Labs Private Limited, Pune Plot No 1 & 2, Gate No. 27, Nanded Phata, Sinhagad Road, Pune-411041, Maharashtra	20/W/FSSAI/2014	<a href="#">TC-17706</a>	Y	Dr. V.S. Keskar (Managing Director) Tel: 7447425952/53 Mobile: 7447425954/55 Email: maarclab@gmail.com, vasukeshar@gmail.com	Dr. S. Sadhashiv Shivajirao Nimbalkar	15-Mar-28	15-Mar-28	Not Applicable	28th Feb, 2026 (Mechanical)
128	Bombay Test House Private Limited, Unit No. 1 -2nd, 3rd & 4th Floor, Banking Complex-II, Plot No. 9 &10, Sector -19A, Vashi, Navi Mumbai , Thane, Maharashtra - 400703	53/W/FSSAI/2018	<a href="#">TC-12538</a>	Y	Mr. Subramaniam Nandakumar Managing Director +91 9867791055, +91 22 4123 9185 Email: bombaytesthouse@gmail.com enquiry@bombaytesthouse.com Pramod Kumar Manager - Laboratory Services +91 81690 66785	Ms. Priyanka Deepak Kambli	06th Nov, 2027	06th Nov, 2027	Not Applicable	06th Nov, 2027 (Mechanical)
129	Sadekar Enviro Engineers Pvt. Ltd. Testing Lab, A-95 Road No 16, Kisan Nagar Road, MIDC Wagle Industrial Area, Thane, Maharashtra	82/W/FSSAI/2026	<a href="#">TC-12207</a>	Y	Mr Prabhakar Raghoba Sadekar: ph-9820144125, 9819240298: Email; prs@sadekarenviro.com, qmthane1@sadekarenviro.com, microlabthane@sadekarenviro.com	Mr Swapnil Shiwaji Dhopate	06th Sep, 2027	06th Sep, 2027	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
<b>Goa</b>										
130	Food & Drug Laboratory, Directorate of Food and Drugs Administration, Opp. The Shrine of Holy Cross, Bambolin, Goa-403202.	61/W/FSSAI/2021	<a href="#">TC-13653</a>	Y	Chandrakant Kambli Mobile No : 7823026973 Fax No. : 0832-2459223 Email : off-dfda.goa@nic.in	As Notified by State Government	06th Aug, 2026	Not Applicable	Not Applicable	Not Applicable
<b>C. SOUTHERN REGION</b>										
<b>Andhra Pradesh</b>										
131	TUV SUD South Asia Pvt. Ltd. Vishakhapatnam A1, Industrial Estate, Kancharapalem, Vishakhapatnam -530007, Andhra Pradesh (Plot No.19/1 IDA BLOCK - B,Auto Nagar, Mindi Village,GAJUWAKA Mandal,Visakhapatnam District, AP, INDIA Pincode: 530012)	50/S/FSSAI/2017	<a href="#">TC-5558</a>	Y	Dr. Mahaboob Ali Shaik (Deputy General Manager) Mob.: 9618366786; Tel: +91-8886801133 E-mail id: MahaboobAli.Shaik@tuvsud.com P Madhava Rao Pedada.MadhavaRao@tuvsud.com Mob: 9492757421; 8976972505	Ms. Betina Radha Kumari	14 Dec, 2027	14 Dec, 2027	Not Applicable	Not Applicable
132	Interfield Laboratories, Visakhapatnam, Plot No. C4, Green Industrial Park, Gambheeram Village, Visakhapatnam, Andhra Pradesh	89/S/FSSAI/2024	<a href="#">TC-9197</a>	Y	Dr. PUV Sateesh, Lab Operational Manager, 07593864183, 8933295683, Email: om.ap@ifl.in]	Mr. Vinodh kumarA., Mr. Pabitra Som Mr. Satish Gowd Koppula	3rd Jan, 2027	3rd Jan, 2027	Not Applicable	Not Applicable
133	Vimta Labs Ltd, Nellore 3rd Floor, Mc Arcade, Mini Byp, Magunta Layout, Nellore - 524004, Andhra Pradesh	51/S/FSSAI/2017	<a href="#">TC-5644</a>	Y	Apurv Sharma - Quality Manager Email: apurv.sharma@vimta.com Mobile:9100122625 Dr. Harinatha Reddy A, Branch Manager, Mobile No. 9100094271 Email: harinathareddy.akula@vimta.com	---	22nd Nov, 2027	22nd Nov, 2027	Not Applicable	Not Applicable
134	Food Testing Laboratory, Jawaharlal Nehru Technological University, Kakinada School of Food Technology, Jawaharlal Nehru Technological University, Kakinada, E.G. District, Andhra Pradesh, Pin 533005	36/S/FSSAI/2016	<a href="#">TC-5185</a>	Y	Name: Dr. V. Jaya Prasad, Head, Food Testing Laboratory Designation: Head Mobile No: +91 70328 06955 e-mail: prasad.vjp@jntucek.ac.in	Ms. Vijaya Lakshmi Kandregula	25th Oct, 2026	25th Oct, 2026	Not Applicable	Not Applicable
135	Eureka Analytical Services Pvt Ltd D NO 5-31-5,3/14, TEJASWI ENCLAVE, BRODIPET, Guntur-522002, Andra Pradesh	92/S/FSSAI/2025	<a href="#">TC-11236</a>	Y	satpathygouri@eurekaserv.com / bhemalatha@eurekaserv.com Telephone No. +080 40960496 Mobile No. +91 7259451031/8748037689	Mr. Shivabalan Seka	21st Dec, 2026	21st Dec, 2026	Not Applicable	Not Applicable
<b>KARNATAKA</b>										
136	Auriga Research Limited, Bengaluru No. 136,6th Cross, 2nd Stage, Yeshwanthpur Industrial Subhurb, Bangalore-560022, Karnataka	25/S/FSSAI/2016	<a href="#">TC-5496</a>	Y	Balakumar Thope mail id : qablr@aurigaresearch.com Contact No. +91 9535999276	Mr. S.N Nanjundaiah	30th June, 2026	30th June, 2026	Not Applicable	Not Applicable
137	Shiva Analyticals (India) Private Limited, Bengaluru Plot No24 D (P) & 34 D, KIADB Industrial Area Bangalore, Hoskote-562114, Karnataka	10/S/FSSAI/2014	<a href="#">TC-12626</a>	Y	Mr. Nagaraj - Ranganathan, CEO Mr. M Sathya Moorthy, (Senior Manager-QA Quality Manager-MR) Tel: 08028015333 Mobile: 09741621119 Email: sathyamoorthy.m@shivaanalyticals.com, nagaraj.ranganathan@shivaanalyticals.com	Mr. Seetepalli Mallikarjuna Rao, Mr. Joby Thomas	30th Jan, 2028	30th Jan, 2028	Not Applicable	Not Applicable
138	TUV SUD South Asia Private Limited, Bengaluru No. A-151, 2nd C Main Road, Peenya Industrial Estate, II Stage, Bangalore-560058	14/S/FSSAI/2014	<a href="#">TC-5460</a>	Y	Krishna Deori (Sr. Manager) 9958002890 krishna.deori@tuvsud.com; qa.india@tuvsud.com Parthiban Ramaswamy (AVP) 7391060992 ramaswamy.parthiban@tuvsud.com Prajesh Balakrishnan Prajesh.Balakrishnan@tuvsud.com 7259101240	Mr. Ramesh VG	23rd Aug, 2027	23rd Aug, 2027	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
139	TUV India Pvt. Limited (TUV-NORD Group) (Laboratory Division), Bangalore No-8 Commerce, 2nd Floor, III-Main Road, Rajajinagar, 6th Block, Opp. KSSIDC IT Park, Rajajinagar Industrial Estate, Bangalore-560044	48/S/FSSAI/2017	<a href="#">TC-7970</a>	Y	Lavina M Fernandes (Manager, QA Incharge,) Tel: 080-40823028 Mob: 9886332852 Email: LavinaF@tuv-nord.com; Dr. M P Prasad, mpprasad@tuv-nord.com ,09148158765	Ms. Nandini Manjunath; Yamuna Anjanappa	19th Oct, 2027	19th Oct, 2027	Not Applicable	Not Applicable
140	Vimta Labs Limited, 1st & 2nd Floor, #1047, Rukmini Plaza, 20th Main, 5th Block, West of Chord Road, Rajaji Nagar, Bangalore-560010, Karnataka	62/S/FSSAI/2018	<a href="#">TC-6670</a>	Y	Apurv Sharma - Quality Manager Email: apurv.sharma@vimta.com Mobile:9100122625	Mr. Syed Mohammed Rasool	25th Dec, 2027	25th Dec, 2027	Not Applicable	Not Applicable
141	ALS Testing Services India Private Limited, Bengaluru NO.65, BOMMASANDRA JIGANI LINK ROAD Bengaluru KARNATAKA INDIA	70/S/FSSAI/2021	<a href="#">TC-8617</a>	Y	RAMASWAMY PARTHIBAN 9071478684 Email : parthiban.ramaswamy@alsglobal.com Pooja Ahuja pooja.ahuja@alsglobal.com 9071211500	Mr. Shaik Noor Mohammad, Mr. Saravanan B	25th June, 2026	25th June, 2026	Not Applicable	Not Applicable
142	Eureka Analytical Services Pvt. Ltd., Bangalore, AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar Main Road, Banaswadi, Bengaluru, Karnataka-560043	76/S/FSSAI/2021	<a href="#">TC-9653</a>	Y	Hemalatha B Mob No. : 8748037689 Email : bhemalatha@eurekaserv.com	Mr. Amballa Varaprasada Babu, Mr. Subbaramaiah Mopuri Mr. Shambulinga G Dr. Bharath MR Ms. Hemalatha B	02nd July, 2027	02nd July, 2027	Not Applicable	Not Applicable
143	Divisional Food Laboratory, Vaccin Institute Campus, Tilakwadi, Belgaum, Belgavi, Karnataka	81/S/FSSAI/2022	<a href="#">TC-11034</a>	Y	Mr Abdul Hameed, 09448950071, dffbglv@gmail.com	As Notified by State Government; Mr Abdul Hameed	03rd Oct, 2026	Not Applicable	Not Applicable	Not Applicable
144	Divisional Food Laboratory, Umar Khayyam Road, Tilak Nagar, Mysuru, Karnataka-570001	82/S/FSSAI/2022	<a href="#">TC-11032</a>	Y	Mr Lingappa.B, 09916604388, dpamys@gmail.com	As Notified by State Government	11th Sept, 2026	Not Applicable	Not Applicable	Not Applicable
145	SMS Labs Services Pvt. Ltd., Bengaluru No. 376, 1st and 2nd Floor, TNRTS, 1st Main Jagatjyothi Layout, Nagadevanahalli, Bengaluru, Karnataka	84/S/FSSAI/2023	<a href="#">TC-8392</a>	Y	Mrs. Sharada Murali; Phn. 9444418694, 9884609199, 9962518199; Email: sm@smsla.in, lab@smsla.in , blr-qc@smsla.in	Mr. K. Elakkiyathanasan	13th March, 2027	13th March, 2027	Not Applicable	Not Applicable
146	State Food Laboratory, Bengaluru Public Health Institute, Sheshadri Road, Bengaluru, Karnataka	83/S/FSSAI/2023	<a href="#">TC-11165</a>	Y	Ms. Shobha B.C, cfafoodlab@gmail.com, 9620358452	As Notified by State Government; Ms. Shobha B.C	18th Nov, 2026	Not Applicable	Not Applicable	Not Applicable
147	Eurofins Analytical Services India Private Limited, Bengaluru 501/1, Doddanakundi Industrial Area 2, Hoodi, Whitefield, Bangalore-560048	18/S/FSSAI/2014	<a href="#">TC-13580</a>	Y	Ms. Jyoti Sindhu, Assistant Director (lab), Tel: 08067223200 Mobile: 09538091100, 08951854470 Email: Jyoti.Sindhu@xoin.eurofinsasia.com Mr. Rizwan Shariff, Senior Manager-Quality, Mobile: 09060896026, 08951854475 Email:Rizwan.Shariff@xoin.eurofinsasia.com	Mr. Rizwan Shariff, Ms. Jyoti Sindhu, Ms.Ms. Jyoti Sindhu, Mr. Rizwan Shariff, Ms. Saheli Bandyopadhyay; Rupal Tiwari	01st August, 2026	01st August, 2026	Not Applicable	Not Applicable
148	Shriram Institute for Industrial Research, Bengaluru Plot No. 14/15, Sadarmangala Industrial Area, Whitefield Road, Bangalore-560048	22/S/FSSAI/2014	<a href="#">TC-5090</a>	Y	Contact Person: D Nagaraj 9845875539 EMAIL ID dn@shriraminstitute-blr.org, qad@shriraminstitute-blr.orgdn@shriraminstitute-blr.org. Mobile: 0-9845875539 Mr.S.MANICKA VASAGAM –DIRECTOR MOB: 9845959572 EMAIL ID :vasagam@shriraminstitute-blr.org	Dr.Yuvaraj.P, Mrs. Sunitha .C	22nd Nov, 2027	22nd Nov, 2027	Not Applicable	Mechanical -28th Feb, 2026
149	Bangalore Analytical Research Centre Pvt. Ltd., Bengaluru, Survey No 57, Vijayaraja Estate, Chokkanahalli, Jakkur Post, Bengaluru, Karnataka	87/S/FSSAI/2024	<a href="#">TC-7125</a>	Y	Nataraj.N (Director , Contact No. - 9845301991) Manjunatha B (General Manager , Contact No.- 8618284784) nataraj@barcindia.com, Manjunatha.b@barcindia.com, kavitha.C@barcindia.com	Ms.Kavitha Chetan	12th Aug, 2026	12th Aug, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
150	Vsix Analytical Labs Private Limited., Bengaluru #77 (502/503), 2nd Floor, 21st-'D' Cross, Muthurayaswamy Layout, Srigandhakaval, Sunkadakatte, Bengaluru-560091, Karnataka	27/S/FSSAI/2016	<a href="#">TC-7464</a>	Y	Mrs. Nagalakshmi N.S. (Director) Tel:080-29778998 Mobile:09980833118 Email: nagalakshmi@vsixlabs.in nagalakshmi.vsix@gmail.com, vp.vsix@gmail.com, qc@vsixlabs.in, qa@vsixlabs.in Mahadevaiah C sales@vsixlabs.in 7022595903	Mrs. Kausalya Murugakani Ms. Pooja Kulal	25th Sept, 2026	25th Sept, 2026	Not Applicable	Mechanical - 25th Sept, 2026
151	Environmental Laboratory (Unit of Mineral Engineering Services LLP), #948, 2nd Cross, St. Thomas Town Post, Kammanahalli Main Road, Bengaluru, Bengaluru Urban, Karnataka, India	35/S/FSSAI/2016	<a href="#">TC-6172</a>	Y	Mr. M. Sachin Raju ( Executive Officer) Tel: 080-25432969 Fax: 080-25432968 Mobile: 09742147954 Email: mesbng@gmail.com, sachinraju2000@yahoo.com	Mr. Ashok Kumar Gargash	23rd May, 2027	23rd May, 2027	Not Applicable	Mechanical - 23rd May,2027
152	Sneha Test House, Bengaluru No. 8 & 28, 4th Cross, Maruthi Nagar, Chandra Layout, Bengaluru, Karnataka	79/S/FSSAI/2022	<a href="#">TC-8309</a>	Y	Contact Person : Nagarj T A 9844027167 Email : lab.snehatesthouse@gmail.com; info@sthlab.com, bhoomika@sthlab.com, snehanagaraj09@gmail.com	---	26th Jan, 2028	26th Jan, 2028	Not Applicable	Not Applicable
153	Robust Materials Technology Pvt. Ltd., Bengaluru No. 94, 2nd Floor, Thirumala Complex, Nagarabhavi Main Road, NGEF Layout, Nagarabhavi, Bengaluru-560072	21/S/FSSAI/2014	<a href="#">TC-6165</a>	Y	Dr. K.R. Ravikumar(Director & CEO) Tel: 080-23186230, Fax: 080-23186230 Mobile: 0990213898 Email: info@robustmaterials.com, qa1@robustmaterials.com , ravikumar.kr@robustmaterials.com Malini R QA@ROBUSTMATERIALS.COM 9686695558	Mr. Karunakara A. C	10th Sept, 2026	10th Sept, 2026	Not Applicable	Not Applicable
154	SLN Testing Laboratory Private Limited No. 23, JDN Layout, 10th Cross, Raghavendra Industrial Area, Thigalarapalya Main Road, Peenya 2nd Stage, Bengaluru, Karnataka	98/S/FSSAI/2026	<a href="#">TC-14652</a>	Y	Mr. Kumara S.R Mob: 9538888098 Email: slntestinglaboratory@gmail.com	Mr. Deivarajan B	22nd Oct, 2027	22nd Oct, 2027	Not Applicable	Not Applicable
155	Ganesh Consultancy & Analytical Services, Mysore No. 294/A, Hebbal Industrial Area, Mysore-570016	26/S/FSSAI/2016	<a href="#">TC-15192</a>	Y	A.R. Subramanya (CEO) Tel-0821-2402986, Fax- 0821-4282027 Mobile: 09845475436 Email: lab.ganesh@gmail.com, info@ganeshlaboratory.com	Mr. Nagendra B.S.	31st May, 2027	31st May, 2027	Not Applicable	Not Applicable
<b>Kerala</b>										
156	Export Inspection Agency, (Ministry of Commerce & Industry, Govt. of India) 27/1767A, Shipyard Quarters Road, Panampilly Nagar(South), Kochi-682036, Kerala	11/S/FSSAI/2014	<a href="#">TC-6164</a>	Y	Mr. Shabbir Ali E-Mail: eia-kochilab@eicindia.gov.in; Telephone: 0484-2316945, 2316946, 2316949; Fax: 0484-2316948 Mobile No. 9953484973	Mr. Temburu Maheswara Rao Dr. Kajan Kumar Mr. Anoop Singh Sengar	10th Sept, 2026	10th Sept, 2026	Not Applicable	Not Applicable
157	Food Quality Monitoring Laboratory (FQML), Kerala Council for Food Research & Development Office, Perinjottakkal P.O., Konni, Pathanamthitta Distt, Kerala-689692	57/S/FSSAI/2018	<a href="#">TC-14288</a>	N	Ms. Grace Baby (Chief Analyst) Mobile: 9747433348 Email: cacfrd@gmail.com	Ms. Grace Baby;	13th Aug, 2026	13th Aug, 2026	Not Applicable	Not Applicable
158	Interfield Laboratories, Kochi 13/1208 – A Interprint House, Karuvelipady, Kochi - 682005, Kerala	4/S/FSSAI/2014	<a href="#">TC-6338</a>	Y	Gils P S, PhD. Tel: 0484-2210915 Mobile:- +918547328180, 9567438179 Email: gils.ps@gmail.com, test@ifl.in	Dr. Gils P.S. Ms. Anu Antony, Mr. Anandu Ravi Ms. Anjana Kaladharan Mr. Sanal Kumar K. S. Ms. Haslit Thomas Ms. Parveena Y. S.	20th Oct, 2026	20th Oct, 2026	Not Applicable	Not Applicable
159	CEPCI Laboratory & Research Institute, Kollam Cashew Bhawan, Mundakkal, Kollam-691001	34/S/FSSAI/2016	<a href="#">TC-11801</a>	N	Ajini A.S.,Senior Scientist, Mob:- 7907598342 Email: cepcilab@cashewindia.org, ajini.as@cashewindia.org		20th june, 2029	20th june, 2029	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
160	Govt. Analyst's Laboratory, Thiruvananthapuram Red Cross Road, Vanchiyoor P.O., Thiruvananthapuram – 695035, Kerala	53/S/FSSAI/2017	<a href="#">TC-5455</a>	Y	Mrs.Ramla.KA (Chief Government Analyst) Tel: 0471-2472192 Mob:89433 46180 Email: galtvpm@gmail.com	As Notified by State Government: Smt.Shynumol.T; Smt.Ramla.KA Smt.Vrinda.S Smt.Reshmi.S.L	07th Feb, 2028	Not Applicable	Not Applicable	Not Applicable
161	Regional Analytical Laboratory, Ernakulam Kakkanaad, Ernakulam - 682030, Kerala	54/S/FSSAI/2017	<a href="#">TC-6793</a>	Y	Mrs. Ruby Mathew (Government Analyst) Tel: 0484-2422218 Mob: 7593000298, Email Id : regionalanalyticalabernakulam@gmail.com	As Notified by State Government: Smt.Ruby Mathew, Smt.Preeethy Varghese, Smt.Thara J.	22nd Nov,2027	Not Applicable	Not Applicable	Not Applicable
162	Regional Analytical Laboratory, Kozhikode Malaparamba, Kozhikode, Kerala – 670009	55/S/FSSAI/2017	<a href="#">TC-5566</a>	Y	Shri. Anilkumar. T, (Deputy Government Analyst) Tel: 0495-2371101 ,Mob: 7593000271,9645473717 Email:ralkozhikode@gmail.com	As Notified by State Government: Shri. Anilkumar. T Shri. Siyad.S; Shri.M.Subburaj	07th July, 2026	Not Applicable	Not Applicable	Not Applicable
163	State Laboratory for Livestock, Marine & Agri Product (SLMAP), Ernakulam Maradu, Nettor P.O., Ernakulam, Kerala	64/S/FSSAI/2018	<a href="#">TC-6891</a>	N	Dr P S Shameem Abubaker Livestock Products Inspecting Officer Email: slmap.ahd@kerala.gov.in, slmap.ahd@kerala.gov.in Ph: 9447395303	***	10th Mar, 2029	10th Mar, 2029	Not Applicable	Not Applicable
164	The Marine Products Export Development Authority, Quality Control Laboratory, 5th Floor, MPEDA House, Panampilly Nagar, Kochi, Kerala	69/S/FSSAI/2018	<a href="#">TC-8117</a>	Y	Mr. Mahesg G, Deputy Director E-mail: lab.koc@mpeda.gov.in/mahesh@mpeda.gov.in/suma@mpeda.gov.in Tel No.: +91-484-2311033/2315199 Mob: 8331911899	---	30th Oct, 2027	30th Oct, 2027	Not Applicable	Not Applicable
165	Confederation for Ayurvedic Renaissance Keralam Ltd., Koratty KINFRA, Small Industries Park, Nalukettu Road, Koratty – 680 309, Thrissur, Kerala	42/S/FSSAI/2016	<a href="#">TC-14591</a>	N	Mr. Basil ; 09895654977 E-mail: tm@carekeralam.com, info@carekeralam.com	....	23rd Sept, 2026	23rd Sept, 2026	Not Applicable	Not Applicable
166	Accurate Analytic (General Purpose Laboratory), Cochin NIKARthil Road, Thoppumpady, Cochin – 682005	56/S/FSSAI/2018	<a href="#">TC-9496</a>	N	Shri. A. Navaneetha Krishnan (Lab Manager) Mobile: 9249293998, 9249444406 Fax: 0484-2237848 Email: accurateanalytic@yahoo.co.in A Navaneetha Krishnan accurateanalytic@yahoo.co.in 9249293998	Ms. Betsy T Geevarghese Ms. Camilla Catherine Paiva Ms. Keerthana PS	03rd May, 2029	03rd May, 2029	Not Applicable	Not Applicable
167	Geo-Chem, Laboratories Pvt. Ltd., Aroor Aman Commercial Complex, Opp. Mercy School, Aroor-688537.	46/S/FSSAI/2017	<a href="#">TC-11621</a>	Y	Ms. Beena Tilak (Laboratory Manager), Tel: 0478-2830800, 2830803, Contact No.: 9895132741 Authorized Person Mobile No.: 9895132741 Mobile No.:9895132741 Email: beena.t@geochem.net.in, lab.cochin@geochem.net.in, admin.cochinlab@geochem.net.in	Mr. Jithin C.R., Mrs. Neeraja P.N	30th July, 2027	30th July, 2027	Not Applicable	Not Applicable
168	FQ Lab and Research Centre Private Limited, Cochin OS-30 & 31, IIIrd Floor, GCDA Complex, Marine Drive, Ernakulam, Kochi, Kerala-6820310	29/S/FSSAI/2016	<a href="#">TC-6259</a>	Y	Mr. O. Raghunath (Dy. Chief Executive) Tel: 0484- 4026686, Fax: 0484-2360499 Mobile: 09895054411 Email: ceo@fqlrc.com ; fqlabindia@gmail.com ; synergee95@gmail.com Dr BABY JACOB synergee95@gmail.com 9895054410	Mr. Vishnu Das Mrs. Sonia Biju	06th Sept, 2027	06th Sept, 2027	Not Applicable	Not Applicable
169	ECO Green Labs India Private Limited, Cherthala Taluk, 436-H, I, J, K, L, M, Ward No. 16, Perumpampil, Panvel Kochi Kanyakumari Highway, Happy Tyre Works, Aroor, Kerala	93/S/FSSAI/2025	<a href="#">TC-15810</a>	Y	Mr. D Balakrishnam green_balu74@yahoo.com/qualitykl@ecogr eenlabsindia.com mobile: 9894785841	Mr Maruthi S	31st March, 2027	31st March, 2027	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
170	Testing and Analysis Laboratory, Environmental Technology Division, CSIR-National Institute for Interdisciplinary Science and Technology (CSIR-NIIST), Industrial Estate P. O., Pappanamcode, Thiruvananthapuram, Kerala	94/S/FSSAI/2025	<u>TC-14725</u>	Y	Mr Abdul Haleem, CSIR-National Institute for Interdisciplinary Science and Technology (CSIR-NIIST), abdulhaleem.niist@csir.res.in Mobile: 9526542242	....	17th Oct, 2026	Not Applicable	Not Applicable	Not Applicable
171	NDDB CALF LTD. 497/A/UA, Edappally, Kochi, Kerala	95/S/FSSAI/2026	<u>TC-16717</u>	Y	P Rohith Kumar; Ph: 6357934225 ; Email : prohith@nddbcalf.com, vinod@nddbcalf.com	Mr Vinod Kumar P	05th Sep, 2027	05th Sep, 2027	Not Applicable	Not Applicable
<b>Tamil Nadu</b>										
172	Chennai Mettex Lab Private Limited, Chennai Jothi Complex, No. 83, M.K.N. Road, Guindy, Chennai-600032	30 /S/FSSAI/2016	<u>TC-5589</u>	Y	Mr. V.K.Selvakumar (Director - Technical) Tel.: 044-22323163 , 42179490 / 91 Fax: + 91 44 22311034 Mobile: 09841078949 E.Mail: test@mettexlab.com, vks@mettexlab.com	Dr. D. Sathiya Narayanan Mr. S. Thiyagarajan Ms. Hemalatha, Mr. S. Srirenganathan, Mr. V. Vairavel	15th June, 2026	15th June, 2026	Not Applicable	Not Applicable
173	M/s.Global Lab and Consultancy Services LLP, Tamil Nadu SF. No. 92/3A2, Geetha Nagar, Alagapuram Pudur, Salem, Tamil Nadu	58/S/FSSAI/2018	<u>TC-6060</u>	Y	Mr. N. Senthil Kumar (COO & Partner) Tel: 0427-2970 989, Mob: 07094452626 Email: sk@glcs.in , lab@glcs.in	Mr. Murugesan. S Mr. Sathiskumar. A	31st July, 2026	31st July, 2026	Not Applicable	Not Applicable
174	Interstellar Testing Centre Private Limited, Chennai Plot No. 2, Site No. 12/2A, Industrial Estate, Perungudi, Sholinganallur Taluk, Chennai - 600094, Tamil Nadu	60/S/FSSAI/2018	<u>TC-15730</u>	Y	Mr. Kamal Grover; Lab Head 8800990919 Email ID : kamal.grover@itclabs.com	Dr. Prabakaran Vadivel	30th July, 2026	30th July, 2026	Not Applicable	Not Applicable
175	Monarch Biotech Private Limited, 37- A, SIDCO Industrial Estate, Thirumazhisai. Chennai - 600 124, Tamil Nadu	39/S/FSSAI/2016	<u>TC-6206</u>	Y	Mr.A.M.Shiva Kaarthick, (Managing Director). Mobile: 09176640172 / 09176640177 Tel: 044-26810052 / 24352756 E-Mail: monarchbio@gmail.com Shri . Avula Mallikarjun Contact No.: 98440078198	Mr. Paulnadar Pandarakutty Jegatheesan; Mrs. Mahima Dhayanithy, Mr. T. Rooso Ms. Dhivya M Ms. Pavithra S Mr. Nagarajan	12th June, 2026	12th June, 2026	12th June, 2026	Not Applicable
176	SGS India Private Limited, Multi Laboratory, Chennai Opposite to State Bank of India, 28 B/1 (SP), 28 B/2 (SP), Second Main Road, Ambattur Industrial Estate, Chennai-600058.	1/S/FSSAI/2014	<u>TC-5006</u>	Y	Elaiyaperumaal. M Phone : +91 4466081769 Mobile : +91 91766 43816 E-mail: m.elaiyaperumal@sgs.com, Pratheeshkumar.N@sgs.com  NIRMALA V. , Email ID: V.Nirmala@sgs.com Mobile No.: 9790925994	Mr. David Antony Mr. Elaiyaperumaal. M Ms. Ambika A Mr. Dhanasekar V Mr. Gopinath V	19th Nov, 2027	19th Nov, 2027	Not Applicable	Not Applicable
177	SMS Labs Services Private Limited, Chennai No. 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee TK, Chennai - 600124	2/S/FSSAI/2014	<u>TC-6118</u>	Y	Mrs. Sharadha Murali (Director) Tel: 04426811662, 04426811664, Fax: 044-26811665 Mobile: 99625 18199 , 9444418694 Email: sharadhangm@gmail.com, sm@smsla.in, lab@smsla.in	Dr. Thulasi Raman Krishnan, Mr. S. Balaji Mr. Anbarasan. S Mr. R. Rajesh Mrs. Bhavani. B Mrs. Jayasudha Parthasarathi	06th Sept, 2026	06th Sept, 2026	Not Applicable	06th Sept, 2026 (Mechanical)
178	Food Analysis Laboratory, Madurai, Tamil Nadu, Dr. Thangaraj Salai, Poor Home Campus, Madurai-625020	72/S/FSSAI/2021	<u>TC-9606</u>	Y	S. Suresh, M.Sc. 9940089699 ,falmdu@gmail.com	As Notified by State Government	15th June, 2027	Not Applicable	Not Applicable	Not Applicable
179	Food Analysis Laboratory, Coimbatore, 219, Race Course Road, Coimbatore, Tamil Nadu-641018	77/S/FSSAI/2021	<u>TC-9786</u>	Y	Mrs. K.Sankari Mob No. : 97909-41924 Email : falcbe18@gmail.com	Mrs. K.Sankari	22nd Aug, 2027	Not Applicable	Not Applicable	Not Applicable
180	Food Analysis Laboratory, Salem 953,Kamarajar Nagar Colony, Salem, Tamil Nadu-636014	78/S/FSSAI/2021	<u>TC-9788</u>	Y	S.Narasimhan Mob No. :9445209184, Email: foodlabsalem@gmail.com	As Notified by State Government; Thiru.S.Narasimhan	22nd Aug, 2027	Not Applicable	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
181	Food Analysis Laboratory, Thanjavur Membalam Medical College Road, Thanjavur, Tamil Nadu-613001	75/S/FSSAI/2021	<a href="#">TC-9756</a>	Y	M. Sivashankar Email : falthanjavur@gmail.com Contact No.: 9786625500	As Notified by State Government	10th Aug, 2027	Not Applicable	Not Applicable	Not Applicable
182	Food Analysis Laboratory, Palayamkottai, Tamil Nadu, No. 5, Old Police Hospital Road, Palayamkottai, Tirunelveli-627002	74/S/FSSAI/2021	<a href="#">TC-9644</a>	Y	S. Alex, 94421 30253 palaifoodlab@gmail.com	As Notified by State Government	27th June, 2027	Not Applicable	Not Applicable	Not Applicable
183	National Food Laboratory, Chennai (In PPP with NCML) 2nd floor north wing & 3rd floor, Central Documentation complex, Chennai Port Trust Building, Rajaji salai, George town, Chennai, Tamil Nadu	80/S/FSSAI/2022	<a href="#">TC-11071</a>	Y	Dr. Sanu Jacob, Director (NFL-Chennai), Email : sanu.jacob@fssai.gov.in; Mob No:9400540044.	Mr. Sandeep Gaikwad, Mr. Jayashankar V Mr Korla Vignaraju Mr Baddela Manohar	20th Oct, 2026	20th Oct, 2026	Not Applicable	Not Applicable
184	Analytical Technology Laboratory, Sri Gomuki Tex Chem Private Limited, 1/93, Mylapatti Post, Coimbatore, Tamil Nadu	85/S/FSSAI/2023	<a href="#">TC-7341</a>	Y	Mr. S. Thiyagarajan; Email: Thiyagarajan@atlabs.co.in, Phn: 9500895001	Dr. R. Suthakaran Dr. Gourishankar Manikrao	30th Mar, 2027	30th Mar, 2027	Not Applicable	Not Applicable
185	Nawal Analytical Labs India Private Limited No: 18, Electrical & Electronics Industrial Estate, Bangalore Bypass Road, Hosur, Krishnagiri, Tamil Nadu	99/S/FSSAI/2026	<a href="#">TC-17375</a>	Y	Mr. D. Balakrishnan Mob: 9894785841/9894785843 Email: ceo@nawallabs.com / qa@nawallabs.com	Mr. D.Balakrishnan,	5th Jan, 2028	5th Jan, 2028	Not Applicable	Not Applicable
186	Chennai Testing Laboratory Private Limited, Chennai A-Super 19, T.V.K. Industrial Estate, Guindy, Chennai- 600 032, Tamil Nadu.	44/S/FSSAI/2017	<a href="#">TC-14314</a>	Y	Mr. TGH Ashok Kumar (Managing Director) Phone: 044-22501757; Mobile: 9841748130; Email: chennaitestinglab@gmail.com N RAJENDRAKUMAR Contact No.: 9841748177 Email: quality@chennaitestinglab.com	Mr. N. Rajendrakumar	18th Aug, 2026	18th Aug, 2026	Not Applicable	Not Applicable
187	The South India Textile Research Association, Coimbatore 13/37, Avinashi Road, Coimbatore, Tamil Nadu	92/S/FSSAI/2024	<a href="#">TC-6944</a>	Y	Dr. Prakash Vasudevan- Director, S. Sivakumar, Quality Manager, 09842307924, ssk@sitra.org.in, tel no. 0422-4215317, Mob no. 08903442750	Ms. Sandhya C Nair	25th March, 2028	25th March, 2028	Not Applicable	Not Applicable
188	Food Analysis Laboratory, Guindy Office of the government Analyst, Chennai Guindy, Tamil Nadu-600032	71/S/FSSAI/2021	<a href="#">TC-9327</a>	Y	M SHEELA Mob No. : 9884275153 Email : falgdynabl@gmail.com	As Notified by State Government	15th March, 2027	15th March, 2027	Not Applicable	Not Applicable
189	MATS India Pvt. Ltd (Laboratory Services Division), Chennai, No.: 1A, 1B, Perumal Koil Street, Nerkundram, Chennai-600107	37/S/FSSAI/2016	<a href="#">TC-5358</a>	Y	Dr.V.Rambabu, Designation:Laboratory Manager, Telephone Number: 044-24794010, Mobile Number: 09500073929 E.Mail: lab.manager@matsgroup.net; Mrs.V.Sripriya, Designation: Director Telephone Number: 044-24794010 Mob: 09840095622 Mail Id: lab.priya@matsgroup.com	Dr. Rambabu Mr. Ramajayam Mrs. R. Vijaya Ms. Bharathi Muralidharan	10th Sep, 2027	10th Sep, 2027	Not Applicable	Not Applicable
190	Hubert Enviro Care Systems Limited, Guindy, Chennai A-21, III Phase, Thiru Vi Ka Industrial Estate, Guindy, Chennai, Tamil Nadu	88/S/FSSAI/2024	<a href="#">TC-12310</a>	Y	Dr. Rajkumar Samuel ; qm@hecs.in; Ms. Anusuya D, Deputy Quality Manager MB NO:9884323124	Mr Murugeswari K; Ms Jisha Prakash	24th Oct, 2027	24th Oct, 2027	Not Applicable	Not Applicable
191	Bureau Veritas (India) Pvt. Ltd., F2, Thiru-Vi-ka Industrial estate, Phase III, Ekkattuthangal, Guindy, Chennai-600032	67/S/FSSAI/2019	<a href="#">TC-8057</a>	Y	Mr. Jishnu Chattopadhyay, National Lab Quality Manager Mob.: 9600090754  Mr. M.K Harichandra Prasad hari.prasad1@bureauveritas.com	Mr. Suresh R; Ms. Shanthi M	2nd Nov, 2027	2nd Nov, 2027	Not Applicable	2nd Nov, 2027

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
192	Scientific Food Testing Services Private Limited, Chennai S No 25/3 D No 8/6, Vellalar Street, Ayanambakkam, Chennai - 600095, Tamil Nadu	42/S/FSSAI/2016	<a href="#">TC-9951</a>	Y	Dr. S.G. Gnanavendhan (Director-Technical) Tel: 044-45513309, 26162309, Fax: 044-26162309, Mob: 09840604698 E-mail: info@sftslab.com, gnanavendhan@hotmail.com.  S Jawahar, Contact No:8939831943 E-Mail ID: jawahar@sftslab.com	Mr. S.Jawahar MS. B.Rubini Mr. Kishore	08th Oct, 2027	08th Oct, 2027	Not Applicable	Not Applicable
193	Export Inspection Agency, Chennai 6th Floor CMDA Tower II, No.1 Gandhi Irwin Road, Egmore, Chennai- 600008	17/S/FSSAI/2014	<a href="#">TC-7030</a>	Y	PAPPI KHAWAS(Lab-Deputy Director Tel: 044-28552841/42, Fax: 044-28584350 Mobile: +91-9818188446, Mobile No.: 9790730827 Email: eia-chennaiab@eicindia.gov.in .  Satish Shukla Contact No: 8451842688	Dr. Prakash Chandra Gupta Subhadrata De Mudasir Yaqoob	30th March, 2028	30th March, 2028	Not Applicable	Not Applicable
194	VJS Phytosanitary Service Private Limited (Food Testing Laboratory) 4/194A, C.G.E. Colony, 5th Street, Tuticorin, Tamil Nadu	96/S/FSSAI/2026	<a href="#">TC-15970</a>	Y	Mr Vincent; Ph: 9790017965; Email: vincent@vjsphytosanitary.com	Mrs. Radhika B Mr Paramasivan V	11th July, 2027	11th July, 2027	Not Applicable	Not Applicable
<b>Telangana</b>										
195	First Source Laboratory Solutions LLP Analytical Services, Hyderabad First Floor, Plot No. A1/B, IDA Nacharam Cross Road, Hyderabad- 500076, Telangana	3/S/FSSAI/2014	<a href="#">TC-6745</a>	Y	Sudhakar Yadlapalli (Vice President) Tel : 040-27174037, 9121168611, Contact No.: 7680003040 , Mobile No.: 7569160006 Email: sudhakar@firstsourcels.com	Mr. Surendra Babu Peram	23rd Feb, 2028	23rd Feb, 2028	Not Applicable	Not Applicable
196	State Food Laboratory, Hyderabad Nacharam, Manikchand Road., Opp. Raheja Estate, Hyderabad, Telangana- 500076	61/S/FSSAI/2018	<a href="#">TC-5430</a>	Y	Dr. K. Shanker (Director) Mobile: 9849905227, 9154812663 Email: cfstelangana@gmail.com, diripmtg@gmail.com, G Laxmi Narayana Reddy , 9492535201, Email ID: sffssaihyd@gmail.com	As Notified by State Government	27th Jan, 2027	27th Jan, 2027	Not Applicable	Not Applicable
197	Vimta Labs Limited, Hyderabad Plot No.5, Alexandria Knowledge Park, Genome Valley, Shameerpet, Hyderabad - 500078, Telangana	13/S/FSSAI/2014	<a href="#">TC-5418</a>	Y	Apurv Sharma - Quality Manager Email: apurv.sharma@vimta.com Mobile:9100122625; Dr. Muni Prasad Poola, General Manager, Mob No.: 9121009302 muni.poola@vimta.com	Mr. Jagadeesh Kodali Ms. Anjali E Kurian Ms. Surbhi Kumari Mr.Narasimha Chari Chirala Ms.Yashaswini. J	30th March, 2028	30th March, 2028	30th June, 2026	30th June, 2026
198	TENTAMUS INDIA PRIVATE LIMITED #3-31/33, Plot No.:33/Part Sy. Nos. 123,124,125 &142, Kompally, Hyderabad-500 014	38/S/FSSAI/2016	<a href="#">TC-11468</a>	Y	P. Srinivasa Rao (Sr. Vice President-Operations) Contact No:- +91 99492 93022, +91 40 23452727 Email ID- p.srinivasarao@tentamus.com	Mr. A. Anil Kumar; Mr. Naresh Macherla	25th June, 2027	25th June, 2027	Not Applicable	Not Applicable
199	Analytical Testing Laboratory, National Institute of Pharmaceutical Education and Research, Hyderabad Balanagar, Hyderabad, Medchal Malkajgiri, Telangana	91/S/FSSAI/2024	<a href="#">TC-12381</a>	Y	Dr. Amit Asthana- Registrar; Dr. Amol Dikundwar, amol.dikundwar@niperhyd.ac.in, 040-23074750, 09916527266	Patlolla Manasa Reddy	22nd Aug, 2027	Not Applicable	Not Applicable	Not Applicable
200	Vison Labs, Hyderabad H.No. 16-11-23/37/A, 2nd Floor, Opp. R.T.A Office, Musarambagh, Malakpet, Hyderabad – 500036, Telangana	59/S/FSSAI/2018	<a href="#">TC-5064</a>	N	Mr. T. Laxmikanth Reddy Mobile: 9849110019, 9440841338 Tel: 040-24544320, 65792001 Email: vison.labs@gmail.com, info@visonlabs.com, vijay@visonlabs.com	---	25th Nov, 2029	25th Nov, 2029	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
201	Chemtex Labs India Private Limited, Hyderabad 2nd Floor, Plot No. 17 & 22, Tech Park Road, Road No. 12, Hyderabad, Medchal Malkajigiri, Telangana	86/S/FSSAI/2023	<a href="#">TC-11554</a>	Y	BKVR Prasad Designation: General Manager-Operations Contact No.: 7997997954 Tele phone No.: 040-27171666	Mr.Bokka Krishna Venkata Rama Prasad	15th April, 2027	15th April, 2027	Not Applicable	Not Applicable
202	Care Labs, Hyderabad Plot No. 1, 3rd Floor, Sai Sadan Complex, Shiva Ganga Colony, LB Nagar, Hyderabad, Telangana	49/S/FSSAI/2017	<a href="#">TC-8067</a>	N	Mrs. Roopa Reddy. A (Managing Director) Tel: 040- 24038820; Mobile: +91 985436528 Email: thrinika@gmail.com, mail2carelabs@gmail.com Shashi Ranjan Contact No.: 9885333368 Email ID: mail2carelabs@gmail.com	---	10th Dec, 2029	10th Dec, 2029	Not Applicable	Not Applicable
203	Intertek India Private Limited (Food Services), Hyderabad Plot no. D-53, IDA, Phase-1, Jeedimetla, Hyderabad-500055, Telangana	33/S/FSSAI/2016	<a href="#">TC-5160</a>	Y	Mr Ravi Kumar GV Technical Manager Tel: +91 040 42015258, Ext- 444 Mobile: 9505222645 Email: ravikumar.gv@intertek.com  Mr.Gandla Krishnaiah Quality Manager Tel: +91 040 42015258, Ext- 117 Mobile: 9912463921 Email: gandla.krishnaiah@intertek.com	G Sonia Kumari , Mr Tharaka Rakesh	08th July, 2026	08th July, 2026	Not Applicable	Not Applicable
204	Livestock Products Testing and Certification Laboratory (LP-TCL) ICAR-National Meat Research Institute (ICAR-NMRI), Chengicherla, Hyderabad, Medchal Malkajigiri, Telangana	97/S/FSSAI/2026	<a href="#">TC-12542</a>	Y	Dr. S.B Barbudde; Ph: 9447779717 ; Email: director.nmri@icar.org.in	Dr. Vishnuraj M R	02nd Sep, 2026	02nd Sep, 2026	Not Applicable	Not Applicable
<b>D. EASTERN REGION</b>										
<b>Arunachal Pradesh, Sikkim, Andaman and Assam</b>		NA								
205	State Public Health Laboratory, Bamuni Maidan, Guwahati, Assam	14/E/FSSAI2020	<a href="#">TC-10845</a>	Y	Mr. Anupam Gogoi Mobile: 8473882511, 9864029925 Email: foodanalyst@sphlassam.org	As Notified by State Government	19th July, 2026	Not Applicable	Not Applicable	Not Applicable
206	TLABS, Tea Research Association, Tocklai Tea Research Institute, Tocklai Experimental Station, Jorhat, Assam	30/E/FSSAI/2025	<a href="#">TC-5537</a>	Y	Dr Raktim Pal, Analytical Services Department r.pal@tocklai.net Mobile: 9434322692	Mr. Md Basirul Islam	05th Feb, 2027	Not Applicable	Not Applicable	Not Applicable
207	National Test House (NER), Guwahati Citi Complex, Kalapahar, Guwahati, Kamrup Metro, Assam	27/E/FSSAI/2024	<a href="#">TC-8294</a>	Y	Mr. S. Mani, Scientist Incharge, nthner-ca@gov.in, sumanthkumarlaha@nth.gov.in, Tel No. 0361-2471938, 09444336115		28th Jun, 2026	28th Jun, 2026	Not Applicable	Not Applicable
<b>Bihar</b>										
208	National Food Laboratory, Kolkata (Extension Centre Raxaul), Champaran (East), Hardia Kothi, Raxaul, Bihar, India	25/E/FSSAI/2022	<a href="#">TC-11038</a>	Y	Sh Mukund Dargar Mobile: 9406615510 Email: cfl.raxaul@gmail.com	Sh Mukund Dargar	03rd Oct, 2026	Not Applicable	Not Applicable	Not Applicable
209	Combined Food and Drug Laboratory, Patna Agamkuan, PO Gulzarbagh, Patna, Bihar - 800007	23/E/FSSAI/2022	<a href="#">TC-10762</a>	Y	Shri. Mahendra Pratap Singh Mobile: +91 9430030897 Email: mpratap19@gmail.com	As Notified by State Government	27th June, 2026	Not Applicable	Not Applicable	Not Applicable
210	Omshiva Test House Private Limited, Patna 122-C, Aastha, Road No. 5A, Patna, Bihar	28/E/FSSAI/2025	<a href="#">TC-14251</a>	Y	Mr.Pratyush Pushkar (COO), Mobile: 8676886249, Email: sthpatna1@yahoo.co.in, dqm@shivatesthouse.in, coo@shivatesthouse.in	Ms. Parul Das Sumit Kumar Sinha	08th Aug, 2026	08th Aug, 2026	Not Applicable	Not Applicable
211	Samadhan International Laboratories Private Limited Plot No. D5, Hajipur Ind. Area, Hajipur, Vaishali, Bihar	32/E/FSSAI/2026	<a href="#">TC-16198</a>	Y	Mr.Shivjee Shah; Ph: 9031055622; Email: quality@samadhanlab.co.in	Ms. Srishti Yadav Mr. Sachin Kumar Chandan	04th June, 2027	04th June, 2027	Not Applicable	Not Applicable
<b>Jharkhand</b>										
212	Sun Tech, Jharkhand 40-p, Tupudana Industrial Area, Tupudana, Hatia, Ranchi, Jharkhand – 834003	7/E/FSSAI2017	<a href="#">TC-5432</a>	Y	Ms. Preeti Varma Mobile: +91 9304742696, +91 7808266661 Email: sun.tech.lab@gmail.com	Ms. Preeti Varma	30th Jun, 2026	30th Jun, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
213	State Food Testing Laboratory, Namkum, Ranchi, Jharkhand - 834010	24/E/FSSAI/2022	<a href="#">TC-15483</a>	N	Contact Person : CHATURBHUI MEENA Tel No. : 9826444913 Email : chaturbhui.meena2@gmail.com	As Notified by State Government	11th Feb, 2029	Not Applicable	Not Applicable	Not Applicable
<b>Chattisgarh</b>										
214	State Food Testing Laboratory, Raipur, Food & Drugs Administration, Kalibadi, Raipur, Chattisgarh-492001	17/E/FSSAI/2021	<a href="#">TC-9664</a>	Y	AKHILESH SHRIVASTAVA 8319063183 fdtlcg@gmail.com akhilesh7163@gmail.com , fdakorba@gmail.com	As Notified by State Government	04th July, 2027	Not Applicable	Not Applicable	Not Applicable
<b>Odisha</b>										
215	State Food Testing Laboratory, Bhubaneswar Convent Square, Kharvel Nagar, Bhubaneswar - 751001, Odisha	18/E/FSSAI/2022	<a href="#">TC-12644</a>	Y	Dr. Kumuda Sahu 9437232189; Patitapabana Mohapatra- 9439555704 statephlab1956@gmail.com	As Notified by State Government	23th Nov, 2027	23th Nov, 2027	Not Applicable	Not Applicable
<b>Manipur</b>										
216	State Public Health Laboratory, Manipur R&D Wing Complex, Medical Directorate, Lamphel, Imphal West, Manipur - 795004, Manipur	21/E/FSSAI/2022	<a href="#">TC-13785</a>	N	Shri Chabungbam Sanajaoba Meitei sphlmanipur@gmail.com, sanajaoba1568@gmail.com 9485267753	As Notified by State Government	28th June, 2026	Not Applicable	Not Applicable	Not Applicable
<b>Meghalaya</b>										
217	State Food Testing Laboratory, Shillong Directorates of Health and Services (Research etc.), Pasteur Institute, East Khasi Hills, Shillong - 793001, Meghalaya	19/E/FSSAI/2022	<a href="#">TC-13102</a>	N	Smt. Wadamika Lyngdoh, Technical Manager, 0364-2590169 9436709631 sftlmeg@gmail.com Rosetta Mary Kurbah Contact No: 9863318344 Email: rkurbah@yahoo.com	As Notified by State Government	Not Applicable	12th Dec, 2030	Not Applicable	Not Applicable
<b>Nagaland</b>										
218	State Public Health Laboratory, Nagaland Paramedical Colony, Kohima, Nagaland, India	16/E/FSSAI/2021	<a href="#">TC-16790</a>	Y	KHRUKUTOLU VESWUH Mob: 9436005608 Email: ttonne@rediffmail.com Seyiekhrielie Kehie Contact No.: 9089067235 , sphl_pfa@rediffmail.com	As Notified by State Government	16th Sept, 2027	Not Applicable	Not Applicable	Not Applicable
<b>Tripura</b>										
219	Regional Food Laboratory, Tripura Pandit Nehru Office Complex, Gurkhabasti, Agartala, West Tripura, Tripura - 799006	22/E/FSSAI/2022	<a href="#">TC-10234</a>	Y	Shri. Santanu Biswas Senior Chemist & I/C sftl.tripura@gmail.com, 9612255995 santanu.foodlaboratory@gmail.com 9436342975,	As Notified by State Government- Shri. Santanu Biswas	16th Jan, 2028	16th Jan, 2028	Not Applicable	Not Applicable
220	Food Testing Laboratory, Agartala Food Park, Bodhjungnagar, Agartala, Tripura -799008	9/E/FSSAI/2018	<a href="#">TC-5959</a>	Y	Dr. Karunamay Nath, Public Analyst Mobile: 09436458179 Email: ftlbagartala@gmail.com	***	05th March, 2028	Not Applicable	Not Applicable	Not Applicable
<b>West Bengal</b>										
221	Edward Food Research and Analysis Centre Limited, Kolkata Subhas Nagar, Barasat, P.O: Nilgunj Bazar, Kolkata -700121	4/E/FSSAI/2014	<a href="#">TC-5817</a>	Y	Dr. Balwinder Bajwa (CEO) Tel: 033-7112280, Fax: 033-7112281 Email: qa@efrac.org, regulatoryaffairs@efrac.org	Mr. Dipak Pramanik	23rd July, 2026	23rd July, 2026	Not Applicable	23rd April, 2026 (Mechanical)
222	Pesticide Residue Laboratory, Tea Research Association, Kolkata (TLabs, Tea Research Association) 113, Park Street, 9th Floor, Kolkata-700016, West Bengal.	10/E/FSSAI/2019	<a href="#">TC-5281</a>	Y	Mr. Joydeep Phukan, Secretary, Tea Research Association, Dr. Bappaditya Kanrar (8777707121) Contact No.:033-22291815 ,9831093713,9475465480, 9903087269 E-mail: secretary@tocklai.net, tlabs.kolkata@tocklai.net	Mr. Ashim Dey	12th June, 2026	Not Applicable	Not Applicable	Not Applicable
223	National Food Laboratory, Kolkata, 3, Kyd Street, Kolkata, West Bengal	13/E/FSSAI/2020	<a href="#">TC-6584</a>	Y	Dr. Geetanjali, Email id : nfi-kolkata@fssai.gov.in, geetanjali.sharma@fssai.gov.in; Mob No : 9432669565.	Mr. Chezien k. Mr. Debadutt Mishra Mr. Ligen Das Mr. Abhijit Roy Ms. N Siri Chandana Mr. Javant Kumar	17th Jan, 2027	17th Jan, 2027	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
224	Central Laboratory (Food), Kolkata Municipal Laboratory, Kolkata, West Bengal Kolkata Municipal Corporation, 1A, Hogg Street, Kolkata 700087, West Bengal	15/E/FSSAI/2021	<a href="#">TC-11937</a>	N	Sarmishtha Mukhopadhyay Mob No : 9830137201 Email : foodanalyst.kmc@gmail.com	As Notified by State Government	17th July, 2029	Not Applicable	Not Applicable	Not Applicable
225	Export Inspection Agency - Kolkata Laboratory (Ministry of Commerce & Industries, Govt of India) 101, Southend Conclave, 1582, Rajdanga Main Road, Kolkata-700107, West Bengal	2/E/FSSAI/2014	<a href="#">TC-7423</a>	Y	Mr. Somnath Das Assistant Director (Tech.) Tel: 033- 24410603/02/01 Mobile No. 9790730827 Email: eia-kolkatalab@eicindia.gov.in	Mr. Somnath Das Dr. B. Vijay Kumar Mr. Anukul Das Dr Kajan Kumar	14th July, 2027	14th July, 2027	Not Applicable	Not Applicable
226	N.D. International, 17, Jnan Goswami Sarani, 107B, Block-F, New Alipore, Kolkata, West Bengal	26/E/FSSAI/2023	<a href="#">TC-15617</a>	Y	Ms. Sutapa Patra, Quality Manager, Ph. No. 9433186847, sutapa@ndinternational.in, ndinternational@gmail.com	.....	06th June, 2028	06th June, 2028	Not Applicable	Not Applicable
227	Qualissure Laboratory Services, 361, Prantick Pally, 45/361, Bosepukur Road, Kolkata, West Bengal	29/E/FSSAI/2025	<a href="#">TC-6271</a>	Y	SUTAPA BHOWMIK info@qualissure.com/ qualissure@gmail.com Telephone No. 09830093976 Mobile No.9831287086	Dr. Sutapa Bhowmik	23rd Oct, 2026	23rd Oct, 2026	Not Applicable	Not Applicable
228	Quality Control Laboratory, Tea Board of India, Siliguri, Tea Park, Bhola More, P.O. Sahudangi Hat, Siliguri-735135, West Bengal	12/E/FSSAI/2019	<a href="#">TC-6002</a>	Y	Dr Anirban Basu Majumder, In-Charge, QCL, E-mail: inchargeqcl@gmail.com qcl.tbi-wb@gmail.com Tel No. : 0353-2960394, 9875449805	Ms. Satavisa Bhattacharjee	6th Nov, 2027	6th Nov, 2027	Not Applicable	Not Applicable
229	Eureka Analytical Services Private Limited, 1st Floor,Seven Hills,EN-34,EN Block, Kolkata, West Bengal	31/E/FSSAI/2025	<a href="#">TC-13994</a>	Y	Dr. Bappa Ghosh GhoshBappa@eurekaserv.com Head - Lab Operations Mobile : +91-9364898062	Ms. Monalisa Ghosh	25th Jun, 2026	Not Applicable	Not Applicable	Not Applicable
230	SGS India Private Limited, Kolkata CS Plot 512(P), Hanspukuria, D.H. Road, Joka, Kolkata-700104	1/E/FSSAI/2014	<a href="#">TC-7047</a>	N	Anusuya Pakrashi (QE) Phone: +9133 6292153840 Mobile: +917208901345 Fax: +9133 24381022 E-mail: anusuya.pakrashi@sgs.com Sanat Majumder Contact No.: 9231772938 Mobile No.: 9831026305 Satya Manna Contact No: 9830590780 E-Mail ID: s.manna@sgs.com	Mr.Soumi Datta	27th Nov, 2029	27th Nov, 2029	Not Applicable	(Mechanical) 27th Nov, 2029

**Annexure II**

**List of FSSAI notified laboratories whose NABL accreditation validity has expired and/or are**

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
1	% Bharat Test House, Delhi 454/2, Timber Market Azadpur Commercial Complex, Delhi-110033. (New Address : Bharat Test House Pvt Ltd, 1668 (Div-ii), HSIIDC, Rai Industrial Estate, Sonipat, Haryana)	21/N/FSSAI/2014	<a href="#">TC-9000</a>	N	Anil Kumar Taliwal (Director Technical Tel: +91-11-27672629, 27675696 Fax: 011-43851204, Mobile: 09810922051 Email: scrm@bharattesthouse.com, bthinfo@bharattesthouse.com; director@bharattesthouse.com	---	17th Sep, 2026	17th Sep, 2026	Not Applicable	17th Sep, 2026 (Mechanical)

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
2	% Ozone Pharmaceuticals Limited, Bahadurgarh 639 - 640, 1st floor, MIE, Bahadurgarh-124507, Haryana ( First Floor, Ozone Ayurvedic Building, Village Bhondsi (Near C.R.P.F. Camp Kadarapur), Distt.-Gurgaon Haryana)	4/N/FSSAI/2014	<a href="#">TC-17159</a>	N	Mr. Som Singh (General Manager Technical) Ph: 01276-267137, 267792 Fax: 01276-268037 Mobile: 09999704004, 9991704004 Email: ozoneelab@ozonegp.com, somsingh@ozonegp.com, qc@ozonegp.com	---	23rd Nov, 2029	23rd Nov, 2029	Not Applicable	Not Applicable
3	& SEA Lab, Aroor Seafood Park India Limited, XIII/99A, Keltron Road, Aroor, Alleppey District, Kerala-688534	23/S/FSSAI/2014	<a href="#">TC-6408</a>	Y	Miss. Swapna Sukumaran (Scientific Officer) Tel: 0478-2871375, 2871376, 2871377 Fax: 0478-2871378 Email: seafoodpark@hotmail.com, deepasealab@gmail.com GEORGE V.I. Contact No.: 9446477447 Email ID: george.sealab@gmail.com	---	23rd Feb, 2028	23rd Feb, 2028	Not Applicable	Not Applicable
4	& Apex Testing and Research Laboratory, New Delhi B-90, Shardapuri, Ramesh Nagar, Near Mother Dairy, New Delhi-110015 (9/50,KIRTI NAGAR INDUSTRIAL AREA, DELHI, INDIA)	45/N/FSSAI/2017	<a href="#">TC-8463</a>	N	Dr. Ashish Kant Jain, Mobile: 08376945025, 9350049916, Tel: 011-47081611, Email: info.apex2015@gmail.com, ApexTesting.researchlab2015@gmail.com	---	28th Apr, 2026	28th Apr, 2026	Not Applicable	28th Apr, 2026 (Mechanical)
5	& Kalyani Laboratories Private Limited, Bhubaneswar Plot No- 78/944, Balianata, Pahala, Near Nissan Showroom, Bhubaneswar – 752101, Odisha.	6/E/FSSAI/2016	<a href="#">TC-12063</a>	N	Dr. Debasis Biswal (Managing Director) Tel: 0674-6081992, Mobile: 09437306091 Email: kalyanilab@yahoo.co.in	Dr. Rekha Nayak; Dr. Arup Duttagupta	04th Aug, 2025	04th Aug, 2025	04th Aug, 2025	04th Aug, 2025 (Mechanical, Electrical)
6	&Food Analysis and Research Laboratory (FARL), Aallahabad Centre of Food Technology, Science Faculty Campus, University of Allahabad, Allahabad-211002	37/N/FSSAI/2016	<a href="#">TC-13792</a>	N	Mr. Rahul Agarwal Tel: 0532-2460289, Fax: 0532-2460289 Mobile: +91 9450586942 Email: farlcf@gmail.com, qacellcf@gmail.com	---	31st May, 2026	31st May, 2026	Not Applicable	Not Applicable
7	&Regional Food Research & Analysis Centre (Department of Horticulture and Food Processing, UP), Lucknow Udyan bhawan Campus, 2-Sapru Marg, Lucknow – 226 001, Uttar Pradesh	43/N/FSSAI/2016	<a href="#">TC-6143</a>	N	Dr. S.K. Chauhan (Director) Tel: 0522-4008358, Mob: 7052157777 E-mail: rfracfco2015@gmail.com	***	15th July, 2025	15th July, 2025	Not Applicable	Not Applicable
8	&CVR Labs (P) Limited, Chennai Dignity Centre, 2nd Floor, New No. 2/9, Old No. 21, Abdul Razack Street, Saidapet, Chennai – 600 015, Tamil Nadu	45/S/FSSAI/2017	<a href="#">TC-7618</a>	Y	Mr. Balanurugan Chandran (Managing Director) Tel: 044-24330382 – 85 Mobile: 09500121372 Email: bala@cvrlabs.com, info@cvrlabs.com, sadasivan_sureshkumar@cvrlabs.com bala@cvrlabs.com		22nd Oct, 2025	22nd Oct, 2025	Not Applicable	Mechanical- 22nd Oct, 2025
9	&Eko Pro Engineers Private Limited, Ghaziabad 32/41, South side of G.T. Road, UPSIDC Industrial Area, Ghaziabad-201009, U.P.	28/N/FSSAI/2014	<a href="#">TC-4201</a>	Y	Mr. Amit Saxena (Quality Manager) Mobile: +91 9810243870 Email: ekoproengineers@gmail.com	Mrs. Mansi Rastogi	03rd July 2026	03rd July 2026	Not Applicable	Not Applicable
10	\$Bureau Veritas India Testing Services Pvt. Ltd., Central Laboratory, Hyderabad Plot No. 7-2-C/7 & 8, Sanath Nagar Industrial Estate, Sanath Nagar, Hyderabad Urban-500018, Telangana	16/S/FSSAI/2014	<a href="#">TC-5040</a>	Y	1. Mr.Narasimha Chari Chirala Head Laboratory- Food E-mail: narasimha.chirala@bureauveritas.com Mobile: +91- 7738333142 2. Ms.P.Deepika Quality Manager Email: deepika.p@bureauveritas.com Mobile: +91- 9618032756	Mr. Rajasekhar Reddy Challa	07th Feb, 2026	07th Feb, 2026	Not Applicable	Mechanical - 07th Feb, 2026
11	\$Idma Laboratories Ltd, Panchkula Idma Complex: 391, Industrial Area- Phase I, Panchkula HARYANA, INDIA – 134 113	44/N/FSSAI/2017	<a href="#">TC-8207</a>	Y	Mr. Ankush Aggarwal (Managing Director) Tel: 0172-5064827, 5064830, Fax: 0172-2583587 Email: testing@idmalab.co.in, raj@idmalab.co.in	Mr. Balbir Singh, Mrs. Indra Rai	20th Feb, 2026	20th Feb, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
12	\$Intertek India Private Limited (Food Services), Gurgaon Plot No#68,Udyog Vihar, Phase-1, Gurgaon,Haryana-122016	13/N/FSSAI/2014	<u>TC-6434</u>	Y	Mr. Ashish Gupta, Director-Food Services ashish.gupta@intertek.com +91-9910170744 Ms. Heena Srivastava, Lab Head, Gurgaon Lab heena.srivastava@intertek.com +91-9718194755 Ms. Aditi Gupta, Quality Manager, Gurgaon Lab aditi.gupta@intertek.com +91-9643029304	Mr. Akash Mahadev Zade; Ms. Kanchan; Ms. Sapna Chand.	18th Aug, 2026	18th Aug, 2026	Not Applicable	Not Applicable
13	\$Italab, (Goa) Pvt. Ltd., Goa Italab House, Apollo Victor Hospital Road, Malbhat, Margao, Goa – 403 601	34/W/FSSAI/2016	<u>TC-8070</u>	N	Mr. Oscar de Santa Rita Vaz (Director) Tel: 0832-2739985, 2704883/36, Fax: 0832-2739955 E-mail: italab.goa@rediffmail.com, italabgoa@dataone.in Sandra Pereira italab.goa@rediffmail.com 0832270483	---	04th Apr, 2029	04th Apr, 2029	Not Applicable	Not Applicable
14	@Nawal Analytical Laboratories India Pvt. Ltd. , Hosur Plot No. 98-A1,100 & 109, New SIDCO Industrial Estate, Sri Nagar, Krishnagiri, Tamil Nadu	90/S/FSSAI/2024	<u>TC-12996</u>	Y	Mr. D. Balakrishnan (Technical Manager) Tel: 04344- 329718, Mobile: 09894785841 Email: green_balu74@yahoo.com, ecogreen.labs@gmail.com	Mr. P S Dheenan Mr. Balakrishnan	31st Jan, 2028	31st Jan, 2028	Not Applicable	(Mechanical) 31st Jan, 2028
15	@Geo-Chem Laboratories Private Limited, Mumbai Pragati, Adjacent to Crompton Greaves, Kanjurmarg (E), Mumbai- 400042	16/W/FSSAI/2014	<u>TC-11482</u>	Y	Contact Person: Mr. Digvijay Sawant Mob No.: +91 9619 939 906 ; Email: laboratory@geochem.net.in, sureshbabu.p@geochem.net.in	Mr. Digvijay Sabaji Sawant; Mrs. Sarita Mangesh Sawant	14th May, 2027	14th May, 2027	Not Applicable	Not Applicable
16	# Oil Laboratory, Department of Chemical Technology, Kolkata University of Calcutta, 92, A.P.C. Road, Kolkata-700009	3/E/FSSAI/2014	<u>TC-6252</u>	N	Dr. Mahua Ghosh (Head of the Laboratory) Tel: 033-23508386/ 1397, 23520050/51/52, Extn 276 Mobile: +91 9433112273 Email: mahuag@gmail.com	***	06th Sep, 2023	Not Applicable	Not Applicable	Not Applicable
17	#Municipal Analyst Laboratory, Mumbai 2nd Floor, G/North Ward Offices Harishchandra Yelve Marg, Dadar (W), Mumbai, Maharashtra- 400028	Reg. No. 56/W/FSSAI/2021	<u>TC-9129</u>	N	Contact Person : SANTOSH NARAYAN JATHAR Tel No. : 9423505076 Email : municipalanalyst@gmail.com Mr Samadhan Shankar Sanap smdhns23@gmail.com 8879291050	As Notified by State Government	27th March, 2025	27th March, 2025	Not Applicable	Not Applicable
18	#Public Health Laboratory, Churu A.N.M.T.C. Center, Churu, Rajasthan	88/N/FSSAI/2023	<u>TC-11551</u>	N	Contact Person : Sh Indrajeet Aretiya (Food Analyst) Email:publichealthlab.churu@gmail.com Contact No : 9929637386	As Notified by State Government	12th Apr, 2025	Not Applicable	Not Applicable	Not Applicable
19	# Public Health Laboratory, B-33 Ambedkar Nagar, Alwar, Rajasthan, India	78/N/FSSAI/2021	<u>TC-9526</u>	N	Contact Person : Smt. Renu Sharma (Food Analyst) Email:phlabalwar@gmail.com fsslalalwar@gmail.com. Contact No :9413783383	Smt. Renu Sharma	09th May, 2025	Not Applicable	Not Applicable	Not Applicable
20	# Institute for Analysis of Pharma, Dairy, Food and Cultures (IADFAC), Bengaluru 8, Siddivinayaka Complex, Nagarabhavi 2ndStage, 2ndBlock, Near BDACComplex, 80 Feet Ring Road, Bengaluru	19/S/FSSAI/2014	<u>TC-12554</u>	Y	Mr. Abhijit Bhar President Mobile:8152881222 (Smitha-QA), Tel: 080-23186906/07 Email: qa@iadfac.com, info@iadfac.com	---	08th Nov, 2025	08th Nov, 2025	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-FSSAI Integrated Assessment	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other
							the detailed scope may be seen from the NABL website : <a href="https://nabl-india.org/">https://nabl-india.org/</a> under			
21	#National Commodities Management Services Limited- NCML Labs, Hyderabad Plot No. A-1/2/A, 3rd - 6th Floor, Team Towers, Ida Uppal, Uppal, Medchal Malkajgiri, Hyderabad-500039, Telangana	24/S/FSSAI/2014	<a href="#">TC-6192</a>	N	Korla Vighnaraju Contact No: 9866219933 E-Mail ID: vighnaraju.k@ncml.com; quality@ncml.com	Mr. Naresh Macherla; Mr. Kunal Manikrao Shende	25th Aug, 2025	25th Aug, 2025	Not Applicable	Not Applicable
22	#ABC Techno Labs India Private Limited, Chennai ABC Tower, No: 400, 13th Street, SIDCO Industrial Estate, North Phase, Ambattur, Chennai-600098, Tamil Nadu	63/S/FSSAI/2018	<a href="#">TC-5770</a>	Y	Mr. G. Muruges, Chairman & Managing Director Mobile: 095660 55555 Mail: muruges@abctechlab.com , quality@abctechlab.com Dharani S Contact No: 9600412908 E-Mail ID: quality@abctechlab.com	Mr. S. Karunanidhi	02nd Jun, 2026	02nd Jun, 2026	Not Applicable	Not Applicable
23	#West Bengal Public Health Laboratory, 2, Convent Lane, Kolkata, West Bengal	11/E/FSSAI/2019	<a href="#">TC-13848</a>	Y	Food Analyst West Bengal E-mail: foodanalystwb@gmail.com Phone: 03323299225 Mobile: 9831699686 Dr. Radhanath Mandi 9433195570 directorcc15974@gmail.com	As Notified by State Government	03 June, 2026	03 June, 2026	Not Applicable	Not Applicable
24	#Chemo Test Laboratory, C-258, TTC Industrial Area, Pawane MIDC, Mumbai,Thane, Maharashtra	78/W/FSSAI/2025	<a href="#">TC-12813</a>	Y	Dr. Borna Basu email: borna.basu@chemotestlaboratory.com	Ms Sujata Chivate	2nd April, 2026	2nd April, 2026	Not Applicable	Not Applicable

\$- Laboratory suspended by NABL  
 %- The Laboratory is under the process of amendment as the laboratory had shifted their operation and NABL-FSSAI Integrated Assessment Certificate of Accreditation pending.  
 & - Laboratory suspended by FSSAI vide order dated 22.12.2022, 25.03.2025 and 07.11.2025  
 @- Laboratory under denotification process.  
 # - NABL accreditation validity has expired as on 05.06.2026.