

FOOD SAFETY AND STANDARDS (CONTAMINANTS, TOXINS AND RESIDUES)
REGULATIONS, 2011

CHAPTER 1
GENERAL

1.1: Short title and commencement-

1.1.1: These regulations may be called the Food Safety and Standards (Contaminants, toxins and Residues) Regulations, 2011.

1.1.2: These regulations shall come into force on or after 5th August, 2011.

1.2: Definitions-

1.2.1: In these regulations unless the context otherwise requires:

1. "Crop contaminant" means any substance not intentionally added to food, but which gets added to articles of food in the process of their production (including operations carried out in crop husbandry, animal husbandry and veterinary medicine), manufacture, processing, preparation, treatment, packing, packaging transport or holding of articles of such food as a result of environmental contamination

CHAPTER 2
CONTAMINANTS, TOXINS AND RESIDUES

2.1 : METAL CONTAMINANTS

¹⁵[2.1.1

1. Chemicals described in monographs of the Indian Pharmacopoeia when used in foods, shall not contain metal contaminants beyond the limits specified in the appropriate monographs of the Indian Pharmacopoeia for the time being in force.

2. Notwithstanding anything contained in clause (1) above, no article of food specified in column (2) of the table below shall contain any metal specified in excess of the quantity specified in column (3) of the said table:

Table

| Name of metal contaminant | Article of food | Parts per Million (mg/kg or mg/L) |
|---------------------------|-----------------|-----------------------------------|
| (1) | (2) | (3) |
| 1. Lead | Agar | 5.0 |
| | Alginic acid | 5.0 |

| | |
|--|------|
| All types of sugars, sugar syrup, invert sugar and direct consumption coloured sugars with sulphated ash content exceeding 1.0 percent | 5.0 |
| Alumina used in preparation of lake colour | 10 |
| Aluminium lake of Sunset Yellow FCF | 10 |
| Ammonium hydrogen carbonate | 2.0 |
| Anhydrous dextrose and dextrose monohydrate, refined white sugar (sulphated ash content not exceeding 0.03 per cent) | 0.5 |
| Annatto | 10 |
| Ascorbic acid | 2.0 |
| Ascorbyl palmitate | 2.0 |
| Aspartame (Aspartyl phenyl alanine methyl ester) | 10 |
| Assorted subtropical fruits, edible peel | 0.1 |
| Assorted subtropical fruits, inedible peel | 0.1 |
| Baking powder | 10 |
| Benzoic acid | 2.0 |
| Berries and other small fruits | 0.2 |
| Beta-apo-8'-carotenal | 2.0 |
| Beta-carotene | 10 |
| Bivalve molluscs | 1.5 |
| Brassica vegetables excluding Kale | 0.3 |
| Brewed vinegar and synthetic vinegar | 0.01 |
| Brilliant blue FCF | 10 |
| Bulb vegetables | 0.1 |
| Butylated hydroxyanisole | 2.0 |
| Calcium alginate | 5.0 |
| Calcium propionate | 5.0 |
| Canned carrots | 1.0 |
| Canned green beans and canned wax beans | 1.0 |
| Canned green peas | 1.0 |
| Canned mushrooms | 1.0 |
| Canned palmito | 1.0 |
| Canned sweetcorn | 1.0 |
| Canned tomatoes | 1.0 |
| Canned asparagus | 1.0 |
| Canned chestnuts and canned chestnut purée | 1.0 |

| | |
|--|-------------------------------------|
| Canned fish, canned meats, edible gelatin, meat extracts and hydrolysed protein, dried or dehydrated vegetables (other than onions) | 5.0 |
| Canned fruit cocktail | 1.0 |
| Canned grapefruit | 1.0 |
| Canned mandarin oranges | 1.0 |
| Canned mangoes | 1.0 |
| Canned mature processed peas | 1.0 |
| Canned pineapple | 1.0 |
| Canned raspberries | 1.0 |
| Canned strawberries | 1.0 |
| Canned tropical fruit salad | 1.0 |
| Caramel | 5.0 |
| Carbonated water , expressed in mg/L | 10 |
| Carmoisine | 10 |
| Carrageenan | 5.0 |
| Cattle, edible offal of | 0.5 |
| Cephalopods | 1.0 |
| Cereal grains, except buckwheat, canihua and quinoa | 0.2 |
| Chlorophyll | 10 |
| Citric acid | 0.5 |
| Citrus fruits | 0.1 |
| Cocoa powder | 5.0 on dry fat free substance basis |
| Concentrated soft drinks (but not including concentrates used in the manufacture of soft drinks) | 0.5 |
| Concentrates used in the manufacture of soft drinks, lime juice and lemon juice | 2.0 |
| Corned beef, Luncheon meat, Cooked ham, Chopped meat, Canned chicken, Canned mutton and Goat meat and other related meat products | 2.5 |
| Crustaceans | 0.5 |
| Dehydrated onions, dried herbs and spices, curry powder and mix masalas, flavourings, alginic acid, alignates, agar, carrageen and similar products derived from seaweed | 10 on dry matter basis |
| Dicalcium phosphate | 4.0 |
| Dodecyl gallate | 2.0 |
| Edible fats and oils (edible fats and oils not covered by individual standards) | 0.1 |

| | |
|---|----------------------------------|
| Edible molasses, caramel liquid, solid glucose and starch conversion products with a sulphated ash content exceeding 1.0 per cent | 5.0 |
| Edible oils and fats | 0.5 |
| Erythrosine | 10 |
| Ethylester of Beta-apo-8'-carotenoic acid | 2.0 |
| Fast green FCF | 10 |
| Fish | 0.3 |
| Food colours other than caramel | 10 on dry colouring matter basis |
| Foods not specified | 2.5 |
| Fruit and vegetable juice (including tomato juice, but not including lime juice and lemon juice) | 1.0 |
| Fruit Juices (including nectars; ready to drink) | 0.05 |
| Fruiting vegetables other than cucurbits(excluding mushrooms) | 0.1 |
| Fruiting vegetables, cucurbits | 0.1 |
| Fumaric acid | 2.0 |
| Gaur gum | 2.0 |
| Glycerol esters of Wood rosin | 1.0 |
| Gum Arabic or Acacia gum | 3.0 |
| Gum ghatti | 5.0 |
| Gum karaya | 2.0 |
| Hard boiled sugar confectionery | 2.0 |
| Ice-cream, iced lollies and similar frozen confections | 1.0 |
| Indigo carmine | 10 |
| Infant formula (ready to use) | 0.02 |
| Infant milk substitutes and Infant foods | 0.2 |
| Iron fortified common salt | 2.0 |
| Jam (fruit preserves) and jellies | 1.0 |
| L (+) -Tartaric acid | 2.0 |
| Lactic acid | 2.0 |
| Leafy vegetables (including brassica leafy vegetables but excluding spinach) | 0.3 |
| Legume vegetables | 0.2 |
| Liquid pectin, chemicals not otherwise specified, used as ingredients or in the preparation or processing of food | 10 |
| Malic acid | 2.0 |
| Mango chutney | 1.0 |

| | |
|--|------|
| Margarine | 0.1 |
| Meat of cattle, sheep and pig (also applies to fat from meat) | 0.1 |
| Milks (Concentration factor shall be applied to partially or wholly dehydrated milks) | 0.02 |
| Minarine (Low Fat Spread) | 0.1 |
| Mineral Oil (High viscosity) | 1.0 |
| Mineral Oil (Low viscosity) | 1.0 |
| Monosodium L-glutamate | 1.0 |
| Named Animal fats (lard, rendered pork fat, premier jus (suet) and edible tallow) | 0.1 |
| Natural mineral water, expressed in mg/L | 0.01 |
| Octyl gallate | 2.0 |
| Olive oil, Virgin olive oil, Extra virgin olive oil, Ordinary virgin olive oil, Refined olive oil, Refined olive pomace oil and Olive pomace oil | 0.1 |
| Other vegetables | 2.5 |
| Packaged drinking water (other than mineral water), expressed in mg/L | 0.01 |
| Pectin | 2.0 |
| Phosphoric acid | 4.0 |
| Pickled cucumbers (Cucumber pickles) | 1.0 |
| Pig, edible offal of | 0.5 |
| Polyglycerol esters of fatty acids | 2.0 |
| Polyglycerol esters of interesterified ricinoleic acid | 2.0 |
| Pome fruits | 0.1 |
| Ponceau 4R | 10 |
| Potassium iodate | 10 |
| Potassium metabisulphite | 2.0 |
| Potassium nitrate | 2.0 |
| Potassium nitrite | 2.0 |
| Poultry fats | 0.1 |
| Poultry meat | 0.1 |
| Poultry, edible offal of | 0.5 |
| Processed tomato concentrates | 1.5 |
| Propyl gallate | 2.0 |
| Propylene glycol | 2.0 |
| Pulses | 0.2 |
| Raw sugars except those sold for direct consumption or used for manufacturing purpose other than the manufacture of refined sugar | 5.0 |
| Riboflavin | 20 |
| Root and tuber vegetables | 0.1 |

| | |
|--|-------------------------|
| Saccharin sodium | 10 |
| Salt, food grade | 2.0 |
| Secondary milk products (as consumed) | 0.02 |
| Sodium alginate | 5.0 |
| Sodium ascorbate | 2.0 |
| Sodium benzoate | 2.0 |
| Sodium carboxymethyl cellulose | 2.0 |
| Sodium carboxymethyl cellulose, enzyme hydrolysed | 3.0 |
| Sodium hydroxide | 2.0 |
| Sodium metabisulphite | 2.0 |
| Sodium propionate | 5.0 |
| Solid pectin | 50 |
| Sorbic acid | 2.0 |
| Sorbitol | 1.0 |
| Steviol glycoside | 1.0 |
| Stone fruits | 0.1 |
| Sucralose | 10 |
| Sulphur dioxide | 5.0 |
| Sunset yellow | 10 |
| Sunset yellow dye used in preparation of lake colour | 10 |
| Synthetic food colour-preparation and mixtures | 10 |
| Table olives | 1.0 |
| Tartrazine | 10 |
| Tea | 5.0 on dry matter basis |
| Titanium dioxide | 2.0 |
| Tragacanth gum | 2.0 |
| Trisodium citrate | 2.0 |
| Turmeric whole and powder | 10 |
| Vegetable Oils, crude (oils of arachis (Groundnut) , babasu, coconut, cotton seed, grape seed, maize, mustard seed, palm kernel, palm, rape seed, safflower seed, sesame seed, soya bean, and sunflower seed, and palm olein, stearin and superolein and other oils but excluding cocoa butter) | 0.1 |
| Vegetable Oils, edible (oils of arachis (Groundnut) , babasu, coconut, cotton seed, grape seed, maize, mustard seed, palm kernel, palm, rape seed, safflower seed, sesame seed, soya bean, and sunflower seed, and palm olein, stearin and superolein and other oils but | 0.1 |

| | | |
|-----------|--|----------------------------------|
| | excluding cocoa butter) | |
| | Wine | 0.2 |
| | Yeast and yeast products | 5.0 on dry matter basis |
| 2. Copper | Ammonium hydrogen carbonate | 5.0 |
| | Annatto | 30 |
| | Brewed vinegar and synthetic vinegar | 0.01 |
| | Caramel | 20 |
| | Carbonated water , expressed in mg/L | 1.5 |
| | Chicory-dried or roasted, coffee beans, flavourings/pectin liquid | 30 |
| | Chlorophyll | 30 |
| | Cocoa powder | 70 on fat free substance basis |
| | Colouring matter | 30 on dry colouring matter basis |
| | Concentrates for soft drinks | 20 |
| | Edible gelatin | 30 |
| | Foods not specified | 30 |
| | Hard boiled sugar confectionery | 5.0 |
| | Infant milk substitute and Infant foods | 15 (But not less than 2.8) |
| | Iron fortified common salt | 2.0 |
| | Juice of orange, grape, apple, tomato, pineapple and lemon | 5.0 |
| | Mineral water , expressed in mg/L | 1.0 |
| | Olive oil, Virgin olive oil ,Extra virgin olive oil, Ordinary virgin olive oil, Refined olive oil, Refined olive pomace oil and Olive pomace oil | 0.1 |
| | Packaged drinking water (other than mineral water), expressed in mg/L | 0.05 |
| | Solid Pectin | 300 |
| | Polyglycerol esters of fatty acids | 25 |
| | Polyglycerol esters of Interesterified ricinoleic acid | 25 |
| | Pulp and pulp products of any fruit | 5.0 |
| | Soft drinks excluding concentrates and Carbonated Water , expressed in mg/L | 7.0 |
| | Tea | 150 |
| | Toddy | 5.0 |

| | | |
|----------------------|---|--------------------------------|
| | Tomato ketchup | 50 on dried total solids basis |
| | Tomato puree, paste, powder, and cocktails | 100 on dried tomato solids |
| | Turmeric whole and powder | 5.0 |
| | Vegetables | 30 |
| | Yeast and yeast products | 60 on dry matter basis |
| 3. Arsenic | Agar | 3.0 |
| | Alginic acid | 3.0 |
| | Alumina used in preparation of lake colour | 1.0 |
| | Aluminium lake of Sunset Yellow FCF | 1.0 |
| | Ammonium hydrogen carbonate | 0.6 |
| | Annatto | 3.0 |
| | Ascorbyl palmitate | 3.0 |
| | Aspartame (Aspartyl phenyl alanine methyl ester) | 3.0 |
| | Benzoic acid | 3.0 |
| | Beta -apo-8'-carotenal | 3.0 |
| | Beta-carotene | 3.0 |
| | Brewed vinegar and synthetic vinegar | 0.1 |
| | Brilliant blue FCF | 3.0 |
| | Butylated hydroxyanisole | 3.0 |
| | Calcium alginate | 3.0 |
| | Caramel | 3.0 |
| | Carbonated water, expressed in mg/L | 0.25 |
| | Carmoisine | 3.0 |
| | Carrageenan | 3.0 |
| | Chicory-dried or roasted | 4.0 |
| | Chlorophyll | 3.0 |
| | Citric acid | 3.0 |
| | Dehydrated onions, edible gelatin, liquid pectin | 2.0 |
| | Dicalcium phosphate | 3.0 |
| | Dodecyl gallate | 3.0 |
| | Dried herbs, finings and clearing agents, solid pectin all grades, spices | 5.0 |
| | Edible fats and oils (edible fats and oils not covered by individual standards) | 0.1 |
| | Erythrosine | 3.0 |
| | Ethylester of Beta-apo-8'-carotenoic acid | 3.0 |
| | Fast Green FCF | 3.0 |
| Fish and Crustaceans | 76 | |

| | | |
|--|--|-----------------------------------|
| | Food colouring other than synthetic colouring | 5.0 on dry colouring matter basis |
| | Foods not specified | 1.1 |
| | Fumaric acid | 3.0 |
| | Gaur gum | 3.0 |
| | Glycerol esters of wood rosin | 3.0 |
| | Gum Arabic or Acacia gum | 2.0 |
| | Gum Ghatti | 3.0 |
| | Gum Karaya | 3.0 |
| | Hard boiled sugar confectionery | 1.0 |
| | Ice-cream, iced lollies and similar frozen confections | 0.5 |
| | Indigo carmine | 3.0 |
| | Infant milk substitute and Infant foods | 0.05 |
| | Iron fortified common salt | 1.0 |
| | Juice of orange, grape, apple, tomato, pineapple and lemon | 0.2 |
| | L (+)- Tartaric acid | 3.0 |
| | Malic acid | 3.0 |
| | Margarine | 0.1 |
| | Milk | 0.1 |
| | Minarine (Low Fat Spread) | 0.1 |
| | Mineral Oil (High viscosity) | 1.0 |
| | Mineral Oil (Low viscosity) | 1.0 |
| | Molluscs | 86 |
| | Monosodium L-glutamate | 2.0 |
| | Named Animal fats (lard, rendered pork fat, premier jus(suet) and edible tallow) | 0.1 |
| | Natural mineral water, expressed in mg/L | 0.01 |
| | Octyl gallate | 3.0 |
| | Olive oil, Virgin olive oil ,Extra virgin olive oil, Ordinary virgin olive oil, Refined olive oil, Refined olive pomace oil and Olive pomace oil | 0.1 |
| | Packaged drinking water (other than mineral water) , expressed in mg/L | 0.01 |
| | Pectin | 5.0 |
| | Phosphoric acid | 2.0 |
| | Polyglycerol esters of fatty acids | 3.0 |
| | Polyglycerol esters of interesterified ricinoleic acid | 3.0 |
| | Ponceau 4R | 3.0 |
| | Potassium iodate | 3.0 |
| | Potassium nitrate | 3.0 |
| | Potassium nitrite | 3.0 |

| | | |
|-------|--|-------------------------|
| | Preservatives, anti-oxidants, emulsifying and stabilising agents and synthetic food colours | 3.0 on dry matter basis |
| | Propyl gallate | 3.0 |
| | Propylene glycol | 3.0 |
| | Pulp and pulp products of any fruit | 0.2 |
| | Riboflavin | 5.0 |
| | Saccharin sodium | 2.0 |
| | Sodium alginate | 3.0 |
| | Sodium ascorbate | 3.0 |
| | Sodium benzoate | 3.0 |
| | Sodium carboxymethyl cellulose | 3.0 |
| | Sodium propionate | 3.0 |
| | Soft drink intended for consumption after dilution except carbonated water | 0.5 |
| | Sorbic acid | 3.0 |
| | Sorbitol | 3.0 |
| | Steviol glycoside | 1.0 |
| | Sucralose | 3.0 |
| | Sulphur dioxide | 3.0 |
| | Sunset yellow | 3.0 |
| | Sunset yellow dye used in preparation of lake colour | 3.0 |
| | Synthetic food colour-preparation and mixtures | 3.0 |
| | Tartrazine | 3.0 |
| | Titanium dioxide | 1.0 |
| | Tragacanth gum | 3.0 |
| | Trisodium citrate | 3.0 |
| | Turmeric whole and powder | 0.1 |
| | Vegetables | 1.1 |
| | Vegetable oils, crude (oils of arachis (Groundnut), babasu, coconut, cotton seed, grape seed, maize, mustard seed, palm kernel, palm, rapeseed, safflower seed, sesame seed, soya bean, and sunflower seed, and palm olein, stearin and superolein). | 0.1 |
| | Vegetable oils, edible (oils of arachis (Groundnut), babasu, coconut, cotton seed, grape seed, maize, mustard seed, palm kernel, palm, rapeseed, safflower seed, sesame seed, soya bean, and sunflower seed, and palm olein, stearin and superolein). | 0.1 |
| 4.Tin | Canned (citrus fruits, stone fruits, vegetables, fruit cocktail, mangoes, pineapple, raspberries, strawberries, tropical fruit salad). | 250 |
| | Canned beverages | 150 |

| | | |
|------------|---|------|
| | Canned chestnuts and chestnut puree | 250 |
| | Canned fish products | 200 |
| | Canned foods other than beverages | 250 |
| | Canned mushrooms | 250 |
| | Canned tomatoes | 250 |
| | Cooked cured chopped meat (for products in other containers) | 50 |
| | Cooked cured chopped meat (for products in tins) | 250 |
| | Cooked cured ham (for products in other containers) | 50 |
| | Cooked cured ham (for products in tins) | 200 |
| | Cooked cured pork shoulder (for products in other containers) | 50 |
| | Cooked cured pork shoulder (for products in tins) | 200 |
| | Corned beef (for products in other containers) | 50 |
| | Corned beef (for products in tins) | 200 |
| | Corned beef, Luncheon meat, Cooked ham, Chopped meat, Canned chicken, Canned mutton and Goat meat | 250 |
| | Foods not specified | 250 |
| | Hard boiled sugar confectionery | 5.0 |
| | Infant milk substitute and Infant foods | 5.0 |
| | Jam, Jellies and Marmalade | 250 |
| | Juice of orange, apple, tomato, pineapple and lemon | 250 |
| | Luncheon meat (for products in other containers) | 50 |
| | Luncheon meat (for products in tins) | 200 |
| | Mango Chutney | 250 |
| | Pickled cucumber | 250 |
| | Processed and canned food products | 250 |
| | Processed tomato concentrates | 250 |
| | Pulp and pulp products of any fruit | 250 |
| | Table Olives | 250 |
| | Turmeric whole and powder | 0.01 |
| 5. Cadmium | Bivalve Molluscs | 2.0 |
| | Brassica vegetables | 0.05 |
| | Bulb vegetables | 0.05 |
| | Carrageenan | 1.5 |
| | Cephalopods | 2.0 |
| | Cereal grains, except buckwheat, canihua and | 0.1 |

| | | |
|--|--|-------|
| | Quinoa (excluding wheat and rice; and bran and germ) | |
| | Crustaceans | 0.5 |
| | Fish | 0.3 |
| | Foods not specified | 1.5 |
| | Fruiting vegetables other than cucurbits (excluding tomatoes and edible fungi) | 0.05 |
| | Fruiting vegetables, cucurbits | 0.05 |
| | Infant milk substitute and Infant foods | 0.1 |
| | Leafy vegetables | 0.2 |
| | Legume vegetables | 0.1 |
| | Natural mineral water, expressed in mg/L | 0.003 |
| | Other vegetables | 1.5 |
| | Packaged drinking water (other than mineral water), expressed in mg/L | 0.003 |
| | Potato, peeled | 0.1 |
| | Pulses, excluding soybean dry | 0.1 |
| | Rice, polished | 0.4 |
| | Root and tuber vegetables, excluding potato and celeriac | 0.1 |
| | Salt, food grade | 0.5 |
| | Stalk and stem vegetables | 0.1 |
| | Turmeric whole and powder | 0.1 |
| | Wheat | 0.2 |
| 6. Mercury | Alumina used in preparation of lake colour | 1.0 |
| | Aluminium lake of Sunset yellow FCF | 1.0 |
| | Caramel | 0.1 |
| | Carrageenan | 1.0 |
| | Fast green FCF | 0.01 |
| | Fish | 0.5 |
| | Foods not specified | 1.0 |
| | Natural mineral water, expressed in mg/L | 0.001 |
| | Non-predatory fish, crustaceans, cephalopods, molluscs | 0.5 |
| | Packaged drinking water (other than mineral water), expressed in mg/L | 0.001 |
| | Predatory fish (Tuna, Marlin, Sword Fish, Elasmobranch) | 1.0 |
| | Salt, food grade | 0.1 |
| | Sodium hydroxide | 1.5 |
| | Titanium oxide | 1.0 |
| | Vegetables | 1.0 |
| 7. Methyl Mercury (Calculated as the element) | All foods | 0.25 |

| | | |
|-------------|--|-------|
| 8. Chromium | All fishery products | 12 |
| | Brilliant blue FCF | 50 |
| | Fast green FCF | 50 |
| | Gelatin | 10 |
| | Mineral water, expressed in mg/L | 0.05 |
| | Packaged drinking water (other than mineral water), expressed in mg/L | 0.05 |
| | Refined sugar | 0.02 |
| | Vegetables | 1.0 |
| 9. Nickel | All hydrogenated, partially hydrogenated, interesterified vegetable oils and fats such as vanaspati, table margarine, bakery and industrial margarine, bakery shortening, fat spread and partially hydrogenated margarine, bakery shortening, fat spread and partially hydrogenated soyabean oil | 1.5 |
| | Mineral water, expressed in mg/L | 0.02 |
| | Packaged drinking water (other than mineral water), expressed in mg/L | 0.02 |
| | Sorbitol | 2.0 |
| | Vegetables | 1.0 |
| 10.Selenium | Mineral water , expressed in mg/L | 0.05 |
| | Packaged drinking water (other than mineral water), expressed in mg/L | 0.01 |
| | Potassium metabisulphite | 5.0 |
| | Sodium metabisulphite | 5.0 |
| | Sulphur dioxide | 20 |
| 11.Antimony | Mineral water , expressed in mg/L | 0.005 |
| | Packaged drinking water (other than mineral water), expressed in mg/L | 0.005 |
| | Titanium dioxide | 2.0 |
| | Vegetables | 1.0"] |

2.2 Crop contaminants and naturally occurring toxic substances

2.2.1

¹⁵[1. No article of food specified in column (3) of the Table below shall contain any crop contaminant specified in the corresponding entry in column (2) thereof in excess of quantities specified in the corresponding entry in column (4) of the said Table:

Table

| S.No. | Name of the Contaminants | Article of the food | Limit µg/kg |
|--------------|--------------------------|--|-------------|
| (1) | (2) | (3) | (4) |
| 1 | Total Aflatoxins | Cereal and cereal products | 15 |
| | | Dried figs | 10 |
| | | Arecanut or Betelnut | 15 |
| | | Nuts: Nuts for further processing | 15 |
| | | Ready to eat | 15 |
| | | Oilseeds or oil: Oilseeds for further processing | 15 |
| | | Ready to eat | 15 |
| | | Pulses | 15 |
| 2 | Aflatoxin B1 | Spices/Spice Mix | 30 |
| | | Food product containing any of the above mentioned food articles | 20 |
| | | Arecanut or Betelnut | 10 |
| | | Cereal and cereal products | 10 |
| | | Dried figs | 10 |
| | | Nuts: Nuts for further processing | 10 |
| | | Ready to eat | 10 |
| | | Oilseeds or oil: Oilseeds for further processing | 10 |
| Ready to eat | 10 | | |
| 3 | Aflatoxin M1 | Pulses | 10 |
| | | Spices/Spice Mix | 15 |
| | | Food product containing any of the above mentioned food articles | 10 |
| 3 | Aflatoxin M1 | Milk (Liquid) | 0.5 |
| | | Skimmed milk powder | 6 |
| | | Whole milk powder | 4 |

| | | | |
|---|----------------|---|--------|
| 4 | Ochratoxin A | ¹⁶ [Wheat, wheat bran, rye, barley, coffee | 5] |
| 5 | Patulin | Apple juice | 50 |
| | | Apple juice used as an ingredient in other beverages | 50 |
| 6 | Deoxynivalenol | ¹⁶ [Wheat, wheat bran, barley | 1000]] |

² [2. Naturally occurring Toxic Substances:

Table

| Sl.No | Name of naturally occurring toxic substances (NOTS) | Article of food | Maximum limits (ppm) |
|-------|---|---|----------------------|
| (1) | (2) | (3) | (4) |
| 1 | Agaric acid | Food containing mushrooms | 100 |
| | | Alcoholic beverages | 100 |
| 2 | Hydrocyanic acid | Nougat, marzipan or its substitutes or similar products | 5 |
| | | Canned stone fruits | 5 |
| | | Alcoholic beverages | 5 |
| | | Confectionery | 5 |
| | | Stone fruit juices | 5 |
| | | ¹⁰ [Sago, Cassava flour, Tapioca flour, Manihot flour and their products | 10] |
| 3 | Hypericine | Alcoholic beverages | 1 |
| 4 | Saffrole | Meat preparations and meat products, including poultry and game | 10 |
| | | Fish preparations and fish products | 10 |
| | | Soups and sauces | 10 |
| | | Non-alcoholic beverages | 10 |
| | | Food containing mace and nutmeg | 10 |
| | | Alcoholic beverages | 10] |

⁵ [3. Polychlorinated biphenyls (PCBs) and Polycyclic Aromatic Hydrocarbon (PAH) compounds in Fish and Fishery Products:

| Sl.No. | Name of the contaminants | Article of food | Limit |
|--------|--|---------------------------|---------|
| (1) | (2) | (3) | (4) |
| 1. | Polychlorinated biphenyls (Sum of PCB28, PCB52, PCB101, PCB138, PCB153 and PCB180) | Inland and Migratory Fish | 2.0 ppm |

| | | | |
|----|--|---------------------------------------|----------|
| 2. | Polychlorinated biphenyls (Sum of PCB28, PCB52, PCB101, PCB138, PCB153 and PCB180) | Marine Fish, Crustaceans and molluscs | 0.5 ppm |
| 3. | Benzo(a)pyrene | Smoked Fishery Products | 5.0 ppb] |

2.3: Residues

¹⁴[2.3.1. Restriction on the use of insecticides:

(1) The expression “insecticide” shall have the meaning assigned to it in the Insecticide Act, 1968 (46 of 1968).

(2) Subject to the provisions of clause (3), no insecticides shall be used directly on articles of food:

Provided that nothing in this regulation shall apply to the fumigants which are registered and recommended for use as such on articles of food by the Registration Committee, constituted under section 5 of the Insecticides Act, 1968 (46 of 1968).

(3) The insecticide specified in column (2) of the table shall not exceed the Maximum Residue Limits (MRL) prescribed in column (4), for the article of food specified in column (3) of the said table, namely:-

Table

| Sl. No. | Name of the Insecticide | Food | Maximum Residue Limit (MRL) in mg/kg |
|---------|--|------------------------|--|
| (1) | (2) | (3) | (4) |
| 1. | 2,4-Dichlorophenoxy Acetic Acid | Sugarcane | 0.05 |
| | | Food grains | Maize-0.05, Wheat-2 and Rice-0.1 and other food grains- 0.01 |
| | | Milled food grains | 0.01 |
| | | Potato | 0.2 |
| | | Milk and Milk products | 0.05 |
| | | Meat and Poultry | 0.2 |
| | | Eggs | 0.05 (shell free basis) |
| | | Fruits | 2 |
| 2. | Acephate (expressed as mixture of Methamidophos and acephate). | Rice | 1 |
| | | Safflower seed | 2 |
| | | Cottonseed | 2 |
| | | Milk and Milk products | 0.02 |
| | | Meat and Meat products | 0.05 |
| 3. | Acetamiprid | Chilli | 2 |
| | | Dried Chilli | 20 |
| | | Rice | 0.01 |
| | | Okra | 0.1 |
| | | Cabbage | 0.7 |
| | | Milk and Milk products | 0.02 |
| | | Meat and Meat products | 0.05 |
| | | Cotton seed Oil | 0.1 |

| | | | |
|-----|---|------------------------|-------------------------|
| 4. | Alachlor | Cotton seed | 0.05 |
| | | Groundnut | 0.05 |
| | | Maize | 0.1 |
| | | Soya bean | 0.1 |
| 5. | Alpha cypermethrin | Cotton seed Oil | 0.05 |
| | | Pine apple | 0.5 |
| 6. | Alpha naphthyl Acetic Acid | Tomato | 0.1 |
| | | Chilli | 0.2 |
| | | Dried Chilli | 2 |
| | | Mango | 0.05 |
| | | Cotton seed Oil | 0.05 |
| | | Grapes | 0.05 |
| | | Pineapple | 0.5 |
| 7. | Ametroctradin | Grapes | 6 |
| | | Potato | 0.05 |
| | | Cucumber | 0.4 |
| | | Tomato | 0.3 |
| 8. | Anilophos | Rice | 0.1 |
| 9. | Atrazine | Maize | 0.01 |
| | | Sugarcane | 0.25 |
| 10. | Azimsulfuron | Rice | 0.02* |
| 11. | Azoxystrobin | Grapes | 2 |
| | | Tomato | 1 |
| | | Mango | 0.7 |
| | | Chilli | 1 |
| | | Dried Chilli | 10 |
| | | Cucumber | 0.05* |
| | | Potato | 7 |
| | | Milk and Milk products | 0.01 |
| | | Cumin | 0.03* |
| | | Maize | 0.03* |
| | | Wheat | 0.2 |
| | | Rice | 0.03* |
| | | Onion | 0.05 |
| 12. | Benfuracarb | Red Gram | 0.05 |
| | | Rice | 0.05 |
| 13. | Sum of benomyl and carbendazim expressed as carbendazim | Food grains | 0.5 |
| | | Milled food grains | 0.1 |
| | | Vegetables | 0.5 |
| | | Mango | 2 |
| | | Banana (whole) | 1 |
| | | Other fruits | 5 |
| | | Cottonseed | 0.1 |
| | | Groundnut | 0.1 |
| | | Sugar beet | 0.1 |
| | | Dry fruits | 0.1 |
| | | Eggs | 0.1 (shell free basis) |
| | | Meat and Poultry | 0.1 (carcass fat basis) |

| | | | |
|-----|--------------------|---------------------------|--|
| | | Milk and Milk products | 0.1 (F) |
| 14. | Bensulfuron Methyl | Rice | 0.01 |
| 15. | Beta Cyfluthrin | Okra | 0.01* |
| | | Brinjal | 0.2 |
| | | Cotton seed | 0.7 |
| | | Soya bean | 0.03 |
| | | Soya bean Oil | 0.01* |
| 16. | Bifenthrin | Sugarcane | 0.03 |
| | | Rice | 0.05 |
| | | Apple | 0.5 |
| | | Tea | 30 |
| | | Cotton seed | 0.5 |
| | | Milk and Milk products | 0.2 |
| 17. | Bispyribac Sodium | Rice | 0.05 |
| 18. | Bitertanol | Wheat | 0.05 |
| | | Groundnut | 0.05 |
| | | Milk and Milk products | 0.05 |
| | | Meat and Meat products | 0.05 |
| | | Tea | 0.05* |
| | | Apple | 0.4 |
| 19. | Buprofezin | Cotton seed Oil | 0.01 |
| | | Chilli | 2 |
| | | Dried Chilli | 20 |
| | | Mango | 0.1 |
| | | Grapes | 1 |
| | | Okra | 0.01* |
| | | Rice | 0.05 |
| | | Milk and Milk products | 0.01 |
| 20. | Butachlor | Rice | 0.05 |
| 21. | Captan | Rice | 0.3 |
| | | Fruit and Vegetables | Cherries-25, Grapes-25 and Melons-10, other fruits & other vegetables 15 |
| | | Black gram | 0.01* |
| 22. | Carbaryl | Sesamum | 0.05 |
| | | Fish | 0.2 |
| | | Food grains | Wheat-2.0 and Maize-0.02, other food grains 1.5 |
| | | Milled food grains | 0.01 |
| | | Okra and leafy vegetables | 10 |
| | | Potato | 0.2 |
| | | Other vegetables | 5 |
| | | Cotton seed (whole) | 1 |
| | | Maize cob (kernels) | 1 |
| | | Rice | 2.5 |
| | | Maize | 0.5 |

| | | | |
|-----|---|------------------------|--|
| | | Chilli | 5 |
| | | Dried Chilli | 50 |
| | | Citrus (Orange) | 15 |
| | | Milk and Milk products | 0.05 |
| 23. | Carbendazim | Food grains | Wheat-0.05, Rice-2.0 and other food grains 0.1 |
| | | Milled food grains | 0.1 |
| | | Vegetables | 0.5 |
| | | Mango | 5 |
| | | Banana (whole) | 1 |
| | | Other fruits | 5 |
| | | Cotton seed | 0.1 |
| | | Groundnut | 0.1 |
| | | Sugar beet | 0.1 |
| | | Dry fruits | 0.1 |
| | | Eggs | 0.1(shell free basis) |
| | | Meat & Poultry | 0.1(Carcass fat basis) |
| | | Milk and Milk products | 0.1 (F) |
| | | Potato | 0.01* |
| | | Tea | 0.5 |
| | | Grapes | 3 |
| | | Rice | 2* |
| 24. | Carbofuran (sum of carbofuran and 3-hydroxy carbofuran expressed as carbofuran) | Food grains | 0.10 |
| | | Milled food grains | 0.03 |
| | | Fruits & Vegetables | 0.10 |
| | | Oil seeds | 0.10 |
| | | Sugarcane | 0.10 |
| | | Meat & Poultry | 0.10 (carcass fat basis) |
| | | Milk and Milk products | 0.05 (fat basis) |
| 25. | Carbosulfan | Chilli | 2 |
| | | Dried Chilli | 20 |
| | | Rice | 0.2 |
| 26. | Carfentrazone Ethyl | Wheat | 0.01 |
| | | Rice | 0.1* |
| | | Tea | 0.02* |
| 27. | Carpropamid | Rice | 1 |
| 28. | Cartap Hydrochloride | Rice | 0.5 |
| 29. | Chlorantraniliprole | Bengal Gram | 0.03* |
| | | Black Gram | 0.03* |
| | | Bitter Gourd | 0.03* |
| | | Okra | 0.3 |
| | | Soya bean | 0.03* |
| | | Pigeon pea | 0.03* |
| | | Tomato | 0.6 |
| | | Chilli | 0.6 |
| | | Dried Chilli | 6 |
| | | Brinjal | 0.6 |

| | | | |
|-----|--|--------------------------------|--|
| | | Rice | 0.4 |
| | | Cabbage | 2 |
| | | Sugarcane | 0.5 |
| | | Cotton | 0.3 |
| | | Milk and Milk products | 0.05 |
| | | Meat and Meat products | 0.2 |
| | | Groundnut | 0.03* |
| | | Groundnut Oil | 0.03* |
| | | Maize | 0.03* |
| 30. | Chlorfenapyr | Chilli | 0.05 |
| | | Dried Chilli | 0.5 |
| | | Cabbage | 0.05 |
| 31. | Chlorfluazuron | Cabbage | 0.1* |
| | | Cotton seed | 0.01* |
| 32. | Chlorimuron ethyl | Rice | 0.01 |
| | | Soya bean seed | 0.01 |
| | | Wheat | 0.05 |
| 33. | Chlormequat Chloride (CCC) | Potato | 0.1 |
| | | Brinjal | 0.1 |
| | | Grape | 0.05* |
| | | Cotton seed | 1 |
| 34. | Chlorothalonil | Groundnut | 0.1 |
| | | Potato | 0.1 |
| | | Milk and Milk products | 0.07 |
| | | Meat and Meat products | 0.02 |
| 35. | Chlorpropham | Potato | 30 |
| 36. | Chlorpyrifos | Tea | 2 |
| | | Food grains | Wheat-0.5, Rice-0.5 and Food grains 0.05 |
| | | Milled food grains | 0.01 |
| | | Fruits | Stawberry-0.03, Plum-0.5, Pomefruit-1.0 and other Fruits 0.5 |
| | | Potatoes and Onions | Potato-2.0, Onions 0.01 |
| | | Cauliflower and Cabbage | 1 |
| | | Other vegetables | 0.2 |
| | | Meat and Poultry (carcass fat) | 0.1 |
| | | Milk and Milk products | 0.02 |
| | | Cotton seed | 0.3 |
| | | Cotton seed oil (crude) | 0.05 |
| | | Carbonated Water | 0.001 |
| 37. | Chlothianidin (Chlothianidin and its metabolites Thiazolymethylguanidine (TMG), Thiazolymethylurea (TZMU), Methylnitroguanidine (MNG) TMG) | Sugarcane | 0.4 |
| | | Cotton seed | 0.02 |
| | | Cotton seed Oil | 0.02 |
| | | Rice | 0.5 |
| | | Tea | 0.7 |
| | | Milk and Milk products | 0.02 |

| | | | |
|-----|---|--------------------------------|-------|
| | | Meat and Meat products | 0.02 |
| 38. | Chromafenozide | Rice | 0.03* |
| 39. | Cinmethylen | Rice | 0.05 |
| 40. | Clodinafop-propargyl | Soya bean | 0.05* |
| | | Wheat | 0.1 |
| 41. | Clomazone | Rice | 0.01 |
| | | Soya bean seed | 0.01 |
| | | Soya bean seed oil | 0.01 |
| 42. | Copper Hydroxide (Copper determined as elemental copper) | Rice | \$ |
| | | Potato | \$ |
| | | Grapes | \$ |
| 43. | Copper Oxychloride(Copper determined as elemental copper) | Fruit | \$ |
| | | Potato | \$ |
| | | Other vegetables | \$ |
| | | Areca nut | \$ |
| | | Cardamom | \$ |
| | | Coconut | \$ |
| | | Coffee | \$ |
| | | Pepper | \$ |
| | | Paddy | \$ |
| 44. | Copper Sulphate (Copper determined as elemental copper) | Coffee | \$ |
| | | Cardamom | \$ |
| | | Citrus | \$ |
| | | Coconut | \$ |
| | | Guava | \$ |
| | | Papaya | \$ |
| | | Pea | \$ |
| | | Grapes | \$ |
| 45. | Cuprous Oxide (Copper determined as elemental copper) | Paddy | \$ |
| | | Potato | \$ |
| | | Areca nut | \$ |
| | | Chilli | \$ |
| | | Citrus | \$ |
| | | Coffee | \$ |
| | | Grapes | \$ |
| 46. | Cyantranilipole | Grapes | 0.01 |
| | | Pomegranate seed | 0.01 |
| | | Pomegranate Juice | 0.01 |
| | | Cabbage | 2 |
| | | Chilli | 0.5 |
| | | Dried Chilli | 5 |
| | | Tomato | 0.5 |
| | | Gherkin | 0.3 |
| | | Okra | 0.5 |
| | | Brinjal | 0.06 |
| | | Cotton seed or Cotton seed Oil | 1.5 |
| 47. | Cyazofamid | Potato | 0.02* |

| | | | |
|-----|--|----------------------------|--|
| | | Tomato | 0.01* |
| | | Grapes | 1 |
| 48. | Cyhalofop-butyl | Rice | 0.5 |
| 49. | Cymoxanil | Tomato | 0.01* |
| | | Potato | 0.01 |
| | | Grapes | 0.1 |
| | | Citrus | 0.05* |
| | | Gherkin | 0.05* |
| | | Cucumber | 0.1 |
| 50. | Cypermethrin (sum of isomers) (Fat soluble residue) | Rice | 2 |
| | | Cottonseed Oil | 0.01 |
| | | Wheat grains | 2 |
| | | Milled wheat grains | 0.01 |
| | | Brinjal | 0.2 |
| | | Cabbage | 2 |
| | | Okra | 0.5 |
| | | Oil seeds except groundnut | 0.2 |
| | | Meat and Poultry | 2 |
| | | Milk and Milk products | 0.05 |
| | (a) Alpha Cypermethrin | Cotton seed Oil | 0.05 |
| 51. | Deltamethrin (Decamethrin) | Chilli | 0.05 |
| | | Dried Chilli | 0.5 |
| | | Red gram | 0.01 |
| | | Mango | 0.01 |
| | | Tea | 5 |
| | | Okra | 0.05 |
| | | Tomato | 0.3 |
| | | Brinjal | 0.3 |
| | | Groundnut | 0.01* |
| | | Cotton seed | 0.1 |
| | | Food grains | 2.0 |
| | | Milled food grains | Milled Food grains- 0.2 and Wheat Flour-0.3 |
| | | Rice | 2.0 |
| | | Wheat | 2.0 |
| | | Milk and Milk products | 0.05 |
| | | Meat and Meat products | 0.5 |
| 52. | Diafenthiuron | Cardamom | 0.5 |
| | | Brinjal | 1 |
| | | Chilli | 0.05 |
| | | Dried Chilli | 0.5 |
| | | Cotton seed Oil | 1 |
| | | Cabbage | 1 |
| | | Citrus | 0.2 |
| 53. | Dichlorvos (DDVP) (content of di-chloroacetaldehyde (D.C.A.) be reported where possible) | Food grains | Wheat-7.0, Rice-7.0 and other Food grains-1 |
| | | Milled food grains | 0.25 |
| | | Vegetables | 0.15 |

| | | | |
|-----|---|------------------------------------|-------------------------------------|
| | | Fruits | 0.1 |
| | | Milk and Milk products | 0.01 |
| | | Groundnut seeds | 0.05 |
| | | Groundnut Oil | 0.2 |
| | | Mustard seed or Mustard Oil | 0.01 |
| 54. | Diclofop (sum diclofop-methyl and diclofop acid expressed as diclofop-methyl)" | Wheat | 0.1 |
| 55. | Diclosulam | Soya bean | 0.05* |
| 56. | Dicofol (sum of o,p' and p,p' isomers)" | Fruits and Vegetables | 5 |
| | | Tea | 40 |
| | | Chilli | 1 |
| | | Dried Chilli | 10 |
| 57. | Difenoconazole | Chilli | 0.01 |
| | | Dried Chilli | 0.1 |
| | | Rice | 0.01 |
| | | Pomegranate | 0.8 |
| | | Milk and Milk products | 0.02 |
| | | Meat and Meat products | 0.2 |
| | | Apple | 0.01 |
| | | Grapes | 3 |
| | | Maize | 0.01* |
| | | Wheat | 0.02 |
| 58. | Diflubenzuron | Tomato | 0.2 |
| 59. | Dimethoate | Cotton seed | 0.2 |
| | | Mustard | 0.01 |
| | | Fruits and Vegetables | 2 |
| | | Chilli | 0.5 |
| | | Dried Chilli | 5 |
| | | Milk and Milk products | 0.05 |
| 60. | Dimethomorph | Meat and Meat products | 0.05 |
| | | Grapes | 2 |
| | | Potato | 0.05 |
| | | Cucumber | 0.2 |
| 61. | Dinocap | Tomato | 0.2 |
| | | Mango | 0.1 |
| | | Rice | 8 |
| | | Cotton seed Oil | 0.05* |
| 62. | Dinotefuran | Milk and Milk products | 0.1 |
| | | Apple | 0.1 |
| | | Chilli | 1 |
| 63. | Dithiocarbamates(the residue tolerance limit are determined and expressed as mg/CS2/kg and refer separately to the residues arising from any or each group of dithiocarbamates) | Dry chilli | 10 |
| | | Food grains | Wheat-1.0 and other Food Grains-0.2 |
| | | Milled food grains | 0.05 |
| | | Potato | 0.2 |
| | | (b) Ethylene bis- dithiocarbamates | Cherries |

| | | | |
|-----|--|------------------------|-------|
| | resulting from the use of mancozeb, maneb or zineb (including zineb derived from nabam plus zinc sulphate) | Other fruits | 3 |
| | (c) Mancozeb | Chilli | 1 |
| | | Dried Chilli | 10 |
| | | Cauliflower | 0.02 |
| | | Groundnut | 0.1 |
| | | Cumin | 10 |
| | | Black pepper | 2 |
| | | Mustard seed | 0.1 |
| | | Gherkin | 0.1* |
| | | Onion | 4 |
| | | Milk and Milk products | 0.05 |
| | | Meat and Meat products | 0.1 |
| | | Mango | 2 |
| | | Grapes | 5 |
| | | Citrus | 0.05* |
| | | Cucumber | 0.4 |
| | | Tea | 3 |
| | | Rice | 0.5* |
| | (d) Metiram as CS2 | Chilli | 1 |
| | | Dry chilli | 10 |
| | | Grapes | 5 |
| | | Potato | 0.2 |
| | | Tomato | 5 |
| | | Groundnut seed | 0.1 |
| | | Groundnut seed oil | 0.1 |
| | | Milk and Milk products | 0.05 |
| | | Onion | 0.05* |
| | | Apple | 0.05* |
| | | Cotton seed | 0.05* |
| | | Cotton seed Oil | 0.05* |
| | | Cumin | 10 |
| | | Banana | 2 |
| | | Black gram | 0.05* |
| | | Cucumber | 2 |
| | | Pomegranate | 0.05* |
| | | Green gram | 0.05* |
| | (e) Zineb as CS2 | Turmeric | 2 |
| | | Tea | 0.1* |
| 65. | Diuron | Sugarcane | 0.02 |
| | | Cottonseed | 1 |
| | | Banana | 0.1 |
| | | Maize | 0.5 |
| | | Citrus (Sweet Orange) | 1 |
| | | Grapes | 1 |
| 66. | Dodine | Apple | 5 |

| | | | |
|--------------|---|------------------------|--------------------------|
| 67. | Edifenphos | Rice | 0.02 |
| | | Rice bran | 1 |
| | | Eggs | 0.01(shell free basis) |
| | | Meat and poultry | 0.02 (carcass fat basis) |
| | | Milk and Milk products | 0.01(F) |
| 68. | Emamectin Benzoate | Cotton seed | 0.02 |
| | | Cotton seed oil | 0.02 |
| | | Okra | 0.05 |
| | | Groundnut oil | 0.05 |
| | | Milk and Milk products | 0.01* |
| | | Tea | 0.01* |
| 69. | Epoxyconazole | Ground nut oil | 0.05* |
| | | Groundnut cake | 0.05* |
| | | Maize | 0.01* |
| | | Cumin | 0.01* |
| | | coffee | 0.05* |
| | | wheat | 0.01* |
| | | Soya bean | 0.05* |
| | | Soya bean Oil | 0.05* |
| | | Rice | 0.05* |
| 70. | Ethephon | Pomegranate | 0.05 |
| | | Pine apple | 2 |
| | | Coffee | 0.1 |
| | | Tomato | 2 |
| | | Mango | 2 |
| 71. | Ethion(Residues to be determined as ethion and its oxygen analogue and expressed as ethion) | Gram | 0.01 |
| | | Pigeon Pea | 0.01 |
| | | Soya bean Seed | 0.01 |
| | | Tea | 5 |
| | | Cucumber and Squash | 0.5 |
| | | Other Vegetables | 1 |
| | | Cottonseed | 0.5 |
| | | Milk and Milk products | 0.5 (F) |
| | | Meat and Poultry | 0.2 (carcass fat basis) |
| | | Eggs | 0.2 (shell free basis) |
| | | Dry fruits | 0.1 (shell free basis) |
| | | Food grains | 0.03 |
| | | Milled food grains | 0.01 |
| | | Peaches | 1 |
| Other fruits | 2 | | |
| 72. | Ethofenprox (Etofenprox) | Rice | 0.01 |
| | | Milk and Milk products | 0.02 |
| | | Meat and Meat products | 0.5 |
| 73. | Ethoxysulfuron | Rice | 0.01 |
| 74. | Etoxazole | Brinjal | 0.2 |
| | | Tea | 15 |
| 75. | Famoxadone | Grapes | 2 |
| | | Potato | 0.05 |

| | | | |
|-----|-----------------------------------|------------------------|-------------------------|
| | | Tomato | 2 |
| | | Gherkin | 0.3 |
| 76. | Fenamidone | Potato | 0.02 |
| | | Grapes | 0.6 |
| | | Gherkin | 0.2 |
| | | Tomato | 1.5 |
| 77. | Fenarimol | Apple | 5 |
| 78. | Fenazaquin | Apple | 0.2 |
| | | Chilli | 0.5 |
| | | Dried Chilli | 5 |
| | | Okra | 0.01 |
| | | Brinjal | 0.01 |
| | | Tomato | 0.01 |
| | | Tea | 3 |
| 79. | Fenobucarb (BPMC) | Rice | 0.01 |
| 80. | Fenoxaprop-p-ethyl | Cotton seed | 0.02 |
| | | Black gram | 0.01 |
| | | Rice | 0.02* |
| | | Wheat | 0.02 |
| | | Soya bean seed | 0.02 |
| | | Onion | 0.05* |
| | | Groundnut | 0.01* |
| 81. | Fenpropathrin | Brinjal | 0.2 |
| | | Okra | 0.5 |
| | | Chilli | 0.2 |
| | | Tea | 2 |
| | | Green tea | 2 |
| | | Rice | 0.03* |
| | | Cottonseed oil | 3 |
| | | Milk and Milk products | 0.1 |
| | | Meat and Meat products | 0.02 |
| 82. | Fenpyroximate | Chilli | 1 |
| | | Dried Chilli | 10 |
| | | Green Tea | 2 |
| | | Coconut Water | 0.02 |
| | | Tea | 2 |
| 83. | Fenvalerate (Fat soluble residue) | Cauliflower | 2 |
| | | Brinjal | 2 |
| | | Okra | 2 |
| | | Cotton seed | 0.2 |
| | | Cottonseed Oil | 0.1 |
| | | Meat and Poultry | 1.0 (carcass fat basis) |
| | | Milk and Milk products | 0.01 (F) |
| 84. | Fipronil | Cotton seed Oil | 0.01 |
| | | Rice | 0.01 |
| | | Chilli | 0.01 |
| | | Dried Chilli | 0.1 |
| | | Sugarcane | 0.01 |

| | | | |
|-----|----------------------|------------------------|-------|
| | | Cabbage | 0.02 |
| | | Grapes | 0.01* |
| | | Milk and Milk products | 0.02 |
| | | Meat and Meat products | 0.01 |
| | | Wheat | 0.01* |
| | | Onion | 0.04 |
| 85. | Flonicamid | Rice | 0.05* |
| | | Cotton seed Oil | 0.02* |
| 86. | Fluazifop-p-butyl | Soya bean | 0.05 |
| | | Cotton seed Oil | 0.01* |
| | | Groundnut | 0.01* |
| | | Groundnut oil | 0.01* |
| 87. | Flubendiamide | Brinjal | 0.1 |
| | | Bengal Gram | 1.0 |
| | | Cotton seed Oil | 1.5 |
| | | Rice | 0.1 |
| | | Cabbage | 4 |
| | | Tomato | 2 |
| | | Pigeon pea | 1.0 |
| | | Black Gram | 1.0 |
| | | Chilli | 0.02 |
| | | Dried Chilli | 0.2 |
| | | Milk and Milk products | 0.1 |
| | | Tea | 50 |
| | | Soya bean | 0.07 |
| | | Soya bean Oil | 0.07 |
| | | Soya bean cake | 0.07 |
| 88. | Fluchloralin | Cotton seed | 0.05 |
| | | Soya bean | 0.05 |
| 89. | Flufenacet | Rice | 0.05 |
| 90. | Flusilazole | Rice | 0.01 |
| | | Chilli | 0.01 |
| | | Dried Chilli | 0.1 |
| | | Milk and Milk products | 0.05 |
| | | Meat and Meat products | 1 |
| | | Groundnut | 0.05* |
| | | Apple | 0.05 |
| | | Grapes | 0.05 |
| 91. | Fluvalinate | Cotton seed Oil | 0.05 |
| | | Tea | 0.01 |
| 92. | Forchlorfenuron | Grapes | 0.01 |
| 93. | Fosetyl-Al | Grapes | 10 |
| | | Cardamom | 0.2 |
| 94. | Glufosinate Ammonium | Cotton seed Oil | 0.05* |
| | | Tea | 0.01 |
| | | Milk and Milk products | 0.02 |
| 95. | Glyphosate | Tea | 1 |
| | | Rice | 0.01 |

| | | | |
|---------------|----------------------------|------------------------|------------|
| | | Meat and Meat products | 0.05 |
| 96. | Halosulfuron methyl | Sugarcane | 0.03* |
| | | Maize | 0.01* |
| | | Bottle Gourd | 0.01* |
| 97. | Hexaconazole | Mango | 0.02 |
| | | Rice | 0.02 |
| | | Ground nut seed | 0.02 |
| | | Tea | 0.02 |
| | | Grapes | 0.1 |
| | | Chilli | 0.5 |
| | | Dried Chilli | 5 |
| | | Potato | 0.02 |
| | | Soya bean | 0.02 |
| | | Apple | 0.1 |
| | | Blackgram | 0.01* |
| | | 98. | Hexazinone |
| 99. | Hexythiazox | Tea | 15 |
| | | Chilli | 0.01 |
| | | Dried Chilli | 0.1 |
| | | Apple | 0.3 |
| 100. | Hydrogen Cyanamide | Grapes | 0.01 |
| | | Sugarcane | 0.03* |
| 101. | Iodosulfuron Methyl Sodium | Wheat | 0.01 |
| 102. | Imazethapyr | Soyabean | 0.03 |
| | | Soyabean oil | 0.1 |
| | | Groundnut oil | 0.1 |
| 103. | Imidacloprid | Citrus (Acid Lime) | 1 |
| | | Groundnut Seed | 1 |
| | | Mango | 0.2 |
| | | Sugarcane | 0.1 |
| | | Okra | 2 |
| | | Sunflower Seed | 0.5 |
| | | Chilli | 0.3 |
| | | Dried Chilli | 3 |
| | | Grapes | 1 |
| | | Tomato | 1 |
| | | Cucumber | 1 |
| | | Cotton seed Oil | 0.05 |
| | | Rice | 0.05 |
| | | Brinjal | 0.2 |
| | | Milk and Milk products | 0.1 |
| | | Meat and Meat products | 0.1 |
| Soya bean | 3.0 | | |
| Soya bean Oil | 0.01* | | |
| 104. | Indoxacarb | Tomato | 0.5 |
| | | Chilli | 0.01 |
| | | Dried Chilli | 0.1 |
| | | Pigeon pea | 0.1 |

| | | | |
|------|----------------------|------------------------|-------|
| | | Chick Pea | 0.2 |
| | | Rice | 0.05 |
| | | Soya bean | 0.5 |
| | | Cottonseed | 1 |
| | | Cottonseed Oil | 0.1 |
| | | Cabbage | 3 |
| | | Milk and Milk products | 0.1 |
| | | Meat and Meat products | 2 |
| 105. | Iprobenfos (Kitazin) | Rice | 0.2 |
| 106. | Iprodione | Rape seed | 0.5 |
| | | Mustard seed | 0.5 |
| | | Rice | 10 |
| | | Tomato | 5 |
| | | Grapes | 10 |
| 107. | Isoprothiolane | Rice | 0.1 |
| 108. | Isoproturon | Wheat | 0.1 |
| 109. | Kasugamycin | Rice | 0.05 |
| | | Tomato | 0.05 |
| 110. | Kresoxim Methyl | Milk and Milk products | 0.01 |
| | | Meat and Meat products | 0.05 |
| | | Maize | 0.02* |
| | | Wheat | 0.05* |
| | | Chilli | 0.15 |
| | | Dried Chilli | 1.5 |
| | | Potato | 0.02* |
| | | Soya bean | 0.02* |
| | | Soya bean Oil | 0.02* |
| | | Soya bean Cake | 0.02* |
| | | Cotton seed Oil | 0.02* |
| 111. | Lambda cyhalothrin | Brinjal | 0.2 |
| | | Tomato | 0.1 |
| | | Rice | 1 |
| | | Okra | 2 |
| | | Red Gram | 0.05 |
| | | Bengal Gram | 0.05 |
| | | Chilli | 0.05 |
| | | Dried Chilli | 0.5 |
| | | Groundnut seed | 0.01 |
| | | Onion | 0.01 |
| | | Soya bean | 0.01 |
| | | Mango | 0.2 |
| | | Grapes | 0.05 |
| | | Cotton seed Oil | 0.05 |
| | | Tea | 0.05* |
| | | Maize | 0.01* |
| 112. | Linuron | Pea | 0.05 |
| 113. | Lufenuron | Cauliflower | 0.1 |
| | | Cotton seed | 0.01 |

| | | | |
|------|---|-----------------------------|--|
| | | Black Gram | 0.02* |
| | | Chilli | 0.05 |
| | | Dried Chilli | 0.5 |
| | | Cabbage | 0.3 |
| | | Pigeon pea | 0.01 |
| 114. | Malathion (Malathion to be determined and expressed as combined residues of malathion and malaaxon) | Food grains | Wheat-10.0, Maize-0.05 and other food grains-4 |
| | | Milled food grains | 1 |
| | | Fruits | 4 |
| | | Vegetables | 3 |
| | | Dried fruits | 8 |
| | | Carbonated Water | 0.01 |
| 115. | Mandipropamid | Grapes | 2 |
| | | Tomato | 0.3 |
| | | Potato | 0.05* |
| 116. | Mepiquat Chloride | Potato | 0.1 |
| | | Cotton seed | 0.5 |
| | | Cotton seed Oil | 0.5 |
| 117. | Mesosulfuron Methyl | Wheat | 0.01 |
| 118. | Metaflumizone | Cabbage | 0.05 |
| 119. | Metalaxyl | Pearl Millet (Bajra) | 0.05 |
| | | Maize | 0.05 |
| | | Sorghum | 0.05 |
| 120. | Metalaxyl-M | Potato | 0.05* |
| | | Grapes | 1 |
| | | Black pepper | 0.5 |
| | | Mustard Seed | 0.01 |
| | | Chilli | 0.02 |
| | | Dried Chilli | 0.2 |
| | | Tomato | 0.5 |
| 121. | Methabenzthiazuron | Wheat | 0.5 |
| 122. | Methomyl | Tomato | 1 |
| | | Pigeon pea seeds | 0.05 |
| | | Chilli | 0.05 |
| | | Dried Chilli | 0.5 |
| | | Groundnut seed | 0.05 |
| | | Grapes | 0.3 |
| | | Soya bean | 0.2 |
| | | Milk and Milk products | 0.02 |
| | | Meat and Meat products | 0.02 |
| 123. | Methyl Chlorophenoxy Acetic Acid (MCPA) | Rice | 0.05 |
| | | Wheat | 0.2 |
| | | Milk and Milk products | 0.04 |
| 124. | Methyl Parathion (combined residues of methyl parathion and its oxygen analogue to be determined and expressed as methyl parathion) | Rice | 0.01 |
| | | Black Gram | 0.01 |
| | | Cotton seed oil | 0.01 |
| | | Mustard seed or Mustard oil | 0.01 |

| | | | |
|------|--------------------|------------------------|-------------------------|
| 125. | Metolachlor | Soya bean Oil | 0.05 |
| | | Milk and Milk products | 0.01* |
| 126. | Metribuzin | Tomato | 0.05* |
| | | Sugarcane | 0.01* |
| | | Potato | 0.05* |
| | | Soya bean Oil | 0.1 |
| | | Wheat | 0.03 |
| 127. | Metsulfuron Methyl | Rice | 0.01 |
| | | Wheat | 0.1 |
| | | Sugarcane | 0.02 |
| 128. | Milbemectin | Chilli | 0.01 |
| | | Dried Chilli | 0.1 |
| 129. | Monocrotophos | Food grains | 0.03 |
| | | Milled food grains | 0.01 |
| | | Citrus fruits | 0.2 |
| | | Other fruits | 1 |
| | | Cotton seed | 0.1 |
| | | Cotton seed Oil (raw) | 0.05 |
| | | Meat and Poultry | 0.02 |
| | | Milk and Milk products | 0.02 |
| | | Eggs | 0.02 (shell free basis) |
| | | Coffee (Raw beans) | 0.1 |
| | | Chilli | 0.2 |
| | | Dried Chilli | 2 |
| | | Cardamom | 0.5 |
| 130. | Myclobutanil | Apple | 0.01 |
| | | Chilli | 0.2 |
| | | Dried Chilli | 2 |
| | | Groundnut seed | 0.1 |
| | | Grapes | 1 |
| 131. | Novaluron | Chilli | 0.01 |
| | | Dried Chilli | 0.1 |
| | | Chickpea | 0.01 |
| | | Cotton seed | 0.5 |
| | | Cotton seed Oil | 0.01 |
| | | Tomato | 0.01 |
| | | Cabbage | 0.7 |
| 132. | Orthosulfamuron | Paddy | 0.1 |
| 133. | Oxadiazyl | Mustard Seed | 0.05 |
| | | Onion | 0.1 |
| | | Cumin | 0.01 |
| | | Rice | 0.1 |
| | | Sunflower seed | 0.05* |
| | | Sunflower Oil | 0.05* |
| 134. | Oxadiazon | Rice | 0.03 |
| 135. | Oxydemeton-Methyl | Cotton seed oil | 0.01 |
| | | Chilli | 2 |
| | | Dried chilli | 20 |

| | | | |
|------|---|----------------------------------|---|
| | | Mustard oil | 0.01 |
| | | Food grains | Wheat-0.02, Rye-0.02 and other Food grains-0.02 |
| | | Milk and Milk products | 0.01 |
| | | Meat and Meat products | 0.05 |
| 136. | Oxyfluorfen | Rice | 0.05 |
| | | Groundnut Oil | 0.05 |
| | | Mentha | 0.01 |
| | | Tea | 0.2 |
| | | Potato | 0.01 |
| | | Onion | 0.05 |
| 137. | Paclobutrazol | Mango | 0.01 |
| 138. | Paraquat dichloride (Determined as Paraquatcations) | Food grains | Sorghum-0.03 and other food grains- 0.1 |
| | | Milled food grains | 0.03 |
| | | Potato | 0.2 |
| | | Other vegetables | 0.05 |
| | | Cotton seed | 2 |
| | | Cotton seed oil (edible refined) | 0.05 |
| | | Milk and Milk products (whole) | 0.01 |
| | | Fruits | 0.05 |
| | | Tea | 0.2 |
| 139. | Penconazole | Grapes | 0.4 |
| | | Black gram seed | 0.02 |
| | | Mango | 0.05 |
| | | Apple | 0.1 |
| | | Milk and Milk products | 0.01 |
| | | Meat and Meat products | 0.05 |
| 140. | Pencycuron | Rice | 0.01 |
| 141. | Pendimethalin | Wheat | 0.05 |
| | | Rice | 0.05 |
| | | Soyabean Oil | 0.05 |
| | | Cotton seed Oil | 0.05 |
| | | Chilli | 0.05* |
| | | Dried Chilli | 0.5 |
| | | Onion | 0.4 |
| | | Red gram | 0.05* |
| 142. | Penoxuslum | Rice | 0.1* |
| 143. | Permethrin | Cucumber | 0.5 |
| | | Cotton seed | 0.5 |
| | | Soya bean | 0.05 |
| | | Sunflower Seed | 1 |
| 144. | Phenthoate | Food grains | 0.05 |
| | | Milled food grains | 0.01 |
| | | Oilseeds | 0.03 |

| | | | |
|------|---|---------------------------------|---|
| | | Edible oils | 0.01 |
| | | Eggs | 0.05 (shell free basis) |
| | | Meat and Poultry | 0.05 (carcass fat basis) |
| | | Milk and Milk products | 0.01 (F) |
| 145. | Phorate (sum of Phorate, its oxygen analogue and their sulphoxides and sulphones, expressed as phorate) | Food Grains | 0.05 |
| | | Milled food grains | 0.01 |
| | | Tomato | 0.1 |
| | | Fruits | 0.05 |
| | | Oil seeds | 0.05 |
| | | Sugarcane | 0.05 |
| | | Eggs | 0.05 (shell free basis) |
| | | Meat & Poultry | 0.02* (carcass fat basis) |
| | | Milk and Milk products | 0.05 (F) |
| | | Green gram | 0.01* |
| | | Cotton seed Oil | 0.05 |
| 146. | Phosalone | Pears | 2 |
| | | Citrus fruits | 1 |
| | | Other fruits | Apple-5.0, Pome fruit-2.0 and other fruits- 2.0 |
| | | Potato | 0.1 |
| | | Other vegetables | 1 |
| | | Rapeseed or Mustard Oil (crude) | 0.05 |
| 147. | Picoxystrobin | Rice | 0.05* |
| | | Grapes | 0.05* |
| | | Chilli | 0.05* |
| | | Dried Chilli | 0.5 |
| | | Soya bean | 0.05* |
| | | Soya bean Oil | 0.05* |
| | | Cumin | 0.05* |
| | | Wheat | 0.05* |
| 148. | Pinoxaden | Wheat | 0.7 |
| 149. | Pretilachlor | Rice | 0.05 |
| 150. | Pirimiphos-methyl | Rice | 0.5 |
| | | Food grains except Rice | 7 |
| | | Milled food grains except rice | 1 |
| | | Eggs | 0.05 (shell free basis) |
| | | Meat & Poultry | 0.05 (carcass fat basis) |
| | | Milk and Milk products | 0.05 (F) |
| 151. | Profenofos | Cotton seed oil | 3 |
| | | Soya bean | 0.01* |
| | | Meat and Meat products | 0.05 |
| 152. | Prohexadione calcium | Apple | 0.01* |
| 153. | Propaquizafop | Black gram | 0.01 |
| | | Soya bean | 0.01 |
| | | Onion | 0.01* |
| 154. | Propargite | Brinjal | 2 |

| | | | |
|------|----------------------|------------------------|-------|
| | | Chilli | 2 |
| | | Dried Chilli | 20 |
| | | Apple | 3 |
| | | Tea | 10 |
| 155. | Propiconazole | Tea | 0.1 |
| | | Groundnut seed | 0.1 |
| | | Rice | 0.05 |
| | | Soya bean seed | 0.07 |
| | | Wheat | 0.05 |
| | | Milk and Milk products | 0.01 |
| | | Meat and Meat products | 0.01 |
| 156. | Propineb | Rice | 0.05 |
| | | Tomato | 1 |
| | | Apple | 1 |
| | | Pomegranate | 0.5 |
| | | Potato | 0.5 |
| | | Chilli | 2 |
| | | Dried Chilli | 20 |
| | | Grapes | 0.5 |
| 157. | Pyraclostrobin | Grapes | 2 |
| | | Potato | 0.05* |
| | | Tomato | 0.3 |
| | | Chilli | 0.05* |
| | | Dry chilli | 0.5 |
| | | Soya bean | 0.05 |
| | | Cotton | 0.02* |
| | | Milk and Milk products | 0.03 |
| | | Onion | 1.5 |
| | | Groundnut oil | 0.05* |
| | | Ground nut cake | 0.05* |
| | | Apple | 0.5 |
| | | Corn | 0.02* |
| | | Cumin | 0.02* |
| | | Banana | 0.02* |
| | | Black gram | 0.02* |
| | | Cucumber | 0.2 |
| | | coffee | 0.05* |
| | | Wheat | 0.01* |
| | | Pomegranate | 0.02* |
| | | Green gram | 0.02* |
| | | Rice | 0.02* |
| 158. | Pyrazosulfuron ethyl | Rice | 0.01 |
| 159. | Pyridalyl | Cotton seed Oil | 0.02 |
| | | Cabbage | 0.02 |
| | | Okra | 0.02 |
| | | Chilli | 0.02 |
| | | Dried Chilli | 0.2 |
| 160. | Pyriproxyfen | Cotton seed | 0.05 |

| | | | |
|------|----------------------|--------------------------------|-------|
| | | Cotton seed Oil | 0.03* |
| | | Brinjal | 0.02 |
| | | Okra | 0.03 |
| | | Chilli | 0.02 |
| | | Dried Chilli | 0.2 |
| 161. | Pyriithiolac Sodium | Cotton seed Oil | 0.02 |
| 162. | Pymetrozine | Rice | 0.01* |
| 163. | Quinalphos | Cauliflower | 0.1 |
| | | Citrus | 0.05 |
| | | Bengal Gram | 0.05 |
| | | Cotton seed Oil | 0.05 |
| | | Mustard seed oil | 0.1 |
| | | Soya bean | 0.05 |
| | | Groundnut oil | 0.3 |
| | | Rice | 0.01 |
| | | Pigeon pea | 0.01 |
| | | Cardamom | 0.01 |
| | | Tea | 0.01 |
| | | Fish | 0.01 |
| | | Chilli | 0.2 |
| | | Dried Chilli | 2 |
| 164. | Quizalofop ethyl | Cotton seed | 0.1 |
| | | Soya bean seed | 0.05 |
| | | Onion | 0.01* |
| | | Groundnut | 0.1 |
| | | Black Gram | 0.01* |
| 165. | Quizalofop-P-tefuryl | Soya bean Seed | 0.02 |
| | | Cotton seed or Cotton seed oil | 0.05* |
| 166. | Sodium Aceflourofen | Soya bean | 0.05* |
| 167. | Spinosad | Cotton seed oil | 0.02 |
| | | Cabbage | 2 |
| | | Cauliflower | 0.02 |
| | | Red gram | 0.01 |
| | | Chilli | 0.01 |
| | | Dried Chilli | 0.1 |
| | | Meat and Meat products | 2 |
| 168. | Spiromesifen | Tomato | 0.7 |
| | | Cottonseed | 0.7 |
| | | Apple | 0.01 |
| | | Brinjal | 0.5 |
| | | Chilli | 0.1 |
| | | Dried Chilli | 1 |
| | | Tea | 70 |
| | | Green Tea | 70 |
| | | Okra | 0.03 |
| 169. | Sulfosulfuron | Wheat | 0.02 |
| 170. | Tebuconazole | Rice | 1.5 |

| | | | |
|------|--------------|------------------------|-------|
| | | Groundnut seed | 0.15 |
| | | Groundnut oil | 0.05 |
| | | Wheat | 0.15 |
| | | Milk and Milk products | 0.01 |
| | | Tomato | 2 |
| | | Meat and Meat products | 0.05 |
| | | Onion | 0.15 |
| | | Soya bean | 0.15 |
| | | Mango | 0.2 |
| | | Grapes | 6 |
| | | Chilli | 0.4 |
| | | Dry Chilli | 4 |
| | | Cotton seed Oil | 2 |
| | | Apple | 1 |
| | | Banana | 1.5 |
| | | Black Gram | 0.01* |
| | | Maize | 0.05* |
| | | Cabbage | 1.0 |
| 171. | Thiacloprid | Cotton seed | 0.05 |
| | | Cotton seed Oil | 0.05 |
| | | Rice | 0.02 |
| | | Brinjal | 0.7 |
| | | Tea | 5 |
| | | Soya bean seed | 0.03* |
| | | Apple | 0.7 |
| | | Milk and Milk products | 0.05 |
| | | Meat and Meat products | 0.1 |
| | | Chilli | 0.02 |
| | | Dried Chilli | 0.2 |
| 172. | Thifluzamide | Rice | 0.05 |
| 173. | Thiodicarb | Cabbage | 0.02 |
| | | Brinjal | 0.05 |
| | | Red Gram | 0.05 |
| | | Black Gram | 0.03 |
| | | Chilli | 0.01 |
| | | Dried Chilli | 0.1 |
| | | Cotton seed oil | 0.02 |
| | | Meat and Meat products | 0.02 |
| 174. | Thiamethoxam | Rice | 0.02 |
| | | Okra | 0.5 |
| | | Cotton seed Oil | 0.01 |
| | | Brinjal | 0.3 |
| | | Tomato | 0.70 |
| | | Wheat | 0.05 |
| | | Tea | 20 |
| | | Mango | 0.20 |
| | | Potato | 0.30 |
| | | Mustard seed | 0.01 |

| | | | |
|------|---|---------------------------------|-------|
| | | Cumin | 0.01 |
| | | Acid Lime | 0.5 |
| | | Milk and Milk products | 0.05 |
| | | Meat and Meat products | 0.02 |
| | | Groundnut | 0.05* |
| | | Groundnut Oil | 0.05* |
| | | Sugarcane | 0.05* |
| | | Maize | 0.05* |
| | | Soya bean | 0.05* |
| | | Soya bean Oil | 0.05* |
| | | Chilli | 0.5 |
| | | Dried Chilli | 5 |
| 175. | Thiometon(Residues determined as thiometon its sulfoxide and sulphone expressed as thiometon) | Food grains | 0.03 |
| | | Milled food grains | 0.01 |
| | | Fruits | 0.5 |
| | | Potato, Carrots and Sugar beets | 0.05 |
| | | Other vegetables | 0.5 |
| 176. | Thiophanate-Methyl | Apple | 5 |
| | | Papaya | 7 |
| | | Milk and Milk products | 0.05 |
| | | Wheat | 0.03* |
| | | Bottle gourd | 0.4 |
| | | Pigeon pea | 0.03* |
| | | Cucumber | 0.2 |
| | | Grapes | 3 |
| 177. | Tolfenpyrad | Cabbage | 0.01* |
| | | Okra | 0.7 |
| 178. | Trichlorfon | Food grains | 0.05 |
| | | Milled food grains | 0.01 |
| | | Sugar beet | 0.05 |
| | | Fruits and Vegetables | 0.1 |
| | | Oil seeds | 0.1 |
| | | Edible oil (Refined) | 0.05 |
| | | Meat and Poultry | 0.1 |
| | | Milk and Milk products | 0.05 |
| 179. | Triaccontanol | Milk and Milk products | 0.01 |
| 180. | Triadimefon | Wheat | 0.5 |
| | | Pea | 0.1 |
| | | Grapes | 2 |
| | | Milk and Milk products | 0.01* |
| | | Meat and Meat products | 0.02* |
| | | Chilli | 0.4 |
| | | Dried Chilli | 4 |
| | | Coffee | 0.5 |
| | | Mango | 0.03* |
| | | Soya bean | 0.02* |
| 181. | Trifloxystrobin | Tomato | 1 |

| | | | |
|------|---|-----------------|-------|
| | | Wheat | 0.2 |
| | | Mango | 0.4 |
| | | Grapes | 3 |
| | | Chilly | 0.4 |
| | | Dry Chilly | 4 |
| | | Cotton seed Oil | 0.02 |
| | | Apple | 0.7 |
| | | Banana | 0.1 |
| | | Maize | 0.1 |
| | | Cabbage | 0.5 |
| 182. | Triallate | Wheat | 0.05 |
| 183. | Triasulfuron | Wheat | 0.01* |
| 184. | Triazophos | Chilli | 0.2 |
| | | Dried Chilli | 2 |
| | | Rice | 0.6 |
| | | Cotton seed oil | 1 |
| | | Soya bean oil | 0.05 |
| 185. | Tricyclazole | Rice | 3 |
| | | Chilli | 0.3 |
| | | Dried Chilli | 3 |
| 186. | Tridemorph | Wheat | 0.1 |
| | | Grapes | 0.5 |
| | | Mango | 0.05 |
| 187. | Trifluralin | Wheat | 0.05 |
| 188. | Validamycin | Rice | 0.01 |
| 189. | Fluopicolide | Grapes | 2.0 |
| 190. | Tembotrione | Maize | 0.02* |
| 191. | Propanil | Rice | 0.05* |
| 192. | Fluopyram and its metabolites | Grapes | 2 |
| 193. | Topramezone | Corn | 0.05* |
| 194. | Thiocyclam Hydrogen Oxalate | Rice | 0.01* |
| 195. | 2,4-D Amine Salt | Tea | 0.05* |
| 196. | Ametyrn | Sugarcane | 0.05* |
| 197. | Fomesafen | Soya bean | 0.02* |
| | | Soya bean oil | 0.02* |
| | | Ground nut | 0.02* |
| | | Ground nut oil | 0.02* |
| 198. | Imazamox | Ground nut | 0.01* |
| | | Ground nut oil | 0.01* |
| 199. | Spinetoram and its metabolites (Spinosyn-J and Spinosyn-L) | Chilli | 0.05 |
| | | Dry Chilli | 0.5 |
| | | Cottonseed Oil | 0.02 |
| | | Soya bean | 0.02 |
| | | Soya bean Oil | 0.02 |
| 200. | Sodium Para Nitro Phenolate | Tomato | 0.3 |
| | | Cottonseed | 0.5* |
| | | Cottonseed oil | 0.5* |
| 201. | Bentazone | Soya bean | 0.05* |

| | | | |
|------|--|---------------------------------|-------|
| | | Soya bean oil | 0.05* |
| | | Rice | 0.05* |
| 202. | Cyflumetofen | Tea | 0.05* |
| 203. | Boscalid | Grapes | 5 |
| 204. | Flucetosulfuron | Rice | 0.02* |
| 205. | Haloxypop-R Methyl | Soya bean | 2 |
| | | Soya bean Oil | 0.02* |
| | | Soya bean deoiled Cake | 0.02* |
| 206. | Sulfentrazone and its metabolite Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone | Soya bean | 0.2 |
| | | Soya bean Oil | 0.2 |
| | | Soya bean deoiled Cake | 0.2 |
| 207. | Spirotetramat | Okra | 1.0 |
| | | Brinjal | 1.0 |
| | | Chilli | 2 |
| | | Dry Chilli | 20 |
| 208. | Metrafenone | Grapes | 5 |
| 209. | Fluxapyroxad | Grapes | 3.0 |
| | | Apple | 0.9 |
| | | Rice | 5 |
| 210. | Tetraconazole | Watermelon | 0.01* |
| 211. | Abamectin | Grapes | 0.05* |
| | | Chilli | 0.05* |
| | | Dry Chilli | 0.5 |
| 212. | Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone | Okra | 0.8 |
| 213. | Sulfoxaflor | Cotton seed and Cotton seed Oil | 0.4 |
| | | Rice | 0.01* |

* Maximum Residue Limit fixed at Limit of Quantification (LOQ)

F: Maximum Residue Limit Calculation on Fat Basis

\$. The limit shall be for copper in the regulations 2.1 metal contaminants of the Food Safety and Standards (Contaminants, Toxins And Residues) Regulations, 2011 and as amended from time to time.

Note: Tolerance limit of 0.01 mg/kg shall apply in cases of pesticides for which MRL have not been fixed.]

2.3.2 : ANTIBIOTIC AND OTHER PHARMA-COLOGICALLY ACTIVE SUBSTANCES

1) The amount of antibiotic mentioned in column (2), on the sea foods including shrimps, prawns or any other variety of fish and fishery products, shall not exceed the tolerance limit prescribed in column (3) of the table given below:—

Table

| S.No. | Name of Antibiotics | Tolerance limit mg/kg (ppm) |
|-------|---------------------|--------------------------------|
| (1) | (2) | (3) |
| 1. | Tetracycline | 0.1 |
| 2. | Oxytetracycline | 0.1 |
| 3. | Trimethoprim | 0.05 |
| 4. | Oxolinic acid | 0.3 |

16[(2) Following antimicrobials and other drugs used in veterinary practices are not permitted to be used at any stage of production of meat and meat products, milk and milk products, poultry and eggs, aquaculture and its products; and the Extraneous Maximum Residue Limits (EMRL) of 0.001 mg/kg shall be applicable except for Chloramphenicol for which it shall be 0.0003 mg/kg (0.3 ug/kg).

1. Carbadox
2. Chloramphenicol
3. Chlorpromazine
4. Clenbuterol
5. Colistin
6. Crystal Violet (Sum of Crystal Violet and Leucocrystal Violet)
7. Glycopeptides
8. Malachite Green (Sum of Malachite green and Leucomalachite green)
9. Nitrofurans and its metabolites furazolidone (AOZ), nitrofurazone (SEM), furaltadone (AMOZ) and nitrofurantoin (AHD)
10. Streptomycin and its metabolite dihydrostreptomycin
11. Nitroimidazoles including-
 - (A) Dimetridazole (DMZ)
 - (B) Ronidazole (RNZ) and its metabolite 2-hydroxymethyl-1-methyl-3 nitroimidazole (HMMNI)
 - (C) Iprnidazole (IPZ) and its metabolite Hydroxyipronidazole
 - (D) Metronidazole (MNZ) and its metabolite 3 hydroxymetronidazole
12. Steroids
13. Stilbenes
14. Sulphamethoxazole

(3) The use of any antibiotic is not permitted during the honey production, but, in order to test the misuse of antibiotics, the antibiotics specified in column (2) shall not exceed the Minimum Required Performance Limit (MRPL) specified in column (3) of the Table below, namely: -

Table

| Serial No. | Name of Antibiotics | Maximum Residue Performance Limit (MRPL) (ug/kg) |
|------------|-----------------------------------|---|
| (1) | (2) | (3) |
| 1 | Chloramphenicol | 0.3 |
| 2 | Nitrofurans and its metabolites | 1 |
| 3 | Sulphonamides and its metabolites | 10 either individually or collectively |
| 4 | Streptomycin | 10 either individually or collectively |

| | | |
|----|-----------------------|----|
| 5 | Tetracycline | 10 |
| 6 | (a) Oxytetracycline | 10 |
| | (b) Chlortetracycline | 10 |
| 7 | Ampicillin | 10 |
| 8 | Enrofloxacin | 10 |
| 9 | Ciprofloxacin | 10 |
| 10 | Erythromycin | 10 |
| 11 | Tylosin | 10 |

(4) The antimicrobials and other drugs used in veterinary practices specified in column (2) shall not exceed the tolerance limit specified in column (4) for the article of food in column (3) of the Table below, namely:-

Table

| Serial No. | Antimicrobials and other drugs used in veterinary practices | Food | Tolerance limit (mg/Kg) | |
|------------|---|--|-------------------------|-------|
| (1) | (2) | (3) | (4) | |
| 1. | Ampicillin | All edible animal tissues | 0.01 | |
| | | Fats derived from animal tissues | | |
| | | Milk | 0.05 | |
| | | Finfish | | |
| 2. | Amprolium | Cattle | 0.5 | |
| | | Kidney, Liver, Muscle | | |
| | | Fat | | 2.0 |
| | | Poultry | | 1.0 |
| | | Kidney and Liver | | |
| | | Egg | | |
| | | Muscle | 0.5 | |
| 3 | Apramycin | All edible animal tissues except in fish | 0.01 | |
| | | Fats derived from animal tissues | | |
| | | Milk | | |
| 4. | Albendazole | Species not specified | 0.1 | |
| | | Muscle | | |
| | | Liver | | 5.0 |
| | | Kidney | | 5.0 |
| | | Fat | | 0.1 |
| | | Milk | | 0.1 |
| | | Fish | | 0.1 |
| 5. | Amoxicillin | Cattle | 0.05 | |
| | | Kidney | | |
| | | Liver | | |
| | | Muscle | | |
| | | Milk | | 0.004 |
| | | Fat | | 0.05 |
| | | Finfish | | 0.05 |
| | | Fillet | | |
| | | Muscle | | |
| | | Pig | | 0.05 |
| | | Liver | | |
| | | Fat or Skin | | |
| | | Muscle | | |

| | | | |
|----|--|--|----------|
| | | Kidney | 0.05 |
| | | Sheep | |
| | | Muscle | 0.05 |
| | | Kidney | 0.05 |
| | | Milk | 0.004 |
| | | Fat | 0.05 |
| | | Liver | 0.05 |
| | | Muscle | 0.05 |
| 6. | Cloxacillin | All edible animal tissues | 0.01 |
| | | Fats derived from animal tissues | |
| | | Milk | 0.03 |
| 7. | Chlortetracycline or Oxytetracycline or Tetracycline | Cattle | |
| | | Muscle | 0.2 |
| | | Liver | 0.6 |
| | | Kidney | 1.2 |
| | | Milk | 0.1 |
| | | Muscle | 0.2 |
| | | Giant prawn (Paeneusmonodon) (muscle) | 0.2 |
| | | Pig | |
| | | Muscle | 0.2 |
| | | Liver | 0.6 |
| | | Kidney | 1.2 |
| | | Poultry | |
| | | Muscle | 0.2 |
| | | Liver | 0.6 |
| | | Kidney | 1.2 |
| | | Eggs | 0.4 |
| | | Sheep | |
| | | Muscle | 0.2 |
| | | Liver | 0.6 |
| | | Kidney | 1.2 |
| | | Milk | 0.1 |
| | Oxytetracycline | Fish | 0.2 |
| 8. | Ceftiofur | Cattle | |
| | | Muscle | 1.0 |
| | | Liver | 2.0 |
| | | Kidney | 6.0 |
| | | Fat | 2.0 |
| | | Milk | 0.1 mg/l |
| | | Pig | |
| | | Muscle | 1.0 |
| | | Liver | 2.0 |
| | | Kidney | 6.0 |
| | | Fat | 2.0 |
| | | Sheep | |
| | | Muscle | 1.0 |
| | | Liver | 2.0 |
| | | Kidney | 6.0 |
| | | Fat | 2.0 |
| 9. | Cephapirine | All edible animal tissues except in fish | 0.01 |

| | | | |
|-----|---------------|--|-------|
| | | Fats derived from animal tissues | |
| | | Milk | 0.06 |
| 10. | Clopidol | All edible animal tissues except in fish Fats derived from animal tissues | 0.01 |
| 11. | Closantel | Cattle | |
| | | Muscle | 1.0 |
| | | Liver | 1.0 |
| | | Kidney | 3.0 |
| | | Fat | 3.0 |
| | | Sheep | |
| | | Muscle | 1.5 |
| | | Liver | 1.5 |
| | | Kidney | 5.0 |
| | | Fat | 2.0 |
| | | Milk (Bovine) | 0.045 |
| 12. | Cefphacetrile | All edible animal tissues except in fish Fats derived from animal tissues | 0.01 |
| | | Milk | 0.125 |
| 13. | Cephalexin | All edible animal tissues except in fish Fats derived from animal tissues | 0.01 |
| | | Milk | 0.1 |
| 14. | Danofloxacin | Cattle | |
| | | Muscle | 0.2 |
| | | Liver | 0.4 |
| | | Kidney | 0.4 |
| | | Fat | 0.1 |
| | | Pig | |
| | | Muscle | 0.1 |
| | | Liver | 0.05 |
| | | Kidney | 0.2 |
| | | Fat | 0.1 |
| | | Chicken | |
| | | Muscle | 0.2 |
| | | Liver | 0.4 |
| | | Kidney | 0.4 |
| Fat | 0.1 | | |
| 15. | Doramectin | Cattle | |
| | | Muscle | 0.01 |
| | | Liver | 0.1 |
| | | Kidney | 0.03 |
| | | Fat | 0.15 |
| | | Milk | 0.015 |
| | | Pig | |
| | | Muscle | 0.005 |
| | | Liver | 0.1 |
| | | Kidney | 0.03 |
| Fat | 0.15 | | |
| 16. | Diminazene | Cattle | |
| | | Muscle | 0.5 |
| | | Liver | 12.0 |
| | | Kidney | 6.0 |
| | | Milk | 0.15 |

| | | | |
|--------|--|--|------|
| 17. | Erythromycin | Chicken | |
| | | Muscle | 0.1 |
| | | Liver | 0.1 |
| | | Kidney | 0.1 |
| | | Fat | 0.1 |
| | | Eggs | 0.05 |
| | | Turkey | |
| | | Muscle | 0.1 |
| | | Liver | 0.1 |
| | | Kidney | 0.1 |
| 18. | Flumequine | Fat | 0.1 |
| | | Cattle | |
| | | Muscle | 0.5 |
| | | Liver | 0.5 |
| | | Kidney | 3.0 |
| | | Fat | 1.0 |
| | | Chicken | |
| | | Muscle | 0.5 |
| | | Liver | 0.5 |
| | | Kidney | 3.0 |
| | | Fat | 1.0 |
| | | Pig | |
| | | Muscle | 0.5 |
| | | Liver | 0.5 |
| | | Kidney | 3.0 |
| | | Fat | 1.0 |
| | | Sheep | |
| | | Muscle | 0.5 |
| | | Liver | 0.5 |
| | | Kidney | 3.0 |
| Fat | 1.0 | | |
| Trout | | | |
| Muscle | 0.5 | | |
| 19. | Flunixin | All edible animal tissues except in fish | 0.01 |
| | | Fats derived from animal tissues | |
| | | Milk | |
| 20. | Febantel or Fenbendazole or Oxyfendazole | Cattle | |
| | | Muscle | 0.1 |
| | | Liver | 0.5 |
| | | Kidney | 0.1 |
| | | Fat | 0.1 |
| | | Milk | 0.1 |
| | | Pig | |
| | | Muscle | 0.1 |
| | | Liver | 0.5 |
| | | Kidney | 0.1 |
| | | Fat | 0.1 |
| | | Sheep | |
| | | Muscle | 0.1 |
| | | Liver | 0.5 |
| Kidney | 0.1 | | |

| | | | |
|-----|------------|---------|----------|
| | | Fat | 0.1 |
| | | Milk | 0.1 |
| | | Goat | |
| | | Muscle | 0.1 |
| | | Liver | 0.5 |
| | | Kidney | 0.1 |
| | | Fat | 0.1 |
| 21. | Gentamicin | Cattle | |
| | | Milk | 0.2 mg/l |
| | | Liver | 2.0 |
| | | Fat | 0.1 |
| | | Kidney | 5.0 |
| | | Muscle | 0.1 |
| | | Pig | |
| | | Muscle | 0.1 |
| | | Kidney | 5.0 |
| | | Fat | 0.1 |
| | | Liver | 2.0 |
| 22. | Ivermectin | Cattle | |
| | | Milk | 0.01 |
| | | Liver | 0.8 |
| | | Fat | 0.4 |
| | | Muscle | 0.03 |
| | | Kidney | 0.1 |
| | | Pig | |
| | | Liver | 0.015 |
| | | Fat | 0.02 |
| | | Sheep | |
| | | Liver | 0.015 |
| | | Fat | 0.02 |
| 23. | Lincomycin | Cattle | |
| | | Milk | 0.15 |
| | | Chicken | |
| | | Muscle | 0.2 |
| | | Liver | 0.5 |
| | | Kidney | 0.5 |
| | | Fat | 0.1 |
| | | Pig | |
| | | Muscle | 0.2 |
| | | Liver | 0.5 |
| | | Kidney | 1.5 |
| | | Fat | 0.1 |
| 24. | Levamisole | Cattle | |
| | | Muscle | 0.01 |
| | | Liver | 0.1 |
| | | Kidney | 0.01 |
| | | Fat | 0.01 |
| | | Pig | |
| | | Muscle | 0.01 |
| | | Liver | 0.1 |
| | | Kidney | 0.01 |

| | | | |
|-----|------------|---------|-------|
| | | Fat | 0.01 |
| | | Sheep | |
| | | Muscle | 0.01 |
| | | Liver | 0.1 |
| | | Kidney | 0.01 |
| | | Fat | 0.01 |
| | | Poultry | |
| | | Muscle | 0.01 |
| | | Liver | 0.1 |
| | | Kidney | 0.01 |
| | | Fat | 0.01 |
| 25. | Monensin | Cattle | |
| | | Muscle | 0.01 |
| | | Liver | 0.1 |
| | | Kidney | 0.01 |
| | | Fat | 0.1 |
| | | Milk | 0.002 |
| | | Sheep | |
| | | Muscle | 0.01 |
| | | Liver | 0.02 |
| | | Kidney | 0.01 |
| | | Fat | 0.1 |
| | | Goat | |
| | | Muscle | 0.01 |
| | | Liver | 0.02 |
| | | Kidney | 0.01 |
| | | Fat | 0.1 |
| | | Chicken | |
| | | Muscle | 0.01 |
| | | Liver | 0.01 |
| | | Kidney | 0.01 |
| | | Fat | 0.1 |
| | | Turkey | |
| | | Muscle | 0.01 |
| | | Liver | 0.01 |
| | | Kidney | 0.01 |
| | | Fat | 0.1 |
| | | Quail | |
| | | Liver | 0.01 |
| | | Kidney | 0.01 |
| | | Muscle | 0.01 |
| | | Fat | 0.1 |
| 26. | Moxidectin | Cattle | |
| | | Muscle | 0.02 |
| | | Liver | 0.1 |
| | | Kidney | 0.05 |
| | | Fat | 0.5 |
| | | Sheep | |
| | | Muscle | 0.05 |
| | | Liver | 0.1 |
| | | Kidney | 0.05 |

| | | | |
|--------|--------------|--|-------|
| | | Fat | 0.5 |
| 27. | Meloxicam | Bovines | |
| | | Muscle | 0.02 |
| | | Kidney | 0.065 |
| | | Liver | 0.065 |
| | | Milk | 0.015 |
| 28. | Neomycin | Cattle | |
| | | Liver | 0.5 |
| | | Milk | 1.5 |
| | | Kidney | 10 |
| | | Fat | 0.5 |
| | | Muscle | 0.5 |
| | | Chicken | |
| | | Liver | 0.5 |
| | | Eggs | 0.5 |
| | | Muscle | 0.5 |
| | | Kidney | 10 |
| | | Fat | 0.5 |
| | | Duck | |
| | | Fat | 0.5 |
| | | Liver | 0.5 |
| | | Kidney | 10 |
| | | Muscle | 0.5 |
| | | Goat | |
| | | Liver | 0.5 |
| | | Kidney | 10 |
| | | Fat | 0.5 |
| | | Muscle | 0.5 |
| | | Pig | |
| | | Kidney | 10 |
| | | Liver | 0.5 |
| | | Muscle | 0.5 |
| | | Fat | 0.5 |
| | | Sheep | |
| | | Kidney | 10 |
| | | Muscle | 0.5 |
| Fat | 0.5 | | |
| Liver | 0.5 | | |
| Turkey | | | |
| Liver | 0.5 | | |
| Muscle | 0.5 | | |
| Kidney | 10 | | |
| Fat | 0.5 | | |
| 29. | Nicarbazin | Chicken | |
| | | Kidney | 0.2 |
| | | Fat or skin | 0.2 |
| | | Liver | 0.2 |
| | | Muscle | 0.2 |
| 30. | Oxybendazole | All edible animal tissues except in fish | |
| | | Fats derived from animal tissues | 0.01 |

| | | | |
|-----|------------------------------|--|----------|
| 31. | Oxyclozanide | All edible animal tissues except in fish Fats derived from animal tissues Milk | 0.01 |
| 32. | Parbendazole | All edible animal tissues except in fish Fats derived from animal tissues Milk | 0.01 |
| 33. | Praziquantel | All edible tissues of pig | 0.01 |
| | | Sheep: | |
| | | All edible tissues (Muscle, Liver, Kidney, Fat)- | 0.05 |
| 34. | Pencillin G/Benzylpenicillin | Pig | |
| | | Liver | 0.05 |
| | | Muscle | 0.05 |
| | | Kidney | 0.05 |
| | | Chicken | |
| | | Kidney | 0.05 |
| | | Liver | 0.05 |
| | | Muscle | 0.05 |
| | | Cattle | |
| | | Muscle | 0.05 |
| | | Milk | 0.004 |
| | | Liver | 0.05 |
| | | Kidney | 0.05 |
| 35. | Spectinomycin | Cattle | |
| | | Muscle | 0.5 |
| | | Liver | 2.0 |
| | | Kidney | 5.0 |
| | | Fat | 2.0 |
| | | Milk | 0.2 mg/l |
| | | Chicken | |
| | | Muscle | 0.5 |
| | | Liver | 2.0 |
| | | Kidney | 5.0 |
| | | Fat | 2.0 |
| | | Eggs | 2.0 |
| | | Pig | |
| | | Muscle | 0.5 |
| | | Liver | 2.0 |
| | | Kidney | 5.0 |
| | | Fat | 2.0 |
| | | Sheep | |
| | | Muscle | 0.5 |
| | | Liver | 2.0 |
| | | Kidney | 5.0 |
| Fat | 2.0 | | |
| 36. | Sulfadiazine | All edible animal tissues Fats derived from animal tissues Milk | 0.01 |
| 37. | Sulfanilamide | All edible animal tissues Fats derived from animal tissues Milk | 0.01 |

| | | | |
|-----|---------------------|--|-------|
| 38. | Sulfaquinoxaline | All edible animal tissues except in fish Fats derived from animal tissues Milk | 0.01 |
| 39. | Sulfadimidine | Cattle | |
| | | Milk | 0.025 |
| | | No Specified | |
| | | Muscle | 0.1 |
| | | Fat | 0.1 |
| | | Kidney | 0.1 |
| 40. | SulfaChloropyrazine | All edible animal tissues except in fish Fats derived from animal tissues Milk | 0.01 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 41. | Sulfamethazine | All edible animal tissues except in fish Fats derived from animal tissues | 0.01 |
| 42. | Sulfadimethoxine | All edible animal tissues except in fish Fats derived from animal tissues Milk | 0.01 |
| 43. | Thiabendazole | Cattle | |
| | | Muscle | 0.1 |
| | | Liver | 0.1 |
| | | Kidney | 0.1 |
| | | Fat | 0.1 |
| | | Milk | 0.1 |
| | | Pig | |
| | | Muscle | 0.1 |
| | | Liver | 0.1 |
| | | Kidney | 0.1 |
| | | Fat | 0.1 |
| | | Sheep | |
| | | Muscle | 0.1 |
| | | Liver | 0.1 |
| | | Kidney | 0.1 |
| | | Fat | 0.1 |
| | | Goat | |
| | | Muscle | 0.1 |
| | | Liver | 0.1 |
| | | Kidney | 0.1 |
| Fat | 0.1 | | |
| 44. | Triclabendazole | Cattle | |
| | | Muscle | 0.25 |
| | | Liver | 0.85 |
| | | Kidney | 0.4 |
| | | Fat or skin | 0.1 |
| | | Sheep | |
| | | Muscle | 0.2 |
| | | Liver | 0.3 |
| | | Kidney | 0.2 |
| | | Fat or skin | 0.1 |
| | | Milk (All ruminants) | 0.01 |

| | | | |
|-------------|---|--|--------|
| 45. | Trimethoprim | All edible animal tissues except in fish | 0.01 |
| | | Fats derived from animal tissues | |
| | | Milk | 0.05 |
| 46. | Tylosin | Cattle | |
| | | Muscle | 0.1 |
| | | Liver | 0.1 |
| | | Kidney | 0.1 |
| | | Fat | 0.1 |
| | | Milk | 0.1 |
| | | Pig | |
| | | Muscle | 0.1 |
| | | Liver | 0.1 |
| | | Kidney | 0.1 |
| | | Fat | 0.1 |
| | | Sheep | |
| | | Muscle | 0.1 |
| | | Liver | 0.1 |
| | | Kidney | 0.1 |
| | | Chicken | |
| | | Muscle | 0.1 |
| | | Liver | 0.1 |
| | | Kidney | 0.1 |
| Fat or skin | 0.1 | | |
| Eggs | 0.3 | | |
| 47. | Virginiamycin | Poultry and egg | 0.01 |
| 48. | Xylazine | All edible animal tissues except in fish Fats derived from animal tissues | 0.01 |
| 49. | Zinc Bacitracin (minimum 60IU/mg dried substance) | All edible animal tissues except in fish Fats derived from animal tissues | 0.01 |
| | | Milk | 0.1".] |

⁵ [2.4. Limits of biotoxins in fish and fishery products:

| Sl. No. | Name of the contaminants | Article of food | Limit (µg/kg) |
|---------|-----------------------------------|------------------|--------------------------------------|
| (1) | (2) | (3) | (4) |
| 1. | Paralytic Shellfish Poison (PSP) | Bivalve Molluscs | 80 µg/100g (Saxitoxin Equivalent) |
| 2. | Amnesic Shellfish Poison (ASP) | Bivalve Molluscs | 20 µg/g (Domoic acid equivalent) |
| 3. | Diarrhetic shellfish poison (DSP) | Bivalve Molluscs | 160 µg of Okadaic acid equivalent/Kg |
| 4. | Azaspiracid poison (AZP) | Bivalve Molluscs | 160 µg of azaspiracid equivalent/Kg |
| 5. | Brevetoxin (BTX) | Bivalve Molluscs | 200 mouse units or equivalent/Kg] |

⁶ [2.5 Other Contaminants

2.5.1 : The contaminant mentioned in column 2 on the foods mentioned in column 3, shall not exceed the Maximum Level prescribed in column 4 of the Table given below:

| Sl.No. | Name of the contaminants | Food | Maximum level (mg/kg) |
|---------------|---------------------------------|-------------------------|------------------------------|
| (1) | (2) | (3) | (4) |
| 1. | Melamine | Powdered infant formula | 1.0 |
| | | Liquid infant formula | 0.15 |
| | | Other foods | 2.5] |

⁹ [2.5.2 Histamine in Fish and Fishery Products contaminants, toxins and Residues

1. Fish species having potential to cause histamine poisoning

| Sl.No. | Family | Scientific Name | Common Name |
|----------------------------|------------------------------|------------------------------------|---|
| 1. | Carangidae | <i>Alectis indica</i> | Indian Threadfish |
| | | <i>Alepes</i> spp. | Scad |
| | | <i>Atropus atropus</i> | Cleftbelly trevally |
| | | <i>Carangoides bartholomaei</i> | Yellow Jack |
| | | <i>Carangoides</i> spp. | Trevally |
| | | <i>Caranx crysos</i> | Blue runner |
| | | <i>Caranx</i> spp. | Jack/Trevally |
| | | <i>Decapterus koheru</i> | Koheru |
| | | <i>Decapterus russelli</i> | Indian scad |
| | | <i>Decapterus</i> spp. | Scad |
| | | <i>Elagatis bipinnulata</i> | Rainbow Runner |
| | | <i>Megalaspis cordyla</i> | Horse Mackerel/Torpedo Scad |
| | | <i>Nematistius pectoralis</i> | Roosterfish |
| | | <i>Oligoplites saurus</i> | Leather Jacket |
| | | <i>Pseudocaranx dentex</i> | White trevally |
| | | <i>Scomberoides commersonianus</i> | Talang queenfish |
| | | <i>Scomberoides</i> spp. | Leather Jacket/Queen Fish |
| | | <i>Selene</i> spp. | Moonfish |
| | | <i>Seriola dumerili</i> | Greater/Japanese Amberjack or Rudder Fish |
| | | <i>Seriola lalandi</i> | Yellowtail Amberjack |
| | | <i>Seriola quinqueradiata</i> | Japanese Amberjack |
| | | <i>Seriola rivoliana</i> | Longfin Yellowtail |
| | | <i>Seriola</i> spp. | Amberjack or Yellowtail |
| | | <i>Trachurus capensis</i> | Cape Horse Mackerel |
| | | <i>Trachurus japonicas</i> | Japanese Jack Mackerel |
| | | <i>Trachurus murphyi</i> | Chilean Jack Mackerel |
| | | <i>Trachurus novaezelandiae</i> | Yellowtail Horse Mackerel |
| <i>Trachurus</i> spp. | Jack Mackerel/Horse Mackerel | | |
| <i>Trachurus trachurus</i> | Atlantic Horse Mackerel | | |
| <i>Uraspis secunda</i> | Cottonmouth jack | | |
| 2. | Chanidae | <i>Chanos chanos</i> | Milkfish |
| 3. | Clupeidae | <i>Alosa pseudoharengus</i> | Alewife |
| | | <i>Alosa</i> spp. | Herring |
| | | <i>Amblygaster sirm</i> | Spotted Sardinella |
| | | <i>Anodontostoma chacunda</i> | Chacunda gizzard shad |
| | | <i>Brevoortia patronus</i> | Gulf Menhaden |
| <i>Brevoortia</i> spp. | Menhaden | | |

| | | | |
|---|---------------|---------------------------------|-----------------------------|
| | | <i>Brevoortia tyrannus</i> | Atlantic Menhaden |
| | | <i>Clupea bentincki</i> | Araucanian herring |
| | | <i>Clupea harengus</i> | Atlantic herring |
| | | <i>Clupea pallasii pallasii</i> | Pacific herring |
| | | <i>Clupea</i> spp. | Pichard/Shad/Herring |
| | | <i>Dorosoma</i> spp. | Gizzard Shad |
| | | <i>Ethmalosa fimbriata</i> | Bonga Shad |
| | | <i>Ethmidium maculatum</i> | Pacific Menhaden |
| | | <i>Etrumeus sadina</i> | Red-eye round herring |
| | | <i>Harengula</i> spp. | Sprat/Herring |
| | | <i>Harengula thrissina</i> | Pacific flatiron herring |
| | | <i>Hilsa</i> spp. | Shad |
| | | <i>Nematolosa</i> spp. | Gizzard Shad |
| | | <i>Opisthonema libertate</i> | Pacific thread herring |
| | | <i>Opisthonema</i> spp. | Thread Herring |
| | | <i>Opisthopterus tardoore</i> | Tardoore |
| | | <i>Sardina pilchardus</i> | European Pilchard |
| | | <i>Sardinella aurita</i> | Round Sardinella |
| | | <i>Sardinella gibbosa</i> | Gold stripe Sardinella |
| | | <i>Sardinella longiceps</i> | Indian Oil Sardine |
| | | <i>Sardinella maderensis</i> | Madeiran Sardinella |
| | | <i>Sardinella</i> spp. | Sardine |
| | | <i>Sardinops sagax</i> | South American Pilchard |
| | | <i>Sardinops</i> spp. | South American Pilchard |
| | | <i>Spratelloides gracilis</i> | Silver-stripe round herring |
| | | <i>Tenualosa ilisha</i> | Hilsa shad |
| | | <i>Tenualosa</i> spp. | Shad |
| 4 | Coryphaenidae | <i>Coryphaena hippurus</i> | Mahi-Mahi /Dolphin fish |
| 5 | Engraulidae | <i>Anchoa</i> spp. | Anchovy |
| | | <i>Anchoviella</i> spp. | Anchovy |
| | | <i>Cetengraulis mysticetus</i> | Pacific anchoveta |
| | | <i>Engraulis capensis</i> | Southern African anchovy |
| | | <i>Engraulis encrasicolus</i> | European anchovy |
| | | <i>Engraulis japonicus</i> | Japanese anchovy |
| | | <i>Engraulis ringens</i> | Peruvian anchovy |
| | | <i>Engraulis</i> spp. | Anchovy |
| | | <i>Stolephorus</i> spp. | Anchovy |
| 6 | Istiophoridae | <i>Istiompax indica</i> | Black Marlin |
| | | <i>Istiophorus albicans</i> | Atlantic sailfish |
| | | <i>Istiophorus platypterus</i> | Indo-Pacific sailfish |
| | | <i>Kajikia albida</i> | Atlantic white marlin |
| | | <i>Kajikia audax</i> | Striped Marlin |
| | | <i>Makaira mazara</i> | Indo-Pacific blue marlin |
| | | <i>Makaira</i> spp. | Marlin/Sailfish |
| | | <i>Tetrapturus</i> spp. | Marlin/Spearfish |

| | | | |
|---------------------------|-----------------------|--------------------------------|---|
| | | <i>Tetrapturus</i> spp. | Spearfish |
| 7 | Mugilidae | <i>Mugil cephalus</i> | Flathead Grey Mullet |
| 8 | Pristigasteridae | <i>Ilisha</i> spp. | Ilisha/Pellona |
| | | <i>Pellona ditchella</i> | Indian pellona |
| 9 | Scombridae | <i>Acanthocybium solandri</i> | Wahoo |
| | | <i>Auxis</i> spp. | Bullet Tuna/Frigate Tuna |
| | | <i>Cybiosarda elegans</i> | Leaping Bonito |
| | | <i>Euthynnus affinis</i> | Little tuna or Kawakawa |
| | | <i>Euthynnus</i> spp. | Bonito |
| | | <i>Gasterochisma melampus</i> | Butterfly kingfish |
| | | <i>Grammatorcynus</i> spp. | Short Mackerel |
| | | <i>Gymnosarda unicolor</i> | Dogtooth tuna |
| | | <i>Katsuwonus pelamis</i> | Skipjack Tuna |
| | | <i>Orcynopsis unicolor</i> | Plain Bonito |
| | | <i>Rastrelliger brachysoma</i> | Short Mackerel |
| | | <i>Rastrelliger kanagurta</i> | Indian Mackerel |
| | | <i>Sarda</i> spp | Bonito |
| | | <i>Scomber australasicus</i> | Blue mackerel |
| | | <i>Scomber japonicas</i> | Chub mackerel |
| | | <i>Scomber scombrus</i> | Atlantic mackerel |
| | | <i>Scomber</i> spp. | Mackerel |
| | | <i>Scomberomorus cavalla</i> | King Mackerel |
| | | <i>Scomberomorus commerson</i> | Narrow-barred Spanish mackerel |
| | | <i>Scomberomorus guttatus</i> | Indo-Pacific king mackerel/Spotted Spanish Mackerel |
| | | <i>Scomberomorus niphonius</i> | Japanese Spanish mackerel |
| | | <i>Scomberomorus</i> spp. | Spanish Mackerel |
| | | <i>Scomeromorus lineolatus</i> | Streaked seerfish |
| | | <i>Thunnus alalunga</i> | Albacore Tuna |
| | | <i>Thunnus albacares</i> | Yellowfin Tuna |
| | | <i>Thunnus atlanticus</i> | Blackfin Tuna |
| | | <i>Thunnus maccoyi</i> | Southern bluefin tuna |
| <i>Thunnus obesus</i> | Bigeye Tuna | | |
| <i>Thunnus orientalis</i> | Pacific bluefin tuna | | |
| <i>Thunnus</i> spp. | Tuna | | |
| <i>Thunnus thynnus</i> | Atlantic bluefin tuna | | |
| <i>Thunnus tonggol</i> | Longtail Tuna | | |
| 10 | Xiphiidae | <i>Xiphias gladius</i> | Swordfish |

2. Limits of histamine level in fish and fishery products

| S. No. | Product Category | Applicable to | Histamine Level |
|--------|--|---|------------------------------------|
| 1. | Raw/Chilled/Frozen Finfish | Species with high amount of free histidine (Listed fish species with potential to cause histamine fish poisoning) | n=9, c=2; m=100 mg/kg, M=200 mg/kg |
| 2. | Thermally Processed Fishery Products | | n=9, c=2; m=100 mg/kg, M=200 mg/kg |
| 3. | Smoked fishery products | | n=9, c=2; m=100 mg/kg, M=200 mg/kg |
| 4. | Fish Mince/Surimi and analogues | | n=9, c=2; m=100 mg/kg, M=200 mg/kg |
| 5. | Battered and breaded fishery products | | n=9, c=2; m=100 mg/kg, M=200 mg/kg |
| 6. | Other Ready to Eat fishery products | | n=9, c=2; m=100 mg/kg, M=200 mg/kg |
| 7. | Other value added fishery products | | n=9, c=2; m=100 mg/kg, M=200 mg/kg |
| 8. | Other fish based products | | n=9, c=2; m=100 mg/kg, M=200 mg/kg |
| 9. | Dried/ Salted and Dried fishery products | | n=9, c=2; m=200 mg/kg, M=400 mg/kg |
| 10. | Fermented Fishery products | | n=9, c=2; m=200 mg/kg, M=400 mg/kg |
| 11. | Fish Pickle | | n=9, c=2; m=200 mg/kg, M=400 mg/kg |

Where,

n: Number of units comprising the sample

c: Maximum allowable number of defective sample units

m: Acceptable level in a sample

M: Specified level when exceeded in one or more samples would cause the lot to be rejected

Satisfactory, if the following requirements are fulfilled:

1. the mean value observed is $\leq m$
2. a maximum of c/n values observed are between m and M
3. no values observed exceed the limit of M,

Unsatisfactory, if the mean value observed exceeds m or more than c/n values are between m and M or one or more of the values observed are $>M$.

Note:

1. Inserted by notification no. F. No. 1-12/Sci.Panel/(Notification)/FSSAI/2012, dated the 3rdDecember, 2014
2. Substituted by notification no. F.No. P.15025/264/13-PA/FSSAI, dated the 4th November,2015
3. Inserted by notification no. F.No. 1-99/4/SP(Contaminants)/FSSAI/2014, dated the 4thNovember, 2015
4. Substituted by notification no. F.No.1-99/1/SP(contaminants)/FSSAI/2009, dated the 4thNovember, 2015
5. Inserted by notification no. F. No. 1-10(6)/Standards/SP (Fish and Fisheries Products)/FSSAI-2013, dated the 4th January, 2016
6. Inserted by notification no. F. No. P. 15025/264/13-PA/FSSAI, dated the 5th January, 2016.
7. Inserted by notification no. F. No. P.15025/264/13-PA/FSSAI, dated the 3rd May, 2016
8. Omitted by Notification F. No.1-99/SP (Contaminants)/REG/FSSAI/201,5 dated the 10thOctober, 2016
9. Inserted by notification no. F. No. 1-10(2)/Standards/SP (Fish and Fisheries Products)/FSSAI-2013, dated the 18th January, 2017
10. Inserted by notification no. F. No. P/15025/264/13-PA/FSSAI, dated the 21st July, 2017.
11. Inserted by notification no F. No. P.15025/264/13-PA/FSSAI-2017, dated 27th December,2017.
12. omitted by notification no. 1-100/SPPAR-NOTIFICATION-CTR/FSSAI/2016, dated 19thMarch, 2018.
13. Inserted by notification no No. 1-100/SP(PAR)- Notification/Enf/FSSAI/2014, dated 20thJuly, 2018.
14. substituted by notification No. 1-SP(PAR)- Notification-pesticide/stds-FSSAI/2017, dated24th December, 2018;
15. substituted by F. No. Stds/SP/(Contaminants)/Notification-1/FSSAI-2018, dated 7th August,2020;
16. No.01-SP (PAR)-Notification-Pesticides/Std-FSSAI/2017, 17th October 2024.